

KOHLER OF KOHLER

K48
CATALOG





K48

CATALOG

P E R S O N A L C O P Y

KOHLER CO.

Founded 1873 by John Michael Kohler

KOHLER, WISCONSIN

Shipping Point • Sheboygan, Wisconsin

BRANCH OFFICES AND DISPLAYS *

BOSTON 16, MASSACHUSETTS
139 Newbury Street*

CHICAGO 11, ILLINOIS
Tribune Tower
431 N. Michigan Avenue*

CLEVELAND 14, OHIO
910 Union Commerce Building
9th and Euclid

DETROIT 2, MICHIGAN
3094 East Grand Boulevard*

HOUSTON 2, TEXAS
820 Merchants &
Manufacturers Building

KANSAS CITY 6, MISSOURI
1016 Baltimore Avenue

LONG ISLAND CITY 1, NEW YORK
36-02 Northern Boulevard*

LOS ANGELES 38, CALIFORNIA
1107 N. Highland Avenue*

MILWAUKEE 2, WISCONSIN
751 N. Jefferson Street*

MINNEAPOLIS 2, MINNESOTA
1116 Nicollet Avenue*

NEWARK 5, NEW JERSEY
406 Raymond Boulevard*

NEW YORK, NEW YORK
Long Island City 1
36-02 Northern Boulevard*

PHILADELPHIA 3, PENNSYLVANIA
17th and Sansom Streets*

RICHMOND 19, VIRGINIA
1501 Central National
Bank Building

ST. LOUIS 8, MISSOURI
3615 Olive Street

SAN FRANCISCO 2, CALIFORNIA
505 Post Street*


SEATTLE 1, WASHINGTON
1907 Third Avenue*

LONDON, W.I., ENGLAND
66 Bolsover Street



Plumbing Fixtures by

KOHLER
OF
KOHLER





KOHLER *Village*

Substantial homes, with attractive landscaping, green lawns, shade trees and flowers.

Grounds are beautifully maintained, revealing the thought and care which the people lavish upon their properties.



KOHLER OF KOHLER means not only an organization of several thousand people, but suggests their close relationship with the unusual American community in which they live. Here, closely knit by common interest, men and women are engaged in the task of making products vital to health and well being.

Kohler Village had its beginning fifty years ago when the Kohler Co. moved from its city location into the rolling, wooded countryside. Some years later, when a number of workers had built homes there, the Village was incorporated.

About this time, there had been conceived a far-reaching thought—of a community that should be beautiful, and good to live in. Under the leadership of the late Walter J. Kohler, who at that time was president of Kohler Co., certain guiding principles were worked out. Kohler Village was to be built the American way—the homes were not to be owned and rented by the central industry but owned by the people themselves.

In 1916 the fundamentals of the plan were completed and the first groups of homes erected. What was a vision has become a reality.

Kohler Village is divided into well-defined zones—industrial, retail business and residential. A broad avenue planted with elms screens the industrial section. Many of the streets are winding, all are paved, attractively lighted and landscaped. The residential sections consist for the most part of homes of industrial workers, each house being distinguished by substantial construction, and modern appointments. A sound method of financing is available through the Building and Loan Association.



Homes of architectural interest and individuality.



Looking across a grassy, shaded parkway and playground.




Junction of Park Lane and School Lane. Wooded Ravine Park with Nature Theatre is at left.





St. John Evangelist Catholic Church and parsonage
... one of the several churches in Kohler village.



A modern school building houses the elementary grades.

KOHLER *Village*

The Village has generous provision for parks and playgrounds. The children of Kohler Village have the advantage of excellent public elementary and high schools. Well-equipped special departments provide instruction in commercial subjects, manual arts, home economics, music and the fine arts.

The Village is modern in the sense of having adequate service of those utilities which contribute to living comfort and the protection of property, health and life. It has electricity, water, gas, telephone service, and a complete sewerage system with a modern disposal plant. There is a well-equipped fire department. Government is by a Board of Trustees elected by the people, in accordance with Wisconsin law. By thrifty municipal management the tax rate has been kept low.

Many organizations contribute to the social life, notably the several churches and an active Woman's Club. The Woman's Club, one of the largest in the state, each year brings famous speakers and artists to its meetings which attract large throngs from the Village and surrounding communities. The Woman's Club annually conducts a Better Homes Observation, fostering interest in the arts, home development and civic progress. Many other organizations such as Girl Scouts, Boy Scouts, Cubs, Brownies, a Civic Club, Garden Club exert important influence. Baseball, basket-

The Waelderhaus, erected in memory of John Michael Kohler, founder of Kohler Co., by his daughter Marie Christine Kohler, is in the architecture of the Bregenzerwald, Vorarlberg, Austria, where John Michael Kohler was born.





American Club offers facilities for single men and hotel accommodations for out-of-town visitors to Kohler Co. or the community. The Club has modern bowling alleys, a colorful coffee room decorated by Peter Hunt and the Wisconsin room used for special functions.

ball, bowling, archery, target-shooting and other sports attract enthusiastic adherents.

Kohler Village illustrates that with foresight, planning and cooperation it is possible for an industrial village


not only to be physically beautiful, but socially sound—a self-governed community. Industrial workers own substantial homes with modern conveniences, where life can be pleasant and well balanced.

A charming home in the architecture of Cape Cod.



Annually a Demonstration House is sponsored by the Kohler Woman's Club.





The purity of raw materials and the quality of final products are chemically tested (above). The composition of the materials being checked is revealed on the chart (below).

Below — Checks of the chemical contents and characteristics of molding materials, to insure uniformly good castings are regularly made.



CAPACITY FOR TAKING PAINS

The practice of doing things well began early in the company's existence, with pride of workmanship and product developed by John Michael Kohler, founder, his sons and associates. Under Walter J. Kohler, who for 35 years furnished leadership, the company built its reputation for quality and service solidly upon merit. Today the Kohler Co. organization, numbering several thousand men and women, continues in the tradition of thoroughness. Many of them have been with the company twenty-five years and more. A high degree of competence, resourcefulness and interest in his task characterizes the typical Kohler worker.


The unceasing vigilance which characterizes Kohler methods begins with the use of the most suitable of raw materials. In the selection of these the company relies upon its long experience and in frequent and accurate physical and chemical batch testing. At every step in manufacturing, the products are subjected to searching inspections and tests in which the latest of scientific instruments and practices are utilized, a number of which are illustrated on these pages.

Among the company's products are plumbing fixtures of enameled iron and vitreous china, and fittings of brass. In the manufacture of enameled iron fixtures the company utilizes a base which is cast to provide the necessary strength and the special surface to which enamel tightly fuses. Fixtures of vitreous china are made of imported and domestic clays fired under high temperatures and glazed as in the manufacture of fine table ware. Kohler fittings, the "working parts" of quality fixtures, are made of durable brass, a mixture of copper and hardening alloys. These then are plated with easy-to-clean, bright durable chromium.

In the production of vitreous china fixtures, slip, a mixture of clays in suspension, is tested for viscosity.





Backs of lavatories are ground so that they fit squarely against the wall when installed.



Brass fittings undergoing water tests at greater-than-normal pressure.


Fittings are immersed in tanks for thorough cleaning — for undercoating with nickel, and finally for a plating of chromium.






ENAMELED ON IRON, CAST FOR STRENGTH AND RIGIDITY

Left — A section of the Enameling Division. Here enamel in the form of fine powder is applied to hot castings to form a lustrous, permanent finish.



The enameled surface of every fixture is inspected under strong light.



Sample plates are enameled in laboratory furnaces, and checked regularly against established standards.

KOHLER_{OF} KOHLER

TRADE MARK

REG. U.S. PAT. OFF.

*the mark
of
value*



For three-quarters of a century it has been the Kohler policy and practice to make products of such value as to merit ready public acceptance.

To this end, unsurpassed manufacturing facilities have been developed, all concentrated at Kohler, under unified supervision. Here the study of equipment and methods continues unceasingly. Here the spirit of close cooperation, thoroughness and doing things well, which has long been a Kohler tradition, characterizes the organization today as in other years.

All Kohler products are clearly identified. The Kohler name is die-marked into the metal



of every fitting or fused into all enameled and vitreous china fixtures—a mark of genuineness and value, and assurance that back of the goods is the responsibility of the Kohler organization.

Foresighted buyers specify and demand that the plumbing products they purchase for homes, schools, hospitals, public and industrial buildings shall bear the Kohler name.



Fused into enameled fixtures and into vitreous china fixtures.



Die-marked into all brass fittings.



Fused into all urinals, closet bowls and bidets.



Color and Design — IN THE BATHROOM

Kohler designers have developed a palette of clean, clear colors which have depth and value, and which harmonize readily with other colors to form many desirable decorative effects. New is Spruce Green, named for the cool green of the forest. Peachblow, Cerulean Blue and Tuscan have proved their popularity over a period of years.

The modern bathroom, an American "institution" is one of the most important parts of the house. Its furniture, the plumbing fixtures, are permanently installed for long service. Since these fixtures are immovable, they form the basis of bathroom planning. Points to be considered are the harmony between their color and design and the walls and other parts of the room as a whole, and their practical arrangement with relation to storage and other facilities. Consideration should also be given to the relation of bathroom decoration to that of adjoining rooms.

In a room as small as an average bathroom, in which the bathtub dominates, it is desirable to keep the color treatment simple, using two, or at the most three, basic

colors, one of which will be the color of the fixtures. Use of the same basic colors in other rooms, with varying proportions, different shades and occasional new accents, will provide a pleasing unity of effect throughout the home.

Practical applications of color and design in bathrooms and washrooms, and examples of convenient arrangement, are illustrated on the pages which follow. The aim in each has been to develop a room that combines good taste, comfort and livability.

Kohler fixtures are forthright in design, without superfluous elements or ornamentation. They are consistent throughout their individual details, and related so that when grouped they form matched sets.

The fittings, or working parts, which in many instances are built-in at the factory, are carefully designed to serve and complement the fixtures.



Spruce Green



Peachblow




Cerulean Blue



Tuscan




Spruce Green IN A COOL HARMONIOUS SETTING




K-526-F Cosmopolitan bath—5-foot.
K-1740-C Chesapeake ledge lavatory—30 x 22-inch.
K-3600-EB Placid one-piece closet.

Here is an example of how comfort and freedom of movement can be achieved in a compact bathroom of moderate size. A glance at the floor plan will show how thoughtfully every inch of floor space has been used. The large mirror, occupying the full width of the wall between the cabinets, adds to the spacious effect. The cabinets, with clean cut modern lines, provide unusually generous storage space, easy of access. The practical tile walls, in pale lavender and white, with the black linoleum floor, form an agreeable background for the refreshing green of the fixtures. The room as a whole, like the Kohler fixtures, is designed to provide maximum values in beauty and usefulness.



Peachblow IN A PLEASING PRACTICAL ARRANGEMENT


There is an air of freshness and light that charms the eye in this basic color scheme of peachblow and pale green. The fixtures are grouped in a pleasing ensemble, with easy, comfortable access to each, combined with economy of space. The curving lines of the cabinet, with its smart slide-away doors, complement the graceful design and soft glowing beauty of the peachblow fixtures. The fluted glass partition above the stub wall at the near end of the recess bath further emphasizes the effect of airy lightness. The linoleum floor is durable, easy to clean. A light panel recessed in the soffit above the lavatory assures plenty of evenly distributed illumination before the spacious mirror.



K-525-F Cosmopolitan bath—5-foot.
K-1600-A Gramercy lavatory—27 x 22-inch.
K-3610-PB Integra one-piece closet.



Cerulean Blue COMBINES CONVENIENCE AND TASTE



K-526-A Cosmopolitan bath—5-foot.

K-1785-C Jamestown pedestal lavatory—27 x 22-inch.


K-3655-EB Channel close-coupled closet.

The clean cut, harmonious lines and numerous functional vantages of Kohler fixtures show to excellent advantage in this matched set of Cerulean Blue — a shade suggesting clear, rain-washed sky. The pedestal lavatory with its roomy surface, the recess bath with its bench in front and efficient fittings, and the close-coupled closet combine in a bathroom thoroughly modern both in comfort and decor. White tile lightens the bath recess and, extending around the lower walls, knits the room together. The red patterned linoleum floor, complemented by the tint of the upper walls, adds a note of richness and comfortable warmth to the whole. The readily accessible, diagonal cabinets include a useful clothes hamper with convenient pull-out doors above and below.



Tuscan IN A DISTINCTIVE WELL-PLANNED BATHROOM

That imagination and originality can be used with thoroughly satisfying, practical results is shown by this bathroom with Tuscan fixtures. Note how the tile-patterned linoleum floor covering complements the luminous Tuscan tone, setting off the highlights which accentuate the fixtures' graceful lines. The glass block wall letting in light behind the bath while assuring privacy, and the gay stripes of the soffit give the bathroom pleasing individuality. The white expanses in the basic green of the walls further brightens the total result. The advantage of full length mirrors is achieved, in effect, by using mirror-surfaced doors on the roomy cabinets framing the lavatory. Additional storage space is provided in the wall that partially screens the closet.




K-526-H Cosmopolitan bath—5-foot.
K-1775-C Jamestown lavatory—24 x 20-inch.
K-3665-EB Bolton close-coupled closet.



White

DISTINGUISHED BY TRADITION

MAKES PLANNING EASY



K-525-A Cosmopolitan—5-foot.
K-1600-A Gramercy lavatory—24 x 20-inch.
K-3665-EB Bolton close-coupled closet.

The popularity of white Kohler fixtures is based, in part, upon the wide versatility they allow in the use of colors for the decorative scheme. A frequent practice, when the bathroom adjoins a bedroom, is to match or reverse the colors used in the latter. In the bathroom shown, the brilliant lustre of the pure white Kohler enamel — vitrified under intense heat to give it a glass hard surface heightens the good taste of the lavender and bright green walls. The sharp contrast of the black linoleum floor adds positive definition to the room as a whole. The medicine cabinet door pulls down to form a useful shelf. Placing the fixtures so that all outlets are on the same wall effects economy in the piping installation.

MATCHED SETS

Suggestions for the Selection of Fixtures

Small rooms look better when their contents have the same basic design. This gives unity of effect—an important principle in decoration. You can get this effect easily with Kohler plumbing fixtures. Kohler fixtures harmonize in proportion, line and color. They have dignity and simplicity, the result of sound structural design. There are many ways to group them attractively in matched sets.

Note how Kohler fixtures are grouped in such matched sets on these and the color plates on preceding pages. Fixtures in the various sets range in price and size from those suitable for large homes to those used principally in medium and low-cost homes.



SET 55

SET 55

- K-526-E—Cosmopolitan bath—5 foot.
- K-1780-F—Jamestown vitreous china pedestal lavatory—24x20-inch.
- K-3665-PB—Bolton close-coupled closet.

SET 62

- K-526-A—Cosmopolitan bath—5 foot.
- K-1740-C—Chesapeake vitreous china ledge lavatory—20x18-inch.
- K-3665-PB—Bolton close-coupled closet.

SET 70

- K-526-H—Cosmopolitan bath—5 foot.
- K-2780-C—Westchester enameled cast iron pedestal lavatory—24x20-inch.
- K-3705-PB—Wellworth close-coupled closet.



SET 62



SET 70

MATCHED SETS

SET 72


K-525-F—Cosmopolitan bath—5 foot.

K-2790-C—Westchester enameled cast iron lavatory—
24x20-inch.

K-3705-PB—Wellworth close-coupled closet.



SET 72



SET 77

SET 77

K-525-F—Cosmopolitan bath—5 foot.

K-1605-A—Gramercy vitreous china lavatory—
19x17-inch.

K-3665-PB—Bolton close-coupled closet.



SET 84

SET 84

K-525-A—Cosmopolitan bath—5 foot.

K-1955-C—Greenwich vitreous china lavatory—
20x18-inch.

K-3705-PB—Wellworth close-coupled closet.

MATCHED SETS

SET 89

K-526-P—Cosmopolitan bath—5 foot.

K-2720-A—Hampton enameled cast iron lavatory—
19x17-inch.

K-3705-PB—Wellworth close-coupled closet.



SET 89

SET 92

K-926-I—Potomac bath—5 foot.

K-2745-A—Delton enameled cast iron shelf lavatory—
18x15-inch.

K-3715-PB—Trylon close-coupled closet.



SET 92

SET 96

K-1000-T—Liberty bath—5 foot.

K-2830-P—Hudson enameled cast iron lavatory—
20x18-inch.


K-3715-PB—Trylon close-coupled closet.



SET 96



A *Washroom* IS A CONSTANT SOURCE OF EXTRA CONVENIENCE



K-1640-A Strand lavatory— 26 x 15½-inch.
K-3610-PB Integra one-piece closet.

A first-floor washroom, like the one shown, takes little space, yet answers recurring needs — reducing through-the-house traffic, providing welcome convenience for guests, simplifying child training. In so small a room, a basic decorative scheme of two colors is sufficient. Spruce Green fixtures, with white for the splash area around the lower walls, and lightly tinted upper walls and floor, combine with color accents in the window curtains and decorated top border to form a tastefully bright and wholly practical room. Open shelves keep toilet articles within easy reach and cabinets provide storage space for towels. Permanent value is added to homes equipped with such increased sanitary conveniences.

MATCHED SETS

SET 122

K-1645-A—Strand vitreous china shelf lavatory—
20x14-inch.

K-3665-PB—Bolton close-coupled closet.



SET 122

SET 125

K-2740-A—Taunton enameled cast iron shelf lavatory—
24x14-inch.

K-3705-PB—Wellworth close-coupled closet.



SET 125

SET 136

K-2740-A—Taunton enameled cast iron shelf lavatory—
20x14-inch.

K-3715-PB—Trylon close-coupled closet.



SET 136



TIMES SQUARE K-205-F

K-205-F—Bath, recess, left outlet, with fittings illustrated.

Fittings

K-7026—Shower and bath fitting with ½-inch Niedecken mixer, diverter spout, shower head, pop-up drain.

K-9710—Curtain rod.

K-9720—Curtain hook and chain.

(Curtain and pins not furnished)

K-206-F—Bath, recess, right outlet, with above fittings.



Size	4'
Length over-all	48"
Length between finished walls.....	46¼"
Width over-all at ends.....	46½"
Width over-all at center.....	51"
Width from finished wall at ends.....	45⅝"
Width from finished wall at center.....	50⅝"

Rim at center 5"; depth inside 15¼"; height from floor 15½"; height over-all 16".

TIMES SQUARE

The homeowner seeking to create a distinctive master bathroom will start with the Times Square Bath.


A liberal area with a flat bottom for shower bathing, a built-in seat for the foot-bather, and a comfortable roominess for the tub-bather are among the practical features of this modern fixture.

ENAMELED CAST IRON

Showering BATH

WITH INTEGRAL SEAT

For Building Into Recess



TIMES SQUARE is suggested for long narrow spaces in multiple apartment buildings and hotels.



TIMES SQUARE K-206-A

K-206-A—Bath, recess, right outlet, with fittings illustrated.

Fittings


K-7031—Shower and bath fitting with ½-inch valves, diverter spout, shower head, pop-up drain.

K-9710—Curtain rod.

K-9720—Curtain hook and chain.

(Curtain and pins not furnished)

K-205-A—Bath, recess, left outlet with above fittings.



Ample bath area in the Times Square.

Size	4'
Length over-all	48"
Length between finished walls.....	46 1/4"
Width over-all at ends.....	46 1/2"
Width over-all at center.....	51"
Width from finished wall at ends.....	45 5/8"
Width from finished wall at center.....	50 1/8"

Rim at center 5"; depth inside 15 1/4"; height from floor 15 1/2"; height over-all 16".

COSMOPOLITAN—ENAMELED

COSMOPOLITAN

K-525-F—Bath, recess, left outlet, with fittings illustrated.

K-525—Bath, recess, left outlet, less fittings.

Fittings

K-7025—Shower and bath fitting with ½-inch Niedecken mixer, diverter spout, shower head, pop-up drain.

K-9710—Curtain rod.

K-9720—Curtain hook and chain.
(Curtain and pins not furnished)

K-526-F—Bath, recess, right outlet, with above fittings.

COSMOPOLITAN

K-525-A—Bath, recess, left outlet, with fittings illustrated.

K-525—Bath, recess, left outlet, less fittings.

Fittings

K-7030—Shower and bath fitting with ½-inch valves, diverter spout, shower head, pop-up drain.

K-9710—Curtain rod.

K-9720—Curtain hook and chain.
(Curtain and pins not furnished)

K-526-A—Bath, recess, right outlet, with above fittings.

Sizes	4½'	5'	5½'
Length over-all	54"	60"	66"
Length between finished walls.....	52¼"	58¼"	64¼"
Width over-all at ends.....	31"	31"	31"
Width over-all at center.....	33"	33"	33"
Width from finished wall at ends.....	30⅞"	30⅞"	30⅞"
Width from finished wall at center.....	32⅞"	32⅞"	32⅞"

Bench rim 6"; rim at ends 4⅞"; depth inside 15¼"; height from floor 15½"; height over-all 16".

COSMOPOLITON K-525-F

COSMOPOLITON K-525-A

CAST IRON *Built-in*

RECESS *Bench* BATH

COSMOPOLITAN

K-526-E—Bath, recess, right outlet, with fittings illustrated.

K-526—Bath, recess, right outlet, less fittings.

Fittings

K-7040—Shower and bath fitting with ½-inch valves, diverter, shower head, over rim spout, pop-up drain.

K-9710—Curtain rod.

K-9720—Curtain hook and chain.
(Curtain and pins not furnished)

K-525-E—Bath, recess, left outlet, with above fittings.



COSMOPOLITAN K-526-E

COSMOPOLITAN

K-526-H—Bath, recess, right outlet, with fittings illustrated.

K-526—Bath, recess, right outlet, less fittings.

Fittings

K-7045—Shower and bath fitting with ½-inch valves, over rim spout, shower head, pop-up drain.

K-9710—Curtain rod.

K-9720—Curtain hook and chain.
(Curtain and pins not furnished)

K-525-H—Bath, recess, left outlet, with above fittings.




COSMOPOLITAN K-526-H

Sizes	4½'	5'	5½'
Length over-all	54"	60"	66"
Length between finished walls.....	52¼"	58¼"	64¼"
Width over-all at ends.....	31"	31"	31"
Width over-all at center.....	33"	33"	33"
Width from finished wall at ends.....	30⅞"	30⅞"	30⅞"
Width from finished wall at center.....	32⅞"	32⅞"	32⅞"

Bench rim 6"; rim at ends 4⅞"; depth inside 15¼"; height from floor 15½"; height over-all 16".

COSMOPOLITAN

ENAMELED CAST IRON *Built-in RECESS Bench* BATH



COSMOPOLITAN K-525-P

K-525-P—Bath, recess, left outlet, with fitting illustrated.
K-525—Bath, recess, left outlet, less fitting.

Fitting

K-7080—Bath fitting with ½-inch valves, over rim spout, pop-up drain.



COSMOPOLITAN K-526-P

K-526-P—Bath, recess, right outlet, with fitting illustrated.
K-526—Bath, recess, right outlet, less fitting.

Fitting

K-7080—Bath fitting with ½-inch valves, over rim spout, pop-up drain.



COSMOPOLITAN K-525-G

K-525-G—Bath, recess, left outlet, with fitting illustrated.
K-525—Bath, recess, left outlet, less fitting.

Fitting

K-7075—Bath fitting with ½-inch Niedecken mixer, over rim spout, pop-up drain.

K-526-G—Bath, recess, right outlet, with above fitting.



COSMOPOLITAN K-526-I

K-526-I—Bath, recess, right outlet, with fitting illustrated.
K-526—Bath, recess, right outlet, less fitting.

Fitting

K-7090—Bath fitting with ½-inch valves, over rim spout, connected drain and overflow.

K-525-I—Bath, recess, left outlet, with above fitting.

Sizes	4½'	5'	5½'
Length over-all	54"	60"	66"
Length between finished walls.....	52¼"	58¼"	64¼"
Width over-all at ends.....	31"	31"	31"
Width over-all at center.....	33"	33"	33"
Width from finished wall at ends	30½"	30½"	30½"
Width from finished wall at center	32½"	32½"	32½"

Bench rim 6"; rim at ends 4½"; depth inside 15¼"; height from floor 15½"; height over-all 16".

COSMOPOLITAN

ENAMELED CAST IRON *Built-in* CORNER BATH



COSMOPOLITAN K-551-P

K-551-P—Bath, left corner, left outlet, with fitting illustrated.

K-551—Bath, left corner, left outlet, less fitting.

Fitting

K-7080—Bath fitting with ½-inch valves, over rim spout, pop-up drain.



COSMOPOLITAN K-554-P

K-554-P—Bath, right corner, right outlet, with fitting illustrated.

K-554—Bath, right corner, right outlet, less fitting.

Fitting

K-7080—Bath fitting with ½-inch valves, over rim spout, pop-up drain.



COSMOPOLITAN K-552-RI


K-552-RI—Bath, left corner, right outlet, with fitting illustrated.

K-552-R—Bath, left corner, right outlet, less fitting.

Fitting

K-7091—Bath fitting with ½-inch valves, over rim spout, connected drain and overflow.

K-553-RI—Bath, right corner, left outlet, with above fitting.



COSMOPOLITAN K-553-HK

K-553-HK—Bath, right corner, left outlet, with fitting illustrated.

K-553-H—Bath, right corner, left outlet, less fitting.

Fitting

K-7095—Bath fitting with ½-inch valves, over rim spout, pop-up drain.

K-552-HK—Bath, left corner, right outlet, with above fitting.

Sizes	5'	5½'
Length over-all	61"	67"
Length from finished wall	60 ⅛"	66 ⅛"
Width over-all	31"	31"
Width from finished wall	30 ⅛"	30 ⅛"

Rim 4 ⅞"; depth inside 15 ¼"; height from floor 15 ½"; height over-all 16".



COSMOPOLITAN K-551-F



COSMOPOLITAN K-551-A

COSMOPOLITAN—ENAMELED

COSMOPOLITAN

K-551-F—Bath, left corner, left outlet, with fittings illustrated.

K-551—Bath, left corner, left outlet, less fittings.

Fittings

K-7025—Shower and bath fitting with ½-inch Niedecken mixer, diverter spout, shower head, pop-up drain.

K-9700—Curtain rod.

K-9720—Curtain hook and chain.
(Curtain and pins not furnished)

K-554-F—Bath, right corner, right outlet, with above fittings.

COSMOPOLITAN

K-551-A—Bath, left corner, left outlet, with fittings illustrated.

K-551—Bath, left corner, left outlet, less fittings.

Fittings

K-7030—Shower and bath fitting with ½-inch valves, diverter spout, shower head, pop-up drain.

K-9700—Curtain rod.

K-9720—Curtain hook and chain.
(Curtain and pins not furnished)

K-554-A—Bath, right corner, right outlet, with above fittings.

Sizes	5'	5½'
Length over-all	61"	67"
Length from finished wall.....	60⅛"	66⅛"
Width over-all	31"	31"
Width from finished wall.....	30⅛"	30⅛"

Rim 4⅛"; depth inside 15¼"; height from floor 15½";
height over-all 16".

ST IRON *Built-in* CORNER BATH

COSMOPOLITAN

K-554-E—Bath, right corner, right outlet, with fittings illustrated.

K-554—Bath, right corner, right outlet, less fittings.

Fittings

K-7040—Shower and bath fitting with ½-inch valves, diverter, shower head, over rim spout, pop-up drain.

K-9700—Curtain rod.

K-9720—Curtain hook and chain.
(Curtain and pins not furnished)

K-551-E—Bath, left corner, left outlet, with above fittings.



COSMOPOLITAN K-554-E

COSMOPOLITAN

K-554-H—Bath, right corner, right outlet, with fittings illustrated.

K-554—Bath, right corner, right outlet, less fittings.

Fittings

K-7045—Shower and bath fitting with ½-inch valves, over rim spout, shower head, pop-up drain.

K-9700—Curtain rod.

K-9720—Curtain hook and chain.
(Curtain and pins not furnished)

K-551-H—Bath, left corner, left outlet, with above fittings.



COSMOPOLITAN K-554-H

Sizes	5'	5½'
Length over-all	61"	67"
Length from finished wall.....	60⅛"	66⅛"
Width over-all	31"	31"
Width from finished wall.....	30⅛"	30⅛"

Rim 4⅞"; depth inside 15¼"; height from floor 15½";
height over-all 16".

POTOMAC—ENAMELED

POTOMAC

K-925-F—Bath, recess, left outlet, with fittings illustrated.

K-925—Bath, recess, left outlet, less fittings.

Fittings

K-7025—Shower and bath fitting with ½-inch Niedecken mixer, diverter spout, shower head, pop-up drain.

K-9710—Curtain rod.

K-9720—Curtain hook and chain.
(Curtain and pins not furnished)

K-926-F—Bath, recess, right outlet, with above fittings.



POTOMAC K-925-F



POTOMAC K-925-I

K-925-I—Bath, recess, left outlet, with fitting illustrated.

K-925—Bath, recess, left outlet, less fitting.

Fitting

K-7090—Bath fitting with ½-inch valves, over rim spout, connected drain and overflow.



POTOMAC K-926-I

K-926-I—Bath, recess, right outlet, with fitting illustrated.

K-926—Bath, recess, right outlet, less fitting.

Fitting

K-7090—Bath fitting with ½-inch valves, over rim spout, connected drain and overflow.

NOTE: Potomac baths enameled inside only.

Sizes	4½'	5'
Length over-all	54"	60"
Length from finished walls.....	52¼"	58¼"
Width over-all	30"	30"
Width from finished wall.....	29⅞"	29⅞"

Rim 3½"; depth inside 15½"; height from floor 16¼"; height over-all 16¾".

RECESS WING BATH

POTOMAC

K-926-A—Bath, recess, right outlet, with fittings illustrated.

K-926—Bath, recess, right outlet, less fittings.

Fittings

K-7030—Shower and bath fitting with ½-inch valves, diverter spout, shower head, pop-up drain.

K-9710—Curtain rod.

K-9720—Curtain hook and chain.
(Curtain and pins not furnished)

K-925-A—Bath, recess, left outlet, with above fittings.



POTOMAC K-926-A



POTOMAC K-925-P

K-925-P—Bath, recess, left outlet, with fitting illustrated.

K-925—Bath, recess, left outlet, less fitting.

Fitting

K-7080—Bath fitting with ½-inch valves, over rim spout, pop-up drain.



POTOMAC K-926-P

K-926-P—Bath, recess, right outlet, with fitting illustrated.

K-926—Bath, recess, right outlet, less fitting.

Fitting

K-7080—Bath fitting with ½-inch valves, over rim spout, pop-up drain.

NOTE: Potomac baths enameled inside only.

Size	4½'	5'
Length over-all	54"	60"
Length from finished walls	52¼"	58¼"
Width over-all	30"	30"
Width from finished wall	29⅛"	29⅛"

Rim 3½"; depth inside 15½"; height from floor 16¼"; height over-all 16¾".



LIBERTY K-1000-T

K-1000-T—Bath with K-7115 double bath faucet with over rim spout, 9/16-inch O.D. supply pipes, and connected drain and overflow.

Sizes	4½'	5'
Floor to top of rim.....	20"	20"
Depth inside	15⅝"	15⅝"
Width over rim.....	30"	30"
Width of rim.....	3½"	3½"



NAROSPACE K-1060-T

NAROSPACE

K-1060-T—Bath with K-7118 double bath faucet with over rim spout, 9/16-inch O.D. supply pipes, and connected drain and overflow.

Sizes	4½'	5'
Floor to top of rim.....	21½"	21½"
Depth inside	17"	17"
Width over rim.....	26"	26"
Width of rim.....	2"	2"

CATARACT—ENAMELED CAST IRON SHOWER RECEPTOR



CATARACT K-1070

CATARACT

K-1070—Recess receptor with K-9140 strainer for caulking 2-inch iron pipe or lead pipe connection.

Sizes over-all	36¾x36"	40x40"
Width between walls.....	34¼"	38¼"
Front to rear wall.....	35⅞"	39⅞"
Depth at outlet.....	4"	4"

SITZ THERAPY—ENAMELED CAST IRON BATH

for HOSPITALS, CLINICS, SANITARIUMS



SITZ THERAPY K-1105-A

K-1105-A—Built-in sitz bath complete with fittings illustrated.

Specifications

K-1105—Enameled cast iron sitz bath.

K-7130—Exposed supply fitting with Powers HE-6 thermostatic mixer with ½-inch union angle, loose key, strainer check stops, volume control shut-off valve, dial thermometer, connections to wall, vacuum breaker, hose and hook.

K-7156—1½-inch trip lever pop-up drain and overflow.



SITZ THERAPY K-1106-B

K-1106-B—Built-in sitz bath complete with fittings illustrated.

Specifications

K-1106—Enameled cast iron sitz bath.

K-7140—Built-in supply valves, bell and supply to wall.

K-7156—1½-inch trip lever pop-up drain and overflow.



SITZ THERAPY K-1106-A

K-1106-A—Built-in sitz bath complete with fittings illustrated.

Specifications

K-1106—Enameled cast iron sitz bath.

K-7135—Built-in supply fitting with Powers HC-6 thermostatic mixer, dial thermometer, control valve, screw driver check stops, bell and supply to wall.

K-7156—1½-inch trip lever pop-up drain and overflow.

Dimensions—K-1105 and K-1106

Front to back over rim.....	32"
Width over rim.....	31"
Floor to top of rim at front.....	15"
Floor to top of rim at back.....	21"
Depth inside, at outlet.....	10"

FOOT THERAPY

ENAMELED CAST IRON BATH



FOOT THERAPY K-1115-A

K-1115-A—Built-in foot bath complete with fittings illustrated.

Specifications

K-1115—Enameled cast iron foot bath.

K-7145—Built-in supply valves with over rim spout.

K-7157—1½-inch trip lever pop-up drain and overflow.

Front to back over rim.....	26½"
Width over rim.....	25"
Floor to top of rim.....	15"
Depth inside, at outlet.....	14"

KOHLER OF KOHLER

GOOD INSTALLATION IS IMPORTANT

TIGHT WALL—A Simple, Easy-To-Use Bath Hanger

K-1170 Kohler Tight Wall bath hangers for built-in baths are made of metal—with an upper and lower shelf, and are practical for use on studding, furring strips, and flat walls.

The shelves of hanger are cut at an angle sloping downward to rear. When rim of bath rests on hanger, the bath tends to slide toward the wall, insuring a firm anchorage.

DIRECTIONS—"Tight Wall" hangers are temporarily attached to face of studding or wall at or near the correct height, with top shelf a little lower than the underside of rim of bath by inserting a screw in elongated slot. (See Fig. 1) Level bath. Then loosen screw and raise hanger until top shelf supports rim of bath. The five permanent screws are then inserted in each hanger—and the bath is firmly anchored. (See Fig. 2)

For plastered walls the upper shelf is used; for tiled walls the lower shelf.



TIGHT WALL K-1170

Hanger for built-in baths




Fig. 1

Insert screw in center of slot and level bath.



Fig. 2

After bath is leveled, insert screws for permanent installation.

Four "Tight Wall" hangers are used, as illustrated, to anchor recess bath securely; three for corner baths.

PROTEK—Provides a Safe Covering for Bath During Construction


Protek provides a safe and inexpensive medium for the protection of the lustrous enameled surface of the bath from mars and scratches while the bathroom is being built. It comes in powder form, and when mixed with water forms a paste. The paste, when applied with several thicknesses of ordinary newspapers (Fig. 1), produces when dry, a tough and strong covering. Protek will not etch or injure the high glaze of Kohler enamel. To remove, soak the paper with water. It peels off easily. (Fig. 2)



Fig. 1
To Apply



Fig. 2
To Remove



PROTEK K-1180

FOR PROPER CARE OF PLUMBING FIXTURES AND FITTINGS

KOHLER

Cleanser

Kohler Cleanser is prepared expressly for the effective cleansing of enameled cast iron and vitreous china plumbing fixtures. It cleans quickly and thoroughly, yet safeguards the lustrous surface. It is free of harsh abrasives, therefore harmless to the skin.

It is an all-purpose cleanser—can be used equally well on glass, tile, marble, pots, pans and utensils.

Kohler Cleanser is packed in cartons containing 24 full 12-oz. cans. The attractive blue and white oblong cans conserve space in medicine or storage cabinets and fit sink and lavatory ledges.



K-1200



Use it on enameled and vitreous china plumbing fixtures, chromium plated fittings, pots and pans, tile, marble, glass.

KOHLER OF KOHLER

VITREOUS CHINA

The modern pottery at Kohler, the world's largest, has complete facilities for the manufacture of vitreous china plumbing fixtures. Shown are portions of several of the many tunnel kilns through which fixtures move in high temperatures. At every stage pyrometers record and control the temperature. Many hours are required for complete vitrification and glazing.

In other sections of the pottery are huge storage bins for the raw materials which come from many parts of the earth—ball and china clays and Cornwall stone from the finest beds in southwestern England, kryolith from Greenland, tin oxide from Bolivia and the Malay States, fluorspar, feldspar, borax, zinc oxide from the United States.



GRAMERCY

Vitreous China Shelf Lavatories

GRAMERCY

K-1600-A—Shelf lavatory with fittings illustrated.

K-1600—Shelf lavatory with K-8115 fitting with Synchro drain, K-9575 legs, less towel bars, supplies and trap.

Fittings

K-8258— $\frac{3}{8}$ -inch supplies with stops.

K-9565—Towel bars (2).


K-9000—1 $\frac{1}{4}$ -inch P trap.

Sizes	19x17"	22x18"	24x20"	27x22"
Basin	14x11"	15x11 $\frac{1}{2}$ "	16x12 $\frac{3}{4}$ "	18x14 $\frac{1}{2}$ "
Back	4"	4"	4"	4"
Width of shelf.....	4 $\frac{1}{4}$ "	4 $\frac{1}{2}$ "	5"	5 $\frac{1}{4}$ "
Height from floor	31"	31"	31"	31"

NOTE: The 19x17" size is not furnished with built-in soap dishes.



GRAMERCY K-1600-A



Wide shelf extends across back; spout and valve handles are directly over basin.

Self-Closing Fitting for Public Buildings



K-8111—Fitting with self-closing valves and Synchro drain. For use with Gramercy, Strand and Rockport vitreous china lavatories.



GRAMERCY K-1605-A

K-1605-A—Shelf lavatory with fittings illustrated.

K-1605—Shelf lavatory with K-8115 fitting with Synchro drain, less supplies and trap.

Fittings

K-8258— $\frac{3}{8}$ -inch supplies with stops.

K-9000—1 $\frac{1}{4}$ -inch P trap.

Sizes	19x17"	22x18"	24x20"
Basin	14x11"	15x11 $\frac{1}{2}$ "	16x12 $\frac{3}{4}$ "
Back	4"	4"	4"
Width of shelf.....	4 $\frac{1}{4}$ "	4 $\frac{1}{2}$ "	5"

NOTE: The 19x17" size is not furnished with built-in soap dishes.



STRAND K-1640-A

K-1640-A—Shelf lavatory with fittings illustrated.

K-1640—Shelf lavatory with K-8115 fitting with Synchro drain, K-9575 legs, less towel bars, supplies and trap.

Fittings

K-8258— $\frac{3}{8}$ -inch supplies with stops.

K-9565—Towel bars (2).


K-9000— $1\frac{1}{4}$ -inch P trap.



STRAND K-1645-A

STRAND

Vitreous China
Space-Saving Shelf Lavatories



The Strand is designed especially for narrow rooms.

STRAND

K-1645-A—Shelf lavatory with fittings illustrated.

K-1645—Shelf lavatory with K-8115 fitting with Synchro drain, less supplies and trap.

Fittings

K-8258— $\frac{3}{8}$ -inch supplies with stops.

K-9000— $1\frac{1}{4}$ -inch P trap.

Sizes	20x14"	26 x15½"
Basin	15x 9"	17½x10"
Back	3½"	3½"
Width of shelf.....	4"	4¼"
Height from floor.....	31"	31"

ROCKPORT

Vitreous China Shelf Corner Lavatory

ROCKPORT

K-1680-A—Shelf lavatory with fittings illustrated.

K-1680—Shelf lavatory with K-8115 fitting with Synchro drain, less supplies and trap.

Fittings

K-8258— $\frac{3}{8}$ -inch supplies with stops.

K-9000— $1\frac{1}{4}$ -inch P trap.

Size (sides)	17x17"
Basin	15x10 $\frac{1}{2}$ "
Back	3 $\frac{1}{2}$ "
Width of shelf from corner to front.....	7 $\frac{1}{2}$ "
Corner to front of lavatory.....	20 $\frac{1}{4}$ "



ROCKPORT K-1680-A

Vitreous China Shelf Dental Lavatories



RINSE K-1700-A

K-1700-A—Shelf dental lavatory with flushing rim and fittings illustrated.


K-1700—Shelf dental lavatory with K-8131 supply and drain fitting, vacuum breaker and open strainer, less supplies and trap.

Fittings

K-8260— $\frac{3}{8}$ -inch supplies with stops.

K-9000— $1\frac{1}{4}$ -inch P trap.

Size	14x14"
Basin	9x 8"
Back	3 $\frac{3}{4}$ "
Width of shelf.....	3 $\frac{1}{2}$ "



WALCOT K-1720-A

K-1720-A—Shelf dental lavatory with fittings illustrated.

K-1720—Shelf dental lavatory with K-8132 supply and drain fitting with open strainer, less supplies and trap.

Fittings

K-8260— $\frac{3}{8}$ -inch supplies with stops.

K-9000— $1\frac{1}{4}$ -inch P trap.

Size	12 x12"
Basin	9 $\frac{1}{2}$ x 7 $\frac{1}{2}$ "
Back	3 $\frac{1}{2}$ "
Width of shelf.....	3 $\frac{1}{4}$ "



CHESAPEAKE K-1740-C



Compact Centra fitting leaves shelf space for toilet articles.

NOTE: The Chesapeake 18x15" and 20x18" sizes have one soap dish on ledge; 24x20" and 30x22" sizes have two soap dishes on slab.

CHESAPEAKE

Vitreous China Ledge Lavatories

CHESAPEAKE

K-1740-C—Ledge lavatory with fittings illustrated.

K-1740—Ledge lavatory with K-9575 legs, less fittings.

Fittings


K-8005—Centra fitting with Synchro drain.

K-8264— $\frac{3}{8}$ -inch supplies with stops.

K-9565—Towel bars (2).

K-9000— $1\frac{1}{4}$ -inch P trap.

Sizes	20x18"	24x20"	30x22"
Basin	$14\frac{1}{2} \times 10\frac{1}{2}$ "	16x12"	18x14"
Back	$1\frac{1}{2}$ "	$1\frac{1}{2}$ "	$1\frac{1}{2}$ "
Width of ledge.....	$5\frac{1}{4}$ "	$5\frac{1}{2}$ "	6"
Height from floor.....	31"	31"	31"



Wall-free towel bars are easily attached.



CHESAPEAKE K-1745-C

K-1745-C—Ledge lavatory with fittings illustrated.

K-1745—Ledge lavatory, less fittings.

Fittings

K-8005—Centra fitting with Synchro drain.

K-8264— $\frac{3}{8}$ -inch supplies with stops.

K-9000— $1\frac{1}{4}$ -inch P trap.

Sizes	18x15"	20x18"
Basin	14x 9"	$14\frac{1}{2} \times 10\frac{1}{2}$ "
Back	$1\frac{1}{2}$ "	$1\frac{1}{2}$ "
Width of ledge.....	4"	$5\frac{1}{4}$ "
Height from floor.....	31"	31"

JAMESTOWN

Vitreous China Lavatories

JAMESTOWN


- K-1775-C—Lavatory with fittings illustrated.
K-1775—Lavatory with K-9575 legs and K-2072 C.P. wall brackets, less fittings.

Fittings

- K-8005—Centra fitting with Synchro drain.
K-8264— $\frac{3}{8}$ -inch supplies with stops.
K-9565—Towel bars (2).
K-9000— $1\frac{1}{4}$ -inch P trap.

Sizes	20 x18"	24x20"	27x22"
Basin	14 $\frac{1}{2}$ x10 $\frac{1}{2}$ "	16x12"	17x13"
Height from floor.....	31"	31"	31"

NOTE: 20x18-inch size not furnished on pedestal.



We recommend stops in supply line to shut off water when necessary to replace seat washer.



JAMESTOWN K-1775-C



JAMESTOWN K-1770-F

- K-1770-F—Lavatory with fittings illustrated.
K-1770—Lavatory with K-9575 legs and K-2072 C.P. wall brackets, less fittings.

Fittings

- K-8010—Fitting with Synchro drain.
K-8264— $\frac{3}{8}$ -inch supplies with stops.
K-9565—Towel bars (2).
K-9000— $1\frac{1}{4}$ -inch P trap.



JAMESTOWN K-1785-C

- K-1785-C—Lavatory with fittings illustrated.
K-1785—Lavatory with pedestal and K-2072 C.P. wall brackets, less fittings.

Fittings

- K-8005—Centra fitting with Synchro drain.
K-8264— $\frac{3}{8}$ -inch supplies with stops.
K-9565—Towel bars (2).
K-9000— $1\frac{1}{4}$ -inch P trap.

K-1780-F—Same as K-1785-C except with K-8010 supply fitting; K-1780, lavatory, with pedestal and K-2072 C.P. wall brackets, less fittings.



JAMESTOWN K-1790-J

JAMESTOWN

Vitreous China Lavatories

JAMESTOWN

K-1790-J—Lavatory with fittings illustrated.

K-1790—Lavatory with leg and K-2072 C. P. wall brackets, less fittings.

Fittings

K-8178—Compression faucets.

K-8264— $\frac{3}{8}$ -inch supplies with stops.

K-8415—Synchro drain.

K-9000— $1\frac{1}{4}$ -inch P trap.

K-1792-C—Same as K-1790-J except with K-8005 Centra fitting; K-1792, lavatory with leg, K-2072 wall brackets, less fittings.

Sizes	20 x18"	24x20"	27x22"
Basin	$14\frac{1}{2}$ x10 $\frac{1}{2}$ "	16x12"	17x13"
Height from floor.....	31"	31"	31"

The 27x22" size is not recommended for wall hanging, except with chair carrier.



JAMESTOWN K-1797-C

JAMESTOWN

K-1797-C—Lavatory with fittings illustrated.

K-1797—Lavatory with K-1806 wall support, less fittings.

Fittings

K-8005—Centra fitting with Synchro drain.

K-8264— $\frac{3}{8}$ -inch supplies with stops.

K-9000— $1\frac{1}{4}$ -inch P trap.

K-1795-J—Same as K-1797-C except with K-8178 faucets and K-8415 Synchro drain;
K-1795, lavatory with K-1806 wall support, less fittings.

Wall Supports and Chair Carriers for Vitreous China Lavatories



ANCORA K-1806

ANCORA

***K-1806**—Lavatory wall support with enamel painted exposed bracket for lavatories without back.

***K-1807**—Lavatory wall support with concealed wall hanger for lavatories with back.

SECURA

***K-1812**—Lavatory chair carrier with enamel painted exposed bracket for lavatories with or without back.

***K-1813**—Lavatory chair carrier with concealed wall hanger for lavatories with back.

*NOTE: Specify size of lavatory when ordering wall supports or chair carriers.




SECURA K-1812

Ancora wall supports furnished only for 24x20" or smaller lavatories. Bolts and spacer sleeves regularly furnished for walls up to 1-inch thickness. When thickness of wall exceeds 1-inch, give distance from face of wall support or chair carrier to face of finished wall.

ARROWHEAD

Vitreous China Lavatories

*...for Tiling-in and
Dressing Table Combinations*



The Arrowhead is shown here in dressing table with tile top.



ARROWHEAD K-1880-C

K-1880-C—Lavatory with fitting illustrated.

K-1880—Lavatory, less fitting.

Fitting

K-8005—Centra fitting with Synchro drain.

Size	20x18"
Basin	15x10 $\frac{3}{4}$ "



ARROWHEAD K-1882-F

ARROWHEAD

K-1882-F—Lavatory with fitting illustrated.

K-1882—Lavatory, less fitting.

Fitting

K-8010—Fitting with Synchro drain.

Size	20x18"
Basin	15x10 $\frac{3}{4}$ "

GREENWICH

Vitreous China Lavatory with Back

GREENWICH

K-1955-C—Lavatory with fittings illustrated.

K-1955—Lavatory, less fittings.

Fittings

K-8005—Centra fitting with Synchro drain.


K-8264— $\frac{3}{8}$ -inch supplies with stops.

K-9000— $1\frac{1}{4}$ -inch P trap.

Sizes	20x18"	24x20"
Basin	14x10"	16x11 $\frac{1}{2}$ "
Back	6"	6"
Height from floor.....	31"	31"



GREENWICH K-1955-C



The Greenwich lavatory with back is used extensively in hotel and school washrooms, as well as in other public buildings.



GREENWICH K-1945-J

K-1945-J—Lavatory with fittings illustrated.

K-1945—Lavatory with leg, less fittings.

Fittings

K-8178—Compression faucets.

K-8264— $\frac{3}{8}$ -inch supplies with stops.

K-8415—Synchro drain.

K-9000— $1\frac{1}{4}$ -inch P trap.

K-1940-C—Same as K-1945-J except with K-8005 Centra fitting; K-1940 lavatory with leg, less fittings.



GREENWICH K-1950-F

K-1950-F—Lavatory with fittings illustrated.

K-1950—Lavatory, less fittings.

Fittings

K-8010—Fitting with Synchro drain.

K-8264— $\frac{3}{8}$ -inch supplies with stops.

K-9000— $1\frac{1}{4}$ -inch P trap.



GREENWICH K-1950-P

K-1950-P—Lavatory with fittings illustrated.

K-1950—Lavatory, less fittings.

Fittings

K-8178—Compression faucets.

K-8264— $\frac{3}{8}$ -inch supplies with stops.

K-8426—Drain with chain and stopper.

K-8460— $1\frac{1}{8}$ -inch chain stay bolt.

K-9000— $1\frac{1}{4}$ -inch P trap.

CHATHAM

Vitreous China *Marine* Lavatory
with Full Splash Rim

CHATHAM

K-1970-M—Lavatory with rubber concussion washer and two bolts with rubber sleeves for attaching lavatory to wall, and with fittings illustrated.

K-1970—Lavatory, less fittings.

Fittings

K-8186—Self-closing faucets.

K-8318— $\frac{3}{8}$ -inch floor supplies with stops.

K-8426—Drain with chain and stopper.

K-8460— $1\frac{1}{8}$ -inch chain stay bolt.

K-9036— $1\frac{1}{4}$ -inch adjustable S trap.

K-1836—Rubber concussion washer.

K-1837—Bolts with rubber sleeves (2).

Size	20x18"
Basin	13x 9 $\frac{1}{2}$ "
Back	6"
Height from floor.....	31"

NOTE: Supply pipes and trap extend 6" below floor line.



CHATHAM K-1970-M

Vitreous China Lavatories

for use in Barber Shops and Beauty Salons



GREENWICH K-2265-A

K-2265-A—Lavatory with fittings illustrated.

K-2265—Lavatory with K-8245 combination supply and shampoo fitting with lever-control sprayer and drain with hair catching strainer, less supplies and trap.

Fittings

K-8264— $\frac{3}{8}$ -inch supplies with stops.

K-9000— $1\frac{1}{4}$ -inch P trap.

Sizes	20x18"	24x20"
Basin	14x10"	16x11 $\frac{1}{2}$ "
Back	6"	6"



JAMESTOWN K-2245-A

K-2245-A—Lavatory with fittings illustrated.

K-2245—Lavatory with leg and K-2072 C. P. wall brackets, K-8245 combination supply and shampoo fitting with lever-control sprayer and drain with hair catching strainer, less supplies and trap.

Fittings

K-8264— $\frac{3}{8}$ -inch supplies with stops.

K-9000— $1\frac{1}{4}$ -inch P trap.


Sizes	20 x18"	24x20"
Basin	14 $\frac{1}{2}$ x10 $\frac{1}{2}$ "	16x12"
Height from floor.....	31"	31"

NOTE: For satisfactory operation of lever-control sprayer, uniform pressure must be maintained on hot and cold water lines.

JAMESTOWN—Vitreous China Lavatory Batteries

for

HOTELS, COUNTRY
CLUBS, SCHOOLS,
OFFICES, STORES,
PUBLIC BUILDINGS,
FACTORIES



JAMESTOWN K-2320-A

K-2320-A—Battery of three double section (6) lavatories with painted supports and fittings illustrated.

K-2320—Battery of three double section (6) lavatories with painted supports, less fittings.

Fittings

K-8186—Self-closing faucets (6 pairs).

K-8426—Drains with chains and stoppers (6).

K-8460—1½-inch chain stay bolts (6).

K-2321-C—Same as K-2320-A except with six K-8006 Centra fittings with chains and stoppers; K-2321, battery of three double section lavatories with painted supports, less fittings.



JAMESTOWN K-2343-C

K-2343-C—Battery of three lavatories with painted supports and fittings illustrated.

K-2343—Battery of three lavatories with painted supports, less fittings.

Fittings

K-8006—Centra fittings with chains and stoppers (3).

K-2342-A—Same as K-2343-C except with three pairs of K-8186 self-closing faucets, three K-8426 drains with chains and stoppers and three K-8460 chain stay bolts; K-2342, battery of three lavatories with painted supports, less fittings.

Sizes (one lavatory).....	20 x18"	24x20"
Basin	14½x10½"	16x12"
Space allowed between slabs (side).....	4"	2"
Height from floor.....	31"	31"

MILAN—Vitreous China Lavatory with Wall Outlet—for Institutions

MILAN

K-2365-A—Shelf lavatory with wall outlet and fitting illustrated.

Fitting

K-8148—Concealed self-closing fitting with indexed push buttons for hot and cold water, drain plug with non-removable metal stopper. 1½-inch outlet spud. Wall bolts (2).

K-2366-A—Same as K-2365-A except with K-8149 fitting for cold water only with supporting bolt through left faucet hole.

NOTE: Trap behind wall not included.

Size	20x14"
Basin	15x 9"
Back	3½"
Width of shelf.....	4"



MILAN K-2365-A

Vitreous China Lavatories with Built-in Anti-Squirt Supply and Bubbler

CHARDON

K-2375-A—Lavatory with integral slow-draining outlet and fitting illustrated.

Fitting

K-8154—Concealed self-closing fitting with indexed push buttons for hot and cold water, 1½-inch outlet spud.

K-2376-A—Same as K-2375-A except with K-8155 fitting for cold water only and supporting bolt through left faucet hole.

Length	14"
Width	12"
Depth of basin.....	8"
Back	5"



CHARDON K-2375-A




COULTER K-2378-A

K-2378-A—Corner lavatory with integral slow-draining outlet and fitting illustrated.

Fitting

K-8155—Concealed self-closing fitting with indexed push button for cold water only, with supporting bolt through left faucet hole, 1½-inch outlet spud.

K-2377-A—Same as K-2378-A except with K-8154 fitting for hot and cold water.



COULTER K-2379-A

K-2379-A—Corner lavatory with integral slow-draining outlet and fitting illustrated.

Fitting

K-8154—Concealed self-closing fitting with indexed push buttons for hot and cold water, 1½-inch outlet spud.

K-2380-A—Same as K-2379-A except with K-8155 fitting for cold water only and supporting bolt through left faucet hole.



HAMPTON K-2720-A



HAMPTON K-2710-A

K-2710-A—Shelf lavatory with fittings illustrated.

K-2710—Shelf lavatory with K-8100 fitting with Synchro drain and K-9580 legs, less towel bars, supplies and trap.

Fittings

K-8258— $\frac{3}{8}$ -inch supplies with stops.

K-9565—Towel bars (2).

K-9000— $1\frac{1}{4}$ -inch P trap.

HAMPTON

Enameled Cast Iron Shelf Lavatories

HAMPTON

K-2720-A—Shelf lavatory with fittings illustrated.

K-2720—Shelf lavatory with K-8100 fitting with Synchro drain, less supplies and trap.

Fittings

K-8258— $\frac{3}{8}$ -inch supplies with stops.

K-9000— $1\frac{1}{4}$ -inch P trap.

Sizes	19x17"	22x19"
Basin	15x11"	16x12 $\frac{1}{2}$ "
Back	3 $\frac{1}{2}$ "	3 $\frac{1}{2}$ "
Width of shelf	4"	4 $\frac{1}{2}$ "
Height from floor	31"	31"

NOTE: The 22x19" size has depressed soap dishes.



Wide, full-length shelf for toilet articles.



HAMPTON K-2715-A

K-2715-A—Shelf lavatory and cabinet with fittings illustrated.

Specifications

K-2720—Lavatory with K-8100 fitting with Synchro drain.

K-8258— $\frac{3}{8}$ -inch supplies with stops.

K-9000— $1\frac{1}{4}$ -inch P trap.

K-5812—Metal cabinet.

TAUNTON

Enameled Cast Iron

Space-Saving Shelf Lavatory

TAUNTON

K-2740-A—Shelf lavatory with fittings illustrated.

K-2740—Shelf lavatory with K-8100 fitting with Synchro drain, less supplies and trap.

Fittings

K-8258— $\frac{3}{8}$ -inch supplies with stops.

K-9000— $1\frac{1}{4}$ -inch P trap.

Sizes	16x14"	20x14"	24x14"
Basin	12x 8 $\frac{1}{2}$ "	16x 8 $\frac{1}{2}$ "	18x 8 $\frac{1}{2}$ "
Back	3 $\frac{1}{2}$ "	3 $\frac{1}{2}$ "	3 $\frac{1}{2}$ "
Width of shelf.....	3 $\frac{3}{4}$ "	3 $\frac{3}{4}$ "	3 $\frac{3}{4}$ "

NOTE: The 16x14" size does not have soap dishes.



TAUNTON K-2740-A

Self-Closing Fitting for Public Buildings



K-8110—Fitting with self-closing valves and Synchro drain. For use with Hampton, Marston and Taunton enameled cast iron shelf lavatories.

TAUNTON—Enameled Cast Iron *Shelf* Lavatory—For Institutions

TAUNTON

K-2742-A—Shelf lavatory with fittings illustrated.

Fittings

K-8158—Concealed self-closing fitting with indexed push buttons for hot and cold water, drain with non-removable metal stopper, outlet connection to wall.

K-2743-A—Same as K-2742-A except with K-8159 fitting for cold water only with supporting bolt through left faucet hole.

Size	16x14"
Basin	12x 8 $\frac{1}{2}$ "
Back	3 $\frac{1}{2}$ "
Width of shelf.....	3 $\frac{3}{4}$ "

NOTE: Fittings regularly furnished for wall 1-inch thick. Specify if wall exceeds 1-inch thickness. Trap behind wall not furnished.



TAUNTON K-2742-A



DELTON K-2745-A

DELTON

Enameled Cast Iron Shelf Lavatory

DELTON

K-2745-A—Shelf lavatory with fittings illustrated.

K-2745—Shelf lavatory with K-8133 supply and drain fitting with chain and stopper, less supplies and trap.

Fittings

K-8258— $\frac{3}{8}$ -inch supplies with stops.

K-9000—1 $\frac{1}{4}$ -inch P trap.

NOTE: The Delton lavatory is not available with pop-up drain.

Size	18x15"
Basin	14x10"
Back	3 $\frac{1}{2}$ "
Width of shelf.....	3"



TRAVELER—*Enameled Cast Iron Shelf Lavatory*

TRAVELER

K-2750-A—Shelf lavatory with fittings illustrated.

K-2750—Shelf lavatory with K-8133 supply and drain fitting with chain and stopper, less supplies and trap.


Fittings

K-8261— $\frac{3}{8}$ -inch supplies with stops.

K-9000—1 $\frac{1}{4}$ -inch P trap.

Size	13 x 13"
Basin	9 $\frac{5}{8}$ x 8 $\frac{1}{4}$ "
Back	3 $\frac{1}{2}$ "
Width of shelf.....	3"

NOTE: The Traveler lavatory is not available with pop-up drain.



TRAVELER K-2750-A

MARSTON

Enameled Cast Iron *Corner Shelf* Lavatory



MARSTON K-2760-A

K-2760-A—Shelf lavatory with fittings illustrated.

K-2760—Shelf lavatory with K-8100 fitting with Synchro drain, less supplies and trap.

Fittings

K-8258— $\frac{3}{8}$ -inch supplies with stops.

K-9000— $1\frac{1}{4}$ -inch P trap.

Size (sides)	16x16"
Basin	15x11"
Back	3 $\frac{1}{2}$ "
Width of shelf from corner to front.....	7 $\frac{1}{2}$ "
Corner to front of lavatory.....	20 $\frac{3}{4}$ "

MARFIELD—Enameled Cast Iron *Corner Shelf* Lavatory

MARFIELD

K-2770-A—Shelf lavatory with fittings illustrated.

K-2770—Shelf lavatory with K-8133 supply and drain fitting with chain and stopper, less supplies and trap.

Fittings

K-8261— $\frac{3}{8}$ -inch supplies with stops.

K-9000— $1\frac{1}{4}$ -inch P trap.

Size (sides)	11x11"
Basin	11x 8"
Back	3 $\frac{1}{2}$ "
Width of shelf from corner to front.....	6"
Corner to front of lavatory.....	15 $\frac{3}{4}$ "

NOTE: The Marfield lavatory is not available with pop-up drain.



MARFIELD K-2770-A



WESTCHESTER K-2780-C



WESTCHESTER K-2782-F

K-2782-F—Lavatory with fittings illustrated.
K-2782—Lavatory with pedestal, less fittings.


Fittings

K-8010—Fitting with Synchro drain.
K-8264— $\frac{3}{8}$ -inch supplies with stops.
K-9565—Towel bars (2).
K-9000— $1\frac{1}{4}$ -inch P trap.

Sizes	20	x18"	24	x20"
Basin	14	$\frac{1}{4}$ x10"	16	$\frac{1}{2}$ x12"
Height from floor.....	31"		31"	

WESTCHESTER

Enameled Cast Iron Lavatories



WESTCHESTER

K-2780-C—Lavatory with fittings illustrated.
K-2780—Lavatory with pedestal, less fittings.

Fittings

K-8005—Centra fitting with Synchro drain.
K-8264— $\frac{3}{8}$ -inch supplies with stops.
K-9565—Towel bars (2).
K-9000— $1\frac{1}{4}$ -inch P trap.



WESTCHESTER K-2785-C

K-2785-C—Lavatory and cabinet with fittings illustrated.

Specifications

K-2795—Lavatory only.
K-8005—Centra fitting with Synchro drain.
K-8264— $\frac{3}{8}$ -inch supplies with stops.
K-9000— $1\frac{1}{4}$ -inch P trap.
K-5804—Metal cabinet.

NOTE: K-2785-C available in 24x20" size only.

WESTCHESTER

Enameled Cast Iron Lavatories

WESTCHESTER

K-2790-C—Lavatory with fittings illustrated.

K-2790—Lavatory with K-9580 legs and K-3160 wall brackets, less fittings.

Fittings

K-8005—Centra fitting with Synchro drain.

K-8264— $\frac{3}{8}$ -inch supplies with stops.

K-9565—Towel bars (2).

K-9000— $1\frac{1}{4}$ -inch P trap.



WESTCHESTER K-2790-C



WESTCHESTER K-2792-F

K-2792-F—Lavatory with fittings illustrated.

K-2792—Lavatory with K-9580 legs and K-3160 wall brackets, less fittings.

Fittings

K-8010—Fitting with Synchro drain.

K-8264— $\frac{3}{8}$ -inch supplies with stops.

K-9565—Towel bars (2).

K-9000— $1\frac{1}{4}$ -inch P trap.

Sizes	20 x18"	24 x20"
Basin	14½x10"	16½x12"
Height from floor.....	31"	31"



WESTCHESTER K-2795-C

K-2795-C—Lavatory with fittings illustrated.

K-2795—Lavatory with K-3161 wall brackets, less fittings.

Fittings

K-8005—Centra fitting with Synchro drain.

K-8264— $\frac{3}{8}$ -inch supplies with stops.

K-9000— $1\frac{1}{4}$ -inch P trap.

K-2797-P—Same as K-2795-C except with K-8178 faucets, K-8426 drain and K-8460 chain stay bolt; K-2797, lavatory with K-3161 wall brackets, less fittings.

NOTE: Available with K-9565 towel bars, if specified.

HUDSON—Enameled Cast Iron Lavatories with Back



HUDSON K-2825-C

K-2825-C—Lavatory with fittings illustrated.
K-2825 —Lavatory, less fittings.

Fittings

K-8005—Centra fitting with Synchro drain.
K-8264— $\frac{3}{8}$ -inch supplies with stops.
K-9000— $1\frac{1}{4}$ -inch P trap.

Sizes	20 x18"	22x19"
Basin	14 $\frac{1}{2}$ x10"	16x11"
Back	5"	5"
Height from floor	31"	31"



HUDSON K-2830-J

K-2830-J—Lavatory with fittings illustrated.
K-2830 —Lavatory, less fittings.

Fittings

K-8178—Compression faucets.
K-8264— $\frac{3}{8}$ -inch supplies with stops.
K-8415—Synchro drain.
K-9000— $1\frac{1}{4}$ -inch P trap.

BRETTON—Enameled Cast Iron Lavatory with Back



HUDSON K-2830-P

K-2830-P—Lavatory with fittings illustrated.
K-2830 —Lavatory, less fittings.

Fittings

K-8183—Compression faucets.
K-8264— $\frac{3}{8}$ -inch supplies with stops.
K-8426—Drain with chain and stopper.
K-8460— $1\frac{1}{8}$ -inch chain stay bolt.
K-9000— $1\frac{1}{4}$ -inch P trap.

Sizes	20 x18"	22x19"
Basin	14 $\frac{1}{2}$ x10"	16x11"
Back	5"	5"



BRETTON K-2880-P

K-2880-P—Lavatory with fittings illustrated.
K-2880 —Lavatory with $\frac{3}{8}$ -inch chain stay bolt, less fittings.

Fittings

K-8183—Compression faucets.
K-8264— $\frac{3}{8}$ -inch supplies with stops.
K-8426—Drain with chain and stopper.
K-9000— $1\frac{1}{4}$ -inch P trap.

Size	19 x17"
Basin	14 $\frac{3}{4}$ x10 $\frac{1}{2}$ "
Back	6"

WESTCHESTER—*Enameled Cast Iron Lavatory Batteries*

for

SCHOOLS, HOTELS,
 FACTORIES, OFFICES,
 CLUBS, THEATRES,
 STORES, RAILROAD
 STATIONS



WESTCHESTER K-3120-A

K-3120-A—Battery of three double section (6) lavatories with painted supports and with fittings illustrated.

K-3120—Battery of three double section (6) lavatories with painted supports, less fittings.

Fittings

K-8186—Self-closing faucets (6 pairs).

K-8426—Drains with chains and stoppers (6).

K-8460—1½-inch chain stay bolts (6).

K-3121-C—Same as K-3120-A except with six K-8006 Centra fittings with chains and stoppers; K-3121, battery of three double section lavatories with painted supports, less fittings.



WESTCHESTER K-3131-C

K-3131-C—Battery of three lavatories with painted supports and with fittings illustrated.

K-3131—Battery of three lavatories with painted supports, less fittings.

Fittings


K-8006—Centra fittings with chains and stoppers (3).

K-3130-A—Same as K-3131-C except with 3 pairs of K-8186 self-closing faucets, three K-8426 drains with chains and stoppers and three K-8460 chain stay bolts; K-3130 battery of three lavatories with painted supports, less fittings.

Size (one lavatory).....	20 x18"	24 x20"
Basin	14½x10"	16½x12"
Space allowed between slabs (side).....	2"	2"
Height from floor	31"	31"

KOHLER OF KOHLER

WASH SINKS—*Acid-Resisting*—Enameled on Iron,



BROCKWAY K-3210-A

Dimensions

Sizes, length	4'	5'	6'	8'
Number of faucets.....	2	3	3	4
Number of soap dishes.....	1	2	2	3
Wall to front.....	18"	18"	18"	22"
Depth at outlet.....	7"	7"	7"	8"
Back	8"	8"	8"	10"

BROCKWAY

K-3210-A—Wash sink with fittings illustrated.

K-3210—Wash sink, less fittings.

Fittings

K-8890—Mixing faucets.

K-8880—Soap dishes.

K-9120—Strainer.

K-9000—1½-inch P trap.

NOTE: K-3210-A is available with adjustable pedestals for 6' and 8' lengths. Floor to top of rim with short pedestals, adjustable 24" to 31"; long pedestals, 31" to 36".

BELDEN

K-3220-A—Wash sink with fittings illustrated.

K-3220—Wash sink with adjustable pedestals and supply pipe supports, less fittings.

Fittings

K-8885—Mixing faucets.

K-8878—Soap dishes.

K-9120—Strainer.

K-9004—1½-inch P trap.

NOTE: Supply pipes not furnished.



BELDEN K-3220-A

Sizes, length	4'	5'	6'	8'
Number of faucets and soap dishes.....	4	6	6	8
Width over rim.....	30"	30"	30"	30"
Depth at outlet.....	8"	8"	8"	8"
Floor to top of rim (short pedestal).....		25" to 31"		
Floor to top of rim (long pedestal).....		31" to 36"		

Cast for Strength and Rigidity
. . . for Factories, Schools and Public Buildings

**MODERN—FOR ECONOMICAL GROUP USE IN
 WASHROOMS**

Kohler octagonal wash sinks have a lustrous surface of acid-resisting enamel which is easily kept clean and sanitary.

Each wash sink will accommodate eight persons, allowing a separate faucet with sprayer for each. Volume of water to sprayer can be regulated to suit the requirements of the individual, merely by turning the lever. Fittings are of cast brass, chromium plated.

A temperature control valve mixes cold and hot water to the desired temperature for washing. This valve can be set to assure a satisfactory temperature.

Wash sinks are available both for overhead connection of supplies and vent or for connection from the floor.

Kohler wash sinks with individual faucets assure satisfactory water supply for each user and at the same time conserving water and giving better and faster service to each person.

Dimensions

Width from side to side	48"
Depth of basin	8"
Floor to top of rim	28"
Floor to top of tower	38"



FLAMBEAU K-3252-A



FLAMBEAU K-3250-A

K-3250-A—Octagonal wash sink for bottom supply and bottom vent complete with fittings illustrated.

K-3250 —Wash sink with K-8865 bottom supply fitting with temperature control valve, manifold and eight faucets with sprayers, K-9144 strainer with 2-inch tailpiece, less trap.

Trap

K-9024—2-inch adjustable P trap.

K-3251-A—Same as K-3250-A except with top vent.

FLAMBEAU K-3252-A

K-3252-A—Octagonal wash sink for top supply and top vent complete with fittings illustrated.

K-3252 —Wash sink with K-8860 top supply fitting with temperature control valve, manifold and eight faucets with sprayers, K-9144 strainer with 2-inch tailpiece, less trap.

Trap

K-9024—2-inch adjustable P trap.

K-3253-A—Same as K-3252-A except for bottom vent.

Flambeau wash sink is furnished only with supply fittings.

NOTE: Check valves must be installed in supplies to temperature control valve.

Small Homes and Apartments



Miller Homes, Detroit, Michigan

These homes and apartments are typical of many installations for which Kohler Co. has furnished plumbing fixtures and fittings. The Kohler line includes fixtures for hospitals, schools, hotels, factories, institutions, offices and public buildings.



Parkmerced Housing Project, San Francisco, Calif.




Moth's Homes, West Bend, Wisconsin



Skyway Park, Seattle, Washington



Swanson Homes, Portsmouth, Virginia



Calloway Apartments, Georgia School of Technology, Atlanta, Ga.



Carver Park, Cleveland, Ohio


to meet the Housing Needs




Homewood Village, Burbank, California



Chicago Tribune Homes, Highland Park, Ill.



Ben C. Wileman's Homes, Oklahoma City, Oklahoma



University Terrace Apartments, Ann Arbor, Michigan



Gross Morton Homes, Long Island, N. Y.



Nepco Apartments, Port Edwards, Wisconsin



K OF K

VITREOUS CHINA

Closets

★

**POSITIVE
QUIET ACTION
EASY TO CLEAN**

★

Good proportions characterize all closets in the extensive K of K line. Regardless of type, the trim lines of each closet will harmonize with other Kohler bathroom fixtures to form a matched set.

From the one-piece Placid, siphon jet type, to the Trent, washdown type, every closet is of vitreous china, made from the finest clays, thoroughly vitrified and glazed by long firings at high temperatures. All, including the

most inexpensive, have glass-hard surfaces, impervious and sanitary.

The first requisite in K of K closets is positive, thorough, direct flushing action to carry away all waste. Waterways and flushing mechanisms are designed to provide quiet, efficient siphonic action without excessive use of water. Every closet bowl has concealed priming jets to accelerate the action.

K OF K CLOSETS ARE PRODUCED IN THE THREE TYPES:

SIPHON JET—with extra large trapways, water areas and deep water seals. Available in the massive one-piece Placid, the choice for master bathrooms in fine residences; and the close-coupled, two-piece Channel. Both have elongated bowls. Flushing action is quiet and thorough.

REVERSE TRAP—same siphonic action as the siphon jet type, but with somewhat smaller trapways and water areas. Water seals are the same. Available in the one-piece Integra with round front bowl; the close-coupled Bolton with elongated and round front bowls; the

close-coupled Wellworth with round front bowl; and the Brooklands with exposed flush connection and elongated and round front bowls. Somewhat lower in cost than the siphon jet type, the reverse trap closet is an efficient and popular fixture.

WASHDOWN—characterized by trapways located in front instead of in rear of bowls, by smaller trapways, water areas and water seals. Largely used where cost is the primary consideration. Available in the close-coupled Trylon; and the Trent with exposed flush connection. Both have round front bowls.

In addition to the complete line of closets for residences, offices and public buildings, the K of K line includes fixtures for special uses in schools, hospitals,

institutions, factories and other buildings. Among these are closets with flush valves, juvenile closets, wall hanging closets, closets with angle back and base.

PLACID—One-Piece Vitreous China *Siphon Jet Closet*

PLACID


K-3600-EB—Siphon jet closet—elongated bowl.
For 12½-inch roughing-in.

Specifications

K-4702—Hygienic sheet-covered seat with cover.

K-8334—¾-inch angle supply with stop.

Bolt caps (4). Floor bolts (2). Floor screws (2).



Cross Section of Placid Closet



PLACID K-3600-EB

INTEGRA—One-Piece Vitreous China *Reverse Trap Closet*

INTEGRA


K-3610-PB—Reverse trap closet—round front bowl.
For 12½-inch roughing-in.

Specifications

K-4706—Hygienic sheet-covered seat with cover.

K-8334—¾-inch angle supply with stop.

Bolt caps (4). Floor bolts (2). Floor screws (2).



Cross Section of Integra Closet



INTEGRA K-3610-PB

NOTE: Placid and Integra closets are equipped with anti-siphon float valves. They are available with K-8342 straight supply pipes with stops, if specified.



CHANNEL K-3655-EB

CHANNEL—Close-Coupled Vitreous China Siphon Jet Closet

CHANNEL


K-3655-EB—Siphon jet closet—elongated bowl.
For 12½-inch roughing-in.

Specifications

K-4702—Hygienic sheet-covered seat with cover.

K-8334—¾-inch angle supply with stop.
Bolt caps (4). Floor bolts (2). Floor screws (2).

K-3655-PB—Same as K-3655-EB except with round front bowl and K-4706 closet seat.



Cross Section of Channel Closet



BOLTON K-3665-EB

BOLTON—Close-Coupled Vitreous China Reverse Trap Closet

BOLTON


K-3665-EB—Reverse trap closet—elongated bowl.
For 12½-inch roughing-in.

Specifications

K-4702—Hygienic sheet-covered seat with cover.

K-8334—¾-inch angle supply with stop.
Bolt caps (4). Floor bolts (2). Floor screws (2).

K-3665-PB—Same as K-3665-EB except with round front bowl and K-4706 closet seat.



Cross Section of Bolton Closet

NOTE: Channel and Bolton closets are equipped with anti-siphon float valves. They are also available with K-8342 straight supply pipes with stops, if specified.


WELLWORTH—Close-Coupled Vitreous China Reverse Trap Closet

WELLWORTH

K-3705-PB—Close-coupled reverse trap closet—round front bowl. For 12½-inch roughing-in.

Specifications

K-4726-T—TriKo white-coated seat and cover.
K-8334—¾-inch angle supply with stop.
Bolt caps (4). Floor bolts (2). Floor screws (2).



Cross Section of Wellworth Closet



WELLWORTH K-3705-PB


TRYLON—Close-Coupled Vitreous China Washdown Closet

TRYLON

K-3715-PB—Close-coupled washdown closet—round front bowl. For 12½-inch roughing-in.

Specifications

K-4726-T—TriKo white-coated seat and cover.
K-8334—¾-inch angle supply with stop.
Bolt caps (4). Floor bolts (2). Floor screws (2).



Cross Section of Trylon Closet



TRYLON K-3715-PB

NOTE: Wellworth and Trylon closets are available with K-8342 straight supply pipes with stops or K-8350 straight supply pipes less stops, if specified. They are also available with anti-siphon float valves.



BROOKLANDS K-3721-PB

NOTE: Brooklands and Trent closets available with K-8344 straight supply pipe with stop or K-8351 straight supply less stop, if specified. If anti-siphon float valve is desired, specify K-9252.

BROOKLANDS

Vitreous China Reverse Trap Closet

BROOKLANDS

K-3721-PB—Reverse trap closet—round front bowl.
For 12-inch roughing-in.

Specifications


K-4341-PR—Bowl with 2-inch rear spud.

K-4510-A—Tank complete with fittings.

K-8336— $\frac{3}{8}$ -inch angle supply with stop.

K-4726-T—TriKo white-coated seat and cover.
Bolt caps (2). Floor bolts (2).

K-3721-EB—Same as K-3721-PB except with K-4341-ER elongated bowl, and K-4702 closet seat.



Cross Section of Brooklands Closet

TRENT—*Vitreous China Washdown Closet*

TRENT

K-3750-PB—Washdown closet—round front bowl.
For 14-inch roughing-in.

Specifications


K-4360-PR—Bowl with 2-inch rear spud.

K-4510-A—Tank complete with fittings.

K-8336— $\frac{3}{8}$ -inch angle supply with stop.

K-4726-T—TriKo white-coated seat and cover.
Bolt caps (4). Floor bolts (2). Floor screws (2).

K-3751-PB—Same as K-3750-PB except with K-4361-PR round front bowl for 12-inch roughing-in.



Cross Section of Trent Closet



TRENT K-3750-PB

ROCKWELL—Vitreous China Siphon Jet Closet

With 2 $\frac{7}{8}$ -inch Passageway

For Office Buildings, Department Stores

ROCKWELL

K-3800-ET—Siphon jet closet.
For 12-inch roughing-in.

Specifications

K-4260-ET—Elongated bowl with
1 $\frac{1}{2}$ -inch top spud.

K-4811—Olsonite open front seat.
Bolt caps (2). Floor bolts (2).


*Flush { Sloan 110-F Royal, or
Valve { Watrous M-532 Majestic.

K-3800-PT—Same as K-3800-ET except
with K-4260-PT round front bowl and
K-4815 Olsonite open front seat.

ROTHWELL

K-3805-ET—Same as K-3800-ET
except with K-4265-ET elongated bowl with integral seat.

K-3805-PT—Same as K-3800-PT except
with K-4265-PT round front bowl with
integral seat.



Cross Section of Rockwell and Rothwell Closets



ROCKWELL K-3800-ET

DOWNING—Vitreous China Siphon Jet Closet

With 2 $\frac{1}{2}$ -inch Passageway

For Offices, Hotels, Public Buildings

DOWNING

K-3841-ET—Siphon jet closet.
For 12-inch roughing-in.

Specifications

K-4291-ET—Elongated bowl with
1 $\frac{1}{2}$ -inch top spud.

K-4811—Olsonite open front seat.
Bolt caps (2). Floor bolts (2).


*Flush { Sloan 110-F Royal, or
Valve { Watrous M-532 Majestic.

K-3841-PT—Same as K-3841-ET except
with K-4291-PT round front bowl and
K-4815 Olsonite open front seat.

DARVEL

K-3846-ET—Same as K-3841-ET
except with K-4296-ET elongated bowl with integral seat.

K-3846-PT—Same as K-3841-PT except
with K-4296-PT round front bowl with
integral seat.



Cross Section of Downing and Darvel Closets



DOWNING K-3841-ET

*For flush valve with vacuum breaker to prevent back siphonage, add suffix YV to Sloan number and VB to Watrous number.

KOHLER OF KOHLER

HYANNIS—*Vitreous China Siphon Jet Closet*
 With 2½-inch Passageway
 For Marine Installation



HYANNIS K-3850-PTM

HYANNIS


K-3850-PTM—Siphon jet closet.
 For 12-inch roughing-in.

Specifications

K-4292-PTM—Round front bowl
 with 1½-inch top spud and
 non-return valve.

K-4815—Olsonite open front
 seat.
 Bolt caps (4). Floor bolts (4).

*Flush Valve { Sloan 110-F Royal, or
 Watrous M-532
 Majestic silent action.



Cross Section of Hyannis Closet

WELLAND—*Vitreous China Quiet Siphon Jet Closet*
 With 2½-inch Passageway
 For Hospitals, Offices, Stores and Public Buildings



WELLAND K-3855-ET

WELLAND

K-3855-ET—Siphon jet closet.
 For 10-inch roughing-in.


Specifications

K-4270-ET—Elongated bowl
 with 1½-inch top spud.

K-4811—Olsonite open front
 seat.
 Bolt caps (2). Floor bolts (2).

*Flush Valve { Sloan 110-FQ Royal, or
 Watrous M-532
 Majestic silent action.

K-3855-PT—Same as K-3855-ET except
 with K-4270-PT round front bowl and
 K-4815 Olsonite open front seat.




Cross Section of Welland Closet

*For flush valve with vacuum breaker to prevent back siphonage, add suffix YV to Sloan number and VB to Watrous number.

PENRYN—Vitreous China Siphon Jet Closet

With 2½-inch Passageway

For Close Roughing-In—For Public Buildings, Offices and Apartments



Cross Section of Penryn Closet

PENRYN

K-3858-ET—Siphon jet closet.
For 10-inch roughing-in.

Specifications

K-4280-ET—Elongated bowl
with 1½-inch top spud.

K-4811—Olsonite open front
seat.

Bolt caps (2). Floor bolts (2).

*Flush { Sloan 110-F Royal, or
Watrous M-532
Majestic.

K-3858-PT—Same as K-3858-ET except
with K-4280-PT round front bowl and
K-4815 Olsonite open front seat.




PENRYN K-3858-ET

PENRYN—Vitreous China Siphon Jet Closet

With 2½-inch Passageway

With Concealed Flush Valve—For Public Buildings and Offices



Cross Section of Penryn Closet

PENRYN

K-3858-EV—Siphon jet closet.
For 12-inch roughing-in.

Specifications

K-4280-ER—Elongated bowl
with 1½-inch rear spud.

K-4811—Olsonite open front
seat.

Bolt caps (2). Floor bolts (2).

*Flush { Sloan 143 Royal, or
Watrous M-539
Majestic.



PENRYN K-3858-EV

*For flush valve with vacuum breaker to prevent back siphonage, add suffix YV to Sloan number and VB to Watrous number.

KOHLER OF KOHLER

JUVENILE—Vitreous China *Siphon Jet* Closet

With 2½-inch Passageway

For Grade Schools and Children's Wards in Hospitals



JUVENILE K-3860-ET

JUVENILE

K-3860-ET—Siphon jet closet.
For 11-inch roughing-in.


Specifications

K-4310-ET—Elongated bowl with 1½-inch top spud.

K-4811—Olsonite open front seat.
Bolt caps (2). Floor bolts (2).

*Flush { Sloan 110-F Royal, or
Valve { Watrous M-532 Majestic.

K-3860-PT—Same as K-3860-ET except with K-4310-PT round front bowl and K-4815 Olsonite open front seat.



Cross Section of Juvenile closet

JUVENILE CLOSETS WITH TANKS

Specify K-3860-EB for K-4310-ET juvenile elongated bowl with 2" top spud, K-4502-A tank and K-4702 Hygienic sheet-covered seat with cover.

Specify K-3860-PB for K-4310-PT Juvenile round front bowl with 2" top spud, K-4502-A tank and K-4706 Hygienic sheet-covered seat with cover.

PRIMARY—Vitreous China *Siphon Jet* Closet

With 1⅞-inch Passageway

For Kindergartens, Hospitals, Children's Homes



PRIMARY K-3865-ET

PRIMARY

K-3865-ET—Siphon jet closet.
For 10-inch roughing-in.

Specifications

K-4315-ET—Elongated bowl with 1½-inch top spud.


K-4708—White Hygienic sheet covered open front seat.

Bolt caps (2). Floor bolts (2).

*Flush { Sloan 110-F Royal, or
Valve { Watrous M-532 Majestic.

PRIMARY CLOSETS WITH TANKS

Specify K-3865-EB for K-4315-ET Primary elongated bowl with 2" top spud, K-4510-A tank with straight flush connection and K-4708 Hygienic sheet-covered seat.




Cross Section of Primary closet

*For flush valve with vacuum breaker to prevent back siphonage, add suffix YV to Sloan number and VB to Watrous number.

KOHLER OF KOHLER

SWIFT—Vitreous China Floor Outlet *Blowout* Closet

With 2½-inch Passageway—For Schools, Offices,
Factories and Public Buildings



Cross Section of Swift closet

SWIFT
K-3890-ET—Blowout closet.
For 9-inch roughing-in.

Specifications
K-4320-ET—Elongated bowl with 1½-inch top spud.

K-4811—Olsonite open front seat.
Bolt caps (2). Floor bolts (2).

*Flush { Sloan 110-F Royal, or
Valve { Watrous M-532 Majestic.

K-3895-ET—Same as K-3890-ET except with
K-4325-ET bowl with integral seat.


NOTE: For satisfactory operation, blowout bowls
require a minimum of 25 pounds working pressure
at the bowl.



SWIFT K-3890-ET

BROOKLANDS—Vitreous China *Reverse Trap* Closet

With 1⅞-inch Passageway
For Schools, Offices and Factories



Cross Section of Brooklands closet


BROOKLANDS
K-3941-ER—Reverse trap closet.
For 9¾-inch roughing-in.

Specifications
K-4341-ER—Elongated bowl with 1½-inch rear spud.

K-4811—Olsonite open front seat.
Bolt caps (2). Floor bolts (2).

*Flush { Sloan 120-F Crown, or
Valve { Watrous M-433 Imperial.


K-3941-PR—Same as K-3941-ER except with
K-4341-PR round front bowl and K-4815 Olsonite
open front seat.



BROOKLANDS K-3941-ER

TRENT—Vitreous China *Washdown* Closet

With 1⅞-inch Passageway—For Factories,
Filling Stations, Offices and Public Buildings



Cross Section of Trent closet

TRENT
K-3960-PR—Washdown closet.
For 11-inch roughing-in.

Specifications
K-4360-PR—Round front bowl with 1½-inch rear spud.

K-4815—Olsonite open front seat.
Bolt caps (4). Floor bolts (2). Floor
screws (2).

*Flush { Sloan 120-F Crown, or
Valve { Watrous M-433 Imperial.

K-3961-PR—Same as K-3960-PR except with
K-4361-PR bowl for 9-inch roughing-in.

K-3965-PR—Same as K-3960-PR except with
K-4365-PR bowl with integral seat.

*For flush valve with vacuum breaker to prevent
back siphonage add suffix YV to Sloan number
and VB to Watrous number.




TRENT K-3960-PR



KINGSTON K-4020-ET



KINGSTON K-4020-EV



K-4040

Closet Chair Supports for Wall Hanging Siphon Jet Bowls

K-4040—Closet chair support with cast iron foot, bolts, cap nuts, and washers. For 4-inch I.P.S. connection.

K-4040-L—Same as above, except for 4-inch lead pipe connection.

K-4041—Closet chair support less cast iron foot with bolts, cap nuts, and washers. For 4-inch I.P.S. connection.

K-4041-L—Same as above, except for 4-inch lead pipe connection.

Closet Chair Supports for Wall Hanging Blowout Bowls

K-4090—Closet chair support with cast iron foot, bolts, cap nuts, and washers. For 4-inch I.P.S. connection.

K-4090-L—Same as above, except for 4-inch lead pipe connection.

K-4091—Closet chair support less cast iron foot with bolts, cap nuts and washers. For 4-inch I.P.S. connection.

K-4091-L—Same as above, except for 4-inch lead pipe connection.



K-4090

KINGSTON—Vitreous China Wall Hanging *Siphon Jet Closet*

With 2½-inch Passageway—For Offices,
Hotels, Hospitals, Schools, Public Buildings

KINGSTON

K-4020-ET—Siphon jet closet.


Specifications

K-4420-ET—Wall hanging elongated bowl with 1½-inch top spud.

K-4811—Olsonite open front seat.

K-4040—Closet chair support.

*Flush { Sloan 110-F Royal, or
Valve { Watrous M-532 Majestic.



Cross Section of Kingston Closet

KINGSTON

K-4020-EV—Siphon jet closet.

Specifications

K-4420-ER—Wall hanging elongated bowl with 1½-inch rear spud.


K-4811—Olsonite open front seat.

K-4040—Closet chair support.

*Flush { Sloan 143 Royal, or
Valve { Watrous M-539 Majestic.

K-4025-EV—Same as K-4020-EV except with
K-4425-ER bowl with integral seat.

*For flush valve with vacuum breaker to prevent back siphonage, add suffix YV to Sloan number and VB to Watrous number.




Cross Section of Kingston Closet

IMPORTANT: Closet chair supports regularly furnished for wall 1-inch thick. If wall exceeds 1-inch thickness, specify distance from face of chair support to finished wall.

STRATTON—Vitreous China Wall Hanging *Blowout Closet*

With 2½-inch Passageway
For Offices, Hotels and Public Places



Cross Section of Stratton Closet

STRATTON

K-4050-ET—Blowout closet.

Specifications

K-4450-ET—Wall hanging elongated bowl with 1½-inch top spud.

K-4811—Olsonite open front seat.

K-4090—Closet chair support.

*Flush { Sloan 110-F Royal, or
Valve { Watrous M-532 Majestic.


K-4055-ET—Same as K-4050-ET except with K-4455-ET bowl with integral seat.



STRATTON K-4050-ET

SIFTON—Vitreous China Wall Hanging *Blowout Closet*—With 2½-inch Passageway

For Offices, Hotels and Public Places



Cross Section of Sifton Closet

SIFTON

K-4060-EV—Blowout closet.

Specifications

K-4460-ER—Wall hanging elongated bowl with 1½-inch rear spud.

K-4811—Olsonite open front seat.

K-4090—Closet chair support.


*Flush { Sloan 143 Royal, or
Valve { Watrous M-539 Majestic.



SIFTON K-4060-EV

SUFFIELD—Vitreous China Wall Hanging *Blowout Closet*

With 2½-inch Passageway—For Institutions



Cross Section of Suffield Closet

SUFFIELD

K-4075-EV—Blowout closet.

Specifications

K-4475-ER—Wall hanging elongated bowl with integral seat and 1½-inch rear spud.

K-4090—Closet chair support.

*Flush { Sloan 152 Royal, or
Valve { Watrous M-548 1/2 Majestic.



SUFFIELD K-4075-EV

NOTE: For satisfactory operation, blowout bowls require a minimum of 25 pounds working pressure at the bowl.

*For flush valve with vacuum breaker to prevent back siphonage, add suffix YV to Sloan number and VB to Watrous number.



ANGLESEY K-4076-ET



ANGLESEY K-4076-EV



ANGLESEY K-4078-EV

ANGLESEY—Vitreous China Angle Back and Base Siphon Jet Closets With 2½-inch Passageway—For Institutions

ANGLESEY


K-4076-ET—Siphon jet closet with wall outlet.

Specifications

K-4476-ET—Angle back and base elongated bowl with 1½-inch top spud.

K-4811—Olsonite open front seat. Bolts (2). Screws (2).

*Flush { Sloan 110-F Royal, or
Valve { Watrous M-532 Majestic.



Cross Section of Anglesey Closet

ANGLESEY


K-4076-EV—Siphon jet closet with wall outlet.

Specifications

K-4476-ER—Angle back and base elongated bowl with 1½-inch rear spud.

K-4811—Olsonite open front seat. Bolts (2). Screws (2).

*Flush { Sloan 143 Royal, or
Valve { Watrous M-539 Majestic.



Cross Section of Anglesey Closet

ANGLESEY


K-4078-EV—Siphon jet closet with wall outlet.

Specifications

K-4478-ER—Angle back and base elongated bowl, integral seat, 1½-inch rear spud.

Bolts (2). Screws (2).

*Flush { Sloan 152 Royal, or
Valve { Watrous M-548 1/2 Majestic.




Cross Section of Anglesey Closet

*For flush valve with vacuum breaker to prevent back siphonage, add suffix YV to Sloan number and VB to Watrous number.

ANGLEBORO—Vitreous China Angle Back and Base *Siphon Jet* Closets

With 2½-inch Passageway—For Institutions



Cross Section of Angleboro Closet

ANGLEBORO

K-4077-ET—Siphon jet closet with floor outlet.

Specifications

K-4477-ET—Angle back and base elongated bowl with 1½-inch top spud.

K-4811—Olsonite open front seat. Bolts (2).

*Flush { Sloan 110-F Royal, or Valve { Watrous M-532 Majestic.



ANGLEBORO K-4077-ET

ANGLEBORO

K-4077-EV—Siphon jet closet with floor outlet.


Specifications

K-4477-ER—Angle back and base elongated bowl with 1½-inch rear spud.

K-4811—Olsonite open front seat. Bolts (2).

*Flush { Sloan 143 Royal, or Valve { Watrous M-539 Majestic.

K-4079-EV—Same as K-4077-EV except with integral seat and push button flush valve.



Cross Section of Angleboro Closet



ANGLEBORO K-4077-EV

ANGLO—Vitreous China Angle Back and Base *Blowout* Closet

With 2½-inch Passageway—For Institutions

ANGLO

K-4100-EV—Blowout closet with wall outlet.


Specifications

K-4480-ER—Angle back and base elongated bowl, integral seat, 1½-inch rear spud.

Bolts (2). Screws (2).

*Flush { Sloan 152 Royal, or Valve { Watrous M-548½ Majestic.

NOTE: For satisfactory operation, Anglo blow-out bowls require a minimum of 25 pounds working pressure at the bowl.



Cross Section of Anglo Closet



ANGLO K-4100-EV

*For flush valve with vacuum breaker to prevent back siphonage, add suffix YV to Sloan number and VB to Watrous number.

HYDROMATIC—Pressure Tank Closet Combinations

For Factories, Schools and Public Buildings



PENRYN K-4110-EHC

K-4110-EHC—Siphon jet closet.

Specifications

K-4280-ETH—Elongated bowl.

Bolt caps (2). Floor bolts (2).

K-4370-C—C.P. seat action valve, 1½-inch toggle spud, concealed galvanized tank, flush pipe, open front composition seat.

K-4110-PHC—Same as K-4110-EHC except with K-4280-PTH round front bowl and K-4371-C pressure tank equipment.

NOTE: If Penryn hydromatic closets are desired with exposed tanks, omit suffix "C."



BROOKLANDS K-4130-EH

The K of K Hydromatic closets maintain and discharge water at the same pressure as that in the regular water supply. As many as eight combinations can be supplied from a 1-inch pipe.

Hydromatic pressure tank closets flush automatically when used. They are durable—the closet, the seat action valve and the tank are made of high quality materials. All K of K hydromatic closets have a single plunger with a laminated treated, durable cup leather which controls the water supply. The valve opens against the water pressure—and will not allow leakage. Available with Sloan V-100 vacuum breaker.

Dimensions

	K-4110	K-4120	K-4130	K-4135
Over-all height	75"	75"	75"	75"
Wall to front, elongated	27"	26"	27½"	..
Wall to front, round front	25"	..	25½"	29¾"
Minimum pressure (pounds) required at valve for satisfactory operation	35"	35"	20"	20"

BROOKLANDS

K-4130-EH—Reverse trap closet.

Specifications

K-4341-ERH—Elongated bowl with 1½-inch rear spud.

Bolt caps (2). Floor bolts (2).

K-4374—C.P. seat action valve with ell, bolts, washers, etc., galvanized tank and flush pipe, open front composition seat.

K-4130-PH—Same as K-4130-EH except with K-4341-PRH round front bowl and K-4375 pressure tank equipment.

TRENT

K-4135-PH—Washdown closet.

Specifications

K-4360-PRH—Round front bowl with 1½-inch rear spud.

Bolt caps (4). Floor bolts (2). Floor screws (2).

K-4376—C.P. seat action valve with ell, bolts, washers, etc., galvanized tank and flush pipe, open front composition seat.

NOTE: If Brooklands and Trent hydromatic closets are desired with concealed tanks, add suffix "C." For concealed tank installation, specify if wall thickness exceeds 6-inches.



KINGSTON K-4120-EHC

K-4120-EHC—Siphon jet closet.

Specifications

K-4420-ETH—Elongated wall hanging bowl.

K-4378-C—C.P. seat action valve, 1½-inch toggle spud, concealed galvanized tank and flush pipe, open front composition seat.

K-4040—Closet chair support, bolts, cap nuts and washers.



TRENT K-4135-PH

Vitreous China *Siphon Jet* Closet Bowls



DOWNING K-4291-ET

K-4291-ET—Elongated bowl with 2-inch top spud.

K-4291-PT—Round front bowl with 2-inch top spud. Center of inlet to center of outlet, 8-inches. Roughing-in, 12-inches for tank or flush valve.

For Either Tank or Flush Valve

Downing and Darvel bowls will pass 2½ inch ball.

Available with 1½- and 1¼-inch top spud.



DARVEL K-4296-PT

K-4296-PT—Round front bowl with integral seat and 2-inch top spud.

K-4296-ET—Same as K-4296-PT except with elongated bowl.

Center of inlet to center of outlet, 8-inches. Roughing-in, 12-inches for tank or flush valve.

Vitreous China *Reverse Trap* Closet Bowls



BROOKLANDS K-4341-ER

K-4341-ER—Elongated bowl with 2-inch rear spud.

Face of spud to center of outlet, 4¾-inches. Roughing-in, 12-inches for tank; 9¾-inches for flush valve.

For Either Tank or Flush Valve



BROOKLANDS K-4341-PR

K-4341-PR—Round front bowl with 2-inch rear spud.

Face of spud to center of outlet, 4¾-inches. Roughing-in, 12-inches for tank; 9¾-inches for flush valve.

Vitreous China *Washdown* Closet Bowls



TRENT K-4360-PR

K-4360-PR—Round front bowl with 2-inch rear spud.


Face of spud to center of outlet, 5½-inches. Roughing-in, 14-inches for tank; 11-inches for flush valve.

K-4361-PR—Same as K-4360-PR except 2-inch closer roughing-in.

Face of spud to center of outlet, 3½-inches. Roughing-in, 12-inches for tank; 9-inches for flush valve.

K-4364-PR—Round front bowl same as K-4360 except without jet.

For Either Tank or Flush Valve



TRENT K-4362-PR

K-4362-PR—Round front bowl with 2-inch rear spud.

Face of spud to center of outlet, 1½-inches. Roughing-in, 10-inches for tank; 7-inches for flush valve.

K-4363-PR—Round front bowl with 2-inch rear spud.

Face of spud to center of outlet, 8½-inches. Roughing-in, 17½-inches for tank; 14¼-inches for flush valve.

K-4365-PR—Round front bowl with integral seat and 2-inch rear spud.

Face of spud to center of outlet, 5½-inches. Roughing-in, 14-inches for tank; 11-inches for flush valve.

NOTE: Brooklands and Trent bowls are available with 1½" and 1¼" rear spud.

WINSLOW—Vitreous China Tank for Low Closets



WINSLOW K-4510-A

K-4510-A—Vitreous china tank with fittings. For washdown and reverse trap bowls.

Fittings

K-9255—Float valve with 4x5" copper float.

K-9355—Flush valve.

K-9400—Trip lever.

K-9480—Elbow flush connection.

K-4502-A—Tank

K-4502-A—Same as K-4510-A except with K-9256 float valve and K-9482 straight flush connection. For siphon jet bowls.

	K-4510-A	K-4502-A
Width over-all	22"	23½"
Height	15"	18¾"
Front to back	8¼"	8¼"

If anti-siphon float valve is desired, specify K-9252 for K-4510-A; K-9251 for K-4502-A tank.


NOTE: Winslow tanks are available with K-8336 angle supply with stop; K-8345 straight supply with stop or K-8351 straight supply less stop.



K-4560


K-4560—Vandal proof tank cover locks for vitreous china tanks. (One pair per tank)

NOTE: If K-4560 tank cover locks are desired, add suffix "T" to closet combination number or tank number.




K-4564

K-4564—Closet floor flange with graphited asbestos gasket, flanged bolts, nuts, and washers.




K-4566

K-4566—Closet flanged floor bolt with open end nut and washer.



K-4567

K-4567—Closet floor screw with cap nut and washer.



Interior view of K of K low closet tank is illustrated above. The tank shown is equipped with a K-9252 float valve with vacuum breaker, K-9355 flush valve and K-9400 single acting trip lever—a complete mechanism for filling and flushing low closets.

The K-9252 float valve has a vacuum breaker of the non-mechanical atmospheric type eliminating the possibility of contaminated water being siphoned into supply line.

Float valves operate efficiently and quietly. They are economical in the use of water . . . and fill tank rapidly. They have trouble-free china seats.

Note the following:

- (A) Screw on float valve for adjusting the proper water level in tank. Water line should be 1-inch below top of overflow tube as indicated by white line.
- (B) Flow control to secure quiet action.

Closet Accessories

HIGH TANKS FOR URINALS

Vitreous China



BROMPTON K-4570-A

K-4570-A—3-gallon vitreous china high tank with K-9320 automatic flush valve, 3/4-inch outlet connection, K-9290 supply valve.

K-4572-A—6-gallon vitreous china high tank with K-9322 automatic flush valve, 1 1/4-inch outlet connection, K-9290 supply valve.

	K-4570	K-4572
Width over-all	15 1/2"	19"
Height	12 1/2"	12 1/2"
Front to back.....	8"	11"

Enameled Iron



PLAISTOW K-4586-A

K-4586-A—6-gallon enameled iron high tank with K-9322 automatic flush valve, 1 1/4-inch outlet connection, K-9290 supply valve.

K-4583-A—3-gallon enameled iron high tank with K-9320 automatic flush valve, 3/4-inch outlet connection, K-9290 supply valve.

	K-4583	K-4586
Width over-all	15 1/4"	18 3/4"
Height	11 1/4"	11 1/4"
Front to back.....	7 1/4"	9 1/4"

NOTE: K-4570 and K-4583 tanks are available with K-9321 1-inch outlet connection and K-9322 1 1/4-inch outlet connection. K-4572 and K-4586 tanks are available with K-9323 1 1/2-inch outlet connection.

ORIZABA—Vitreous China Bidet

ORIZABA

K-4605-A—Vitreous china bidet complete with fittings illustrated.

Fittings

K-8165—C.P. combination fitting with built-in valves to supply hot, cold or tempered water to rim and douche, vacuum breaker, douche control valve, Synchro pop-up drain.

Length over-all	25"
Width	14"
Height to top of rim.....	14"



ORIZABA K-4605-A

HYGIENIC—Sheet Covered Closet Seats

For Elongated Bowls



ARDWICK K-4700

Hygienic open front closet seat with cover. For elongated bowls.

K-4700—White seat.

K-4700-P—Colored seat. Specify color.



ARDWICK K-4701

Hygienic open front closet seat less cover. For elongated bowls.

K-4701—White seat.

K-4701-P—Colored seat. Specify color.




ASHBOURNE K-4702

Hygienic closed front closet seat with cover. For elongated bowls.

K-4702—White seat.

K-4702-P—Colored seat. Specify color.



1. Core—of Birch stock, thoroughly kiln dried. Reinforced with two dowels, running cross grain.
2. Sheet Covering—The smooth tough sheet is impervious to moisture, and obviates crazing, cracking and chipping.
3. Streamlined Hinges—Hinge posts are offset to permit use with all one-piece and close-coupled closets or any staple bowl.
4. Concealed Fulcrum Bar—Provides rigid fulcrum and additional reinforcement.
5. Cover Screws—Four specially treated non-rust screws hold cover securely.

NOTE: K-4701 and K-4705 closet seats less covers are available with check hinges if specified.

Trade-Mark—K of K Hygienic seats bear this trade-mark imprint.

**K of K
HYGIENIC**

KOHLER OF KOHLER

For Round Front Bowls



BALCOMBE K-4704

Hygienic open front closet seat with cover. For round front bowls.

K-4704—White seat.

K-4704-P—Colored seat. Specify color.



BALCOMBE K-4705

Hygienic open front closet seat less cover. For round front bowls.

K-4705—White seat.

K-4705-P—Colored seat. Specify color.



BRAMLEY K-4706

Hygienic closed front closet seat with cover. For round front bowls.

K-4706—White seat.

K-4706-P—Colored seat. Specify color.

REGENT—Closet Seats with TriKo Finish

Regent Closet Seats have the well known TriKo coating—a chemically evolved material which produces a fine and durable finish. It will outlast any type of air-dry resin enamel or the harder but inelastic pigmented lacquers.

The coating is tough and flexible—expanding and contracting with the wood core. Finish will not crack or check. It possesses a high resistance to moisture—eliminating swelling and blistering.

TriKo finish is glossy—is little affected by light—color stands up well under ordinary usage.



K of K TriKo seats bear this blue and white trade-mark.

Closet Seats with Bar Hinges—for Round Front Bowls



BARRHILL K-4724-T

Regent open front closet seat with cover, bar hinges. For round front bowls.



BARRHILL K-4725-T

Regent open front closet seat less cover, bar hinges. For round front bowls.



BRAMHALL K-4726-T

Regent closed front closet seat with cover, bar hinges. For round front bowls.

For oak finish on above seats add suffix "O" in place of "T."

REGENT—Self-Raising Seats for Public Buildings



K-4738

K-4738—Regent Oak finish open front closet seat with spring hinge. For elongated bowls.

K-4739—Same as K-4738 except for round front bowls.



K-4740

K-4740—Regent Oak finish open front closet seat with ball weighted hinge. For elongated bowls.

K-4741—Same as K-4740 except for round front bowls.

MOLDED CLOSET SEATS

For Elongated Bowls



MILSTEAD K-4800

K-4800—Olsonite white open front closet seat with cover, concealed hinge. For elongated bowls.



MILBROOK K-4802

K-4802—Olsonite white closed front closet seat with cover, concealed hinge. For elongated bowls.



MELTON K-4811

K-4811—Olsonite black open front closet seat, concealed hinge. For elongated bowls.

K-4813—Same as K-4811 except white.

For Round Front Bowls



WINLOCK K-4804

K-4804—Olsonite white open front closet seat with cover, concealed hinge. For round front bowls.



WHITFIELD K-4806

K-4806—Olsonite white closed front closet seat with cover, concealed hinge. For round front bowls.




WESTON K-4815

K-4815—Olsonite black open front closet seat, concealed hinge. For round front bowls.

K-4817—Same as K-4815 except white.

NOTE: Add suffix "C" to plate numbers for check hinges on seats less cover.



Patented **FLOW CONTROL** *for Urinal Stalls* **AN EXCLUSIVE FEATURE**

The flow control on K of K Urinals has these important advantages:

1. Provides a uniform distribution of water to *all* urinals in a battery.
2. Delivers a full, positive cleansing flush.
3. Eliminates the spraying of water beyond the urinal.

Easy to Adjust... Accessible

Urinals are shipped with flow control set for a normal flush. If a stronger flush is necessary after installation, turn control nut A to the left. To reduce flow, turn nut to the right. When proper flow is obtained, tighten nut B. After flow control has once been set, no other attention is necessary.


BRANDON URINALS

*With Concealed Tanks
and Flush Pipes*



BRANDON

Vitreous China Urinal Stalls



BRANDON K-4900

K-4900—Battery of three urinals with seam covers, tank and fittings.

Specifications

K-4925-T—Straight front urinal, flow control, $\frac{3}{4}$ -inch top spud.

K-4926-T—Urinal with left wing only, flow control $\frac{3}{4}$ -inch top spud.

K-4927-T—Urinal with right wing only, flow control, $\frac{3}{4}$ -inch top spud.

***K-4930**—Extended wing seam covers with spring clamps (2).

K-4570-A—Tank with automatic fittings, 1-inch connection.

K-9203—Three-part flush pipe.

K-9172—Universal strainers with china grates (3).



K-4930




K-4931

K-4930—Extended wing seam cover with spring clamps.

K-4931—Straight front seam cover with spring clamps.

Seam covers are furnished in two sizes for urinals set with 21" and 24" centers.

NOTE: For battery of four urinals specify K-4572-A high tank with $1\frac{1}{4}$ -inch connection with K-9204 four-part flush pipe.



BRANDON K-4901

K-4901—Battery of three urinals with seam covers and fittings.

Specifications

K-4925-T—Straight front urinal, flow control, $\frac{3}{4}$ -inch top spud.

K-4926-T—Urinal with left wing only, flow control, $\frac{3}{4}$ -inch top spud.

K-4927-T—Urinal with right wing only, flow control, $\frac{3}{4}$ -inch top spud.

***K-4930**—Extended wing seam covers with spring clamps (2).

K-9172—Universal strainers with china grates (3).


Flush Valves (3) { Sloan 185-H Crown, or
Watrous M-442 Imperial.

See page 133 for additional flush pipe layouts for urinals.

Width (one stall only).....	18"
Height over-all	42"
Height from floor.....	38"
Wall to front of flare.....	16"

*Specify distance between urinal centers so that proper size seam covers can be furnished.

NOTE: All urinal stalls are available with rear inlets.



Suggested method of installing
K of K urinals.

BRANHAM

Vitreous China Urinal Stalls



BRANHAM K-4905

K-4905—Battery of three urinals with seam covers, and fittings.


Specifications

K-4925-T—Straight front urinals, flow control, 3/4-inch top spuds (3).

K-4931—Straight front seam covers with spring clamps (2).

K-9172—Universal strainers with china grates (3).

Flush Valves (3) { Sloan 185-H Crown, or
Watrous M-442 Imperial.



BRANHAM K-4903

K-4903—Battery of two urinals with seam cover and fittings.

Specifications


K-4925-T—Straight front urinals, flow control, 3/4-inch top spuds (2).

K-4931—Straight front seam cover with spring clamps.

K-9172—Universal strainers with china grates (2).

Flush Valves (2) { Sloan 185-H Crown, or
Watrous M-442 Imperial.

NOTE: For battery of four urinals specify K-4572-A high tank with 1 1/4-inch connection with K-9204 four-part flush pipe.



BRANHAM K-4902

K-4902—Battery of two urinals with seam cover, tank and fittings.

Specifications

K-4925-T—Straight front urinals, flow control, 3/4-inch top spuds (2).

***K-4931**—Straight front seam cover with spring clamps.

K-4570-A—Tank with automatic fittings, 3/4-inch connection.

K-9202—Two part flush pipe.

K-9172—Universal strainers with china grates (2).

Urinal Dimensions

Width (one stall only).....	18"
Height over-all	42"
Height from floor.....	38"
Wall to front of flare.....	16"

*Specify distance between urinal centers so that proper size seam covers can be furnished.

NOTE: All urinals stalls are available with rear inlets.



BRANHAM K-4906

K-4906—Battery of two urinals with seam cover and fittings.

Specifications

K-4925-R—Straight front urinals, flow control, 3/4-inch rear spuds (2).


***K-4931**—Straight front seam cover with spring clamps.

K-9172—Universal strainers with china grates (2).

Flush Valves (2) { Sloan 194 Crown, or
Watrous M-441 Imperial.

BRANHAM

Vitreous China Urinal Stalls



BRANHAM K-4907

K-4907—Battery of two urinals with tank and fittings.

Specifications

- K-4925-T**—Straight front urinals, flow control, $\frac{3}{4}$ -inch top spuds (2)
- K-4570-A**—Tank with automatic fittings, $\frac{3}{4}$ -inch connection.
- K-9202**—Two-part flush pipe.
- K-9172**—Universal strainers with china grates (2).

Urinal Dimensions

Width (one stall only).....	18"
Height over-all	42"
Height from floor.....	38"
Wall to front of flare.....	16"

NOTE: For battery of four urinals, specify K-4572-A high tank with $1\frac{1}{4}$ -inch connection, with K-9204 four-part flush pipe.

See page 133 for additional flush pipe layouts for urinals.




BRANHAM K-4909

K-4909—Urinal with tank and fittings.

Specifications

- K-4925-T**—Straight front urinal, flow control, $\frac{3}{4}$ -inch top spud.
- K-4570-A**—Tank with automatic fittings, $\frac{3}{4}$ -inch connection.
- K-9201**—Flush pipe.
- K-9172**—Universal strainer with china grate.



BRANHAM K-4908

K-4908—Battery of two urinals with fittings.

Specifications

- K-4925-T**—Straight front urinals, flow control, $\frac{3}{4}$ -inch top spuds (2).
- K-9172**—Universal strainers with china grates (2).
- Flush Valves (2) { Sloan 185-H Crown, or
Watrous M-442 Imperial.

Urinal Dimensions

Width (one stall only).....	18"
Height over-all	42"
Height from floor.....	38"
Wall to front of flare.....	15"

NOTE: All urinal stalls are available with rear inlets.



BRANHAM K-4910

K-4910—Urinal with fittings.

Specifications

- K-4925-T**—Straight front urinal, flow control, $\frac{3}{4}$ -inch top spud.
- K-9172**—Universal strainer with china grate.
- Flush Valve { Sloan 185-H Crown, or
Watrous M-442 Imperial.

HILLAN


Vitreous China Urinal Stalls

Urinal Dimensions

Width (one stall only).....	18"
Height over-all	42"
Height from floor.....	38"
Wall to front of flare.....	16"

NOTE: For battery of four urinals, specify K-4572-A high tank with 1 1/4-inch connection with K-9204 four-part flush pipe.

See page 133 for additional flush pipe layouts for urinals.



HILLAN K-4936

K-4936—Battery of three urinals with tank and fittings.

Specifications

K-4945-T—Extended wing urinals, flow control, 3/4-inch top spuds (3).

K-4570-A—Tank with automatic fittings, 1-inch connection.

K-9203—Three-part flush pipe.

K-9172—Universal strainers with china grates (3).

K-4937—Same as K-4936 except with two wing urinals with tank with 3/4-inch connection and K-9202 two-part flush pipe.



HILLAN K-4940

K-4940—Urinal with tank and fittings.

Specifications

K-4945-T—Extended wing urinal, flow control, 3/4-inch top spud.

K-4570-A—Tank with automatic fittings, 3/4-inch connection.

K-9201—Flush pipe.

K-9172—Universal strainer with china grate.



HILLAN K-4938

K-4938—Battery of three urinals with fittings.

Specifications

K-4945-T—Extended wing urinals, flow control, 3/4-inch top spuds (3).

K-9172—Universal strainers with china grates (3).

Flush Valves (3) { Sloan 185-H Crown, or
Watrous M-442 Imperial.

K-4939—Same as K-4938 except with two extended wing urinals with fittings.

Urinal Dimensions

Width (one stall only).....	18"
Height over-all	42"
Height from floor.....	38"
Wall to front of flare.....	16"

NOTE: All urinal stalls are available with rear inlets.



HILLAN K-4941

K-4941—Urinal with fittings.

Specifications

K-4945-T—Extended wing urinal, flow control, 3/4-inch top spud.

K-9172—Universal strainer with china grate.

Flush Valve { Sloan 185-H Crown, or
Watrous M-442 Imperial.

STANWELL

Vitreous China Wall Hanging *Blowout* Urinals




STANWELL K-4961

K-4961—Urinal with fittings.

Specifications

K-4967-T—Wall hanging blowout urinal with jet, flow control, extended shields and trap, 1¼-inch top spud, wall hangers, 2-inch I.P.S. outlet connection.

*Flush { Sloan 180-H Crown, or
Valve { Watrous M-442-S Imperial.



K-4987 Chair carrier available for Stanwell and Bardon urinals when specified.

Height over-all (urinal only)..... 27¾"
Width 18"
Wall to front of flare..... 11¾"



STANWELL K-4963


K-4963—Urinal with fittings.

Specifications

K-4967-R—Wall hanging blowout urinal with jet, flow control, extended shields and trap, 1¼-inch rear spud, wall hangers, 2-inch I.P.S. outlet connection.

*Flush { Sloan 190 Crown, or
Valve { Watrous M-441-S Imperial.

NOTE: For flush valve operation only. Water pressure should not exceed 60 pounds.
Stanwell urinal not recommended for tank installation.



BARDON K-4975

K-4975—Battery of two urinals with tank and fittings.

Specifications

K-4982-T—Wall hanging washout urinals, flow control, extended shields, strainer and trap, cleanout, ¾-inch top spud, wall hangers, 2-inch I.P.S. outlet connections (2).

K-4570-A—Tank with automatic fittings, ¾-inch connection.

K-9202—Two part flush pipe.

K-4976—Same as K-4975 except with single urinal and tank, and K-9201 flush pipe.

*For flush valve with vacuum breaker to prevent back siphonage, add suffix YV to Sloan number, and VB to Watrous number.

BARDON

Vitreous China Wall Hanging *Washout* Urinals

NOTE: For battery of four urinals specify K-4572-A high tank with 1¼-inch connection with K-9204 four-part flush pipe.

See page 133 for additional pipe layouts for urinals.

Bardon urinal is available with rear inlet.

Height over-all (urinal only)..... 27¾"
Width 18"
Wall to front of flare..... 11¾"



BARDON K-4977

K-4977—Urinal with fittings.

Specifications

K-4982-T—Wall hanging washout urinal, flow control, extended shields, strainer and trap, cleanout, ¾-inch top spud, wall hangers, 2-inch I.P.S. outlet connection.

Flush Valve { Sloan 185-H Crown, or
Watrous M-442 Imperial.

BRAMPFORD

Vitreous China Pedestal Siphon Jet Urinals



BRAMPFORD K-4992

K-4992—Urinal with fittings.

Specifications

K-4995-T—Siphon jet pedestal urinal, 1¼-inch top spud.

Bolt caps (2). Floor bolts (2).

*Flush Valve { Sloan 181-HU Crown, or
Watrous M-443-S Imperial.

Urinal Dimensions

Height over-all (urinal only).....	28"
Width	14"
Wall to front of flare.....	23¾"
Floor to top of flare.....	20"

NOTE: A single tank will not flush more than one Brampford urinal.

Brampford urinal is available with rear inlet.



BRAMPFORD K-4990

K-4990—Urinal with tank fittings.

Specifications

K-4995-T—Siphon jet pedestal urinal, 1¼-inch top spud.

K-4570-A—Tank with automatic fittings and 1¼-inch connection.

K-9212—Flush pipe.

Bolt caps (2). Floor bolts (2).



DERRY K-5001

K-5001—Urinal with fittings.

Specifications

K-5005-T—Wall hanging blowout urinal with jet, 1½-inch top spud, wall bolts, 2-inch I.P.S. outlet connection.

*Flush Valve { Sloan 180-HT Crown, or
Watrous M-442-F Imperial.

DERRY

Vitreous China Wall Hanging Blowout Urinals

For Flush Valve Installation Only

Urinal Dimensions

Height over-all (urinal only).....	17¾"
Width	14"
Wall to front of flare.....	21"



DERRY K-5002

K-5002—Urinal with fittings.

Specifications

K-5005-R—Wall hanging blowout urinal with jet, 1½-inch rear spud, wall bolts, 2-inch I.P.S. outlet connection.

*Flush Valve { Sloan 190-T Crown, or
Watrous M-441-F Imperial.

*For flush valve with vacuum breaker to prevent back siphonage, add suffix YV to Sloan number, and VB to Watrous number.



DEXTER K-5010

DEXTER—Vitreous China Wall Hanging *Siphon Jet Urinals*

DEXTER

K-5010—Urinal with tank and fittings.

Specifications

K-5015-T—Wall hanging siphon jet urinal, integral trap, 1¼-inch top spud, wall bolts, 2-inch I.P.S. outlet connection.

K-4570-A—Tank complete with automatic fittings and 1¼-inch connection.

K-9210—Flush pipe.

K-5011—Same as K-5010 except with two K-5015-T urinals, K-4572-A tank, and K-9211 two-part flush pipe.



DEXTER K-5012

K-5012—Urinal with fittings.

Specifications

K-5015-R—Wall hanging siphon jet urinal, integral trap, ¾-inch rear spud, wall bolts, 2-inch I.P.S. outlet connection.

*Flush Valve { Sloan 194 Crown, or
Watrous M-441 Imperial.

Urinal Dimensions

Height over-all (urinal only)..... 19"
Width 14"
Wall to front of flare..... 14"

NOTE: Dexter urinals for tank installation are furnished with 1¼-inch spud; for flush valve, with ¾-inch spud.

*For flush valve with vacuum breaker to prevent back siphonage, add suffix YV to Sloan number and VB to Watrous number.



DEXTER K-5013

K-5013—Urinal with fittings.

Specifications

K-5015-T—Wall hanging siphon jet urinal, integral trap, ¾-inch top spud, wall bolts, 2-inch I.P.S. outlet connection.

*Flush Valve { Sloan 185-H Crown, or
Watrous M-442 Imperial.

DARFIELD—Vitreous China Wall Hanging Flat Back Washout Urinal



DARFIELD K-5018

K-5018—Urinal with tank and fittings.

Specifications

K-5020-T—Wall hanging washout urinal, integral strainer, 3/4-inch top spud, 1 1/2-inch outlet spud, and 1 1/2-inch O.D. x 6-inch tailpiece.

K-4570-A—Vitreous china tank complete with automatic fittings and 3/4-inch connection.

K-9201—Flush pipe.

K-9000—1 1/2-inch P trap.

Dimensions

Height over-all (urinal only).....	17"
Width	13"
Wall to front of flare.....	14"



DARFIELD K-5019

K-5019—Urinal with fittings.

Specifications

K-5020-T—Wall hanging washout urinal, integral strainer, 3/4-inch top spud, 1 1/2-inch outlet spud, and 1 1/2-inch O.D. x 6-inch tailpiece.

K-9000—1 1/2-inch P trap.

Flush Valve { Sloan 185-H Crown, or
Watrous M-442 Imperial.

JARVES—Acid-Resisting Enameled Cast Iron Urinals



JARVES K-5050-A

K-5050-A—Urinal with tank and fittings.

Specifications

K-5052—Urinal with K-9160 beehive strainer.

K-4583-A—Tank with automatic fittings.

K-9214—Flush pipe and perforated washdown pipe.

K-9000—1 1/2-inch P trap.



JARVES K-5052-A

K-5052-A—Urinal with fittings.

K-5052—Urinal with K-9160 beehive strainer, less fittings.


Fittings

K-9213—Perforated washdown pipe with 1/2-inch loose key stop.

K-9000—1 1/2-inch P trap.

Sizes	36"	48"	72"
Flares (number)	2	2	4
Flares (center to center).....	20"	32"	18 1/2"
Wall to front of flare.....	15 1/4"	15 1/4"	15 1/4"

Vitreous China Service Sinks



SUDBURY K-5115-A

K-5115-A—Service sink with trap standard and fittings illustrated.


K-5115—Service sink, less trap standard and fittings.

Specifications

K-8912—Rough plated faucet with hose connection.

K-5239—Enameled inside trap standard.

Sizes	20x18"	22x20"
Depth	12"	12¾"
Back	8"	10"



K-8934

Metal rim guard for K-5115 and K-5121 vitreous china service sinks.



SECOR K-5121-A

K-5121-A—Service sink with trap standard and fittings illustrated.

K-5121—Service sink, less trap standard and fittings.

Specifications

K-8910—Rough plated faucet with pail hook, wall brace and hose connection.

K-5239—Enameled inside trap standard.

Size	22x18"
Depth	12"

TYRRELL—Vitreous China Flushing Rim Service Sink

TYRRELL

K-5160-A—Flushing rim siphon jet service sink with fittings illustrated.

K-5160—Flushing rim siphon jet service sink, less fittings and rim guard.

Fittings

K-8917—Supply fitting with pail hook, wall brace, and threaded spout. Wall to center of spout 12½-inches.

K-8935—Metal rim guard.

Bolt caps (4). Floor bolts (2). Floor screws (2).

*Flush Valve { Sloan 110-F Royal, or
Watrous M-532 Majestic.

Size	20x20"
Height of service sink.....	20"

NOTE: Specify K-8918 for supply fitting same as K-8917 except with loose key stops. Wall to center of spout 15½-inches.

*For flush valve with vacuum breaker to prevent back siphonage, add suffix YV to Sloan number and VB to Watrous number.



TYRRELL K-5160-A

Hospital Catalog K-12856-A

BANNON—*Acid-Resisting* Enameled Cast Iron Service Sink

BANNON

K-5200-A—Service sink with trap standard and fittings illustrated.

K-5200—Service sink, less trap standard and fittings.

Specifications

K-8912—Rough plated faucet with hose connection.

K-5239—Enameled inside trap standard.

Sizes	22x18"	24x20"
Depth	12"	12"
Back	14"	14"



K-8930—Rough plated rim guard for K-5200 service sinks.



BANNON K-5200-A

TRAP STANDARDS

*for Vitreous China and Enameled
Cast Iron Service Sinks*

K-5235—Trap standard for 3-inch L.P. connection, with cleanout plug, strainer and collar.

K-5237—Same as K-5235 except with spigot end for 3-inch soil pipe.



K-5235



K-5239

K-5239—Adjustable trap standard for 3-inch I.P. connection with cleanout plug, strainer and collar.

Note: K-5239 available for 2-inch I.P. connection.

BALFRON—*Acid-Resisting* Enameled Cast Iron Service Sump

BALFRON

K-5245-A—Service sump with strainer.

K-5245—Service sump, less strainer.

Strainer

K-9120—Strainer with 1½-inch tailpiece.

Sizes	16x16x10"	20x16x10"
-------------	-----------	-----------



BALFRON K-5245-A

KOHLER

Drinking Fountains




All Kohler drinking fountains deliver an angle stream drinking mound, found to be the most convenient and sanitary. An automatic flow control regulates the water supply and assures maintenance of the mound at the correct height and proportions regardless of variations in water pressure.

The bubbler opening is protected from contact with waste water by its location, which is above the highest point of fountain bowl. A chromium plated metal guard prevents contact of the mouth with opening. Kohler fountains conform to the requirements of the American Public Health Association and with codes of the City of Chicago and other American communities.


Kohler fountains of enameled cast iron and vitreous china are available in a wide range of styles and sizes, and are widely used in schools, hospitals, public buildings, institutions, churches, factories and offices.



Graceful metal guard protects users by preventing contact of mouth with bubbler opening.



Water escapes harmlessly into drain when children make attempts at "squirting."



Automatic flow control which maintains a steady flow of water to mound.

Vitreous China Wall Hanging Drinking Fountains



DAYBROOK K-5335-A

K-5335-A—Drinking fountain with fittings illustrated.

Fittings

K-8562—Supply fitting with non-squirting bubbler head, self-closing control valve adjustable for continuous flow, automatic volume regulator, screw driver regulating stop with $\frac{3}{8}$ -inch I.P. connection, strainer, trap with cleanout, $1\frac{1}{4}$ -inch I.P. outlet.

Wall screws (4).

Size of bowl..... 14x10"
Wall to front of bowl..... 14"

NOTE: Daybrook and Rockbrook drinking fountains are available with metal condensation plate for underside of fixture.



ROCKBROOK K-5340-A

K-5340-A—Drinking fountain with fittings illustrated.

Fittings

K-8534—Supply fitting with non-squirting bubbler head, self-closing control valve adjustable for continuous flow, automatic volume regulator, screw driver regulating stop with $\frac{3}{8}$ -inch I.P. connection, strainer, trap with cleanout, $1\frac{1}{4}$ -inch I.P. outlet.

Size of bowl..... 12x12x16"
Wall to front of bowl..... 12"
Height of back..... 8"



DEERBROOK K-5345-A

K-5345-A—Drinking fountain with fittings illustrated.

K-5345—Drinking fountain with fittings, less trap.

Fittings

K-8554—Supply fitting with non-squirting bubbler head, self-closing control valve adjustable for continuous flow, automatic volume regulator.

K-8595—Strainer.

K-9000— $1\frac{1}{4}$ -inch P trap.

NOTE: Supply pipe to wall not furnished.

Size of bowl..... 12x12x11 $\frac{1}{4}$ "
Wall to front of bowl..... 12"
Height of back..... 8"



CLEARBROOK K-5350-A

K-5350-A—Drinking fountain with fittings illustrated.

K-5350—Drinking fountain with fittings, less trap.

Fittings

K-8554—Supply fitting with non-squirting vandal-proof bubbler head, self-closing control valve adjustable for continuous flow, automatic volume regulator.

K-8595—Strainer.

K-8596—Painted wall bracket.

K-9000— $1\frac{1}{4}$ -inch P trap.

NOTE: Supply pipe to wall not furnished.

Size of bowl..... 11x7 $\frac{1}{2}$ "
Wall to front of bowl..... 12"

MEADOWBROOK—Vitreous China *Two Stream Drinking Fountain*

MEADOWBROOK

- K-5355-A—Drinking fountain with fittings illustrated.
K-5355—Drinking fountain with fittings, less trap.

Fittings

- K-8572—Supply fitting for left side with non-squirting bubbler head, self-closing control valve adjustable for continuous flow, automatic volume regulator, 3/8-inch offset supply to wall with loose key stop.
K-8573—Supply fitting same as above except for right side.
K-9120—Strainer with 1 1/4-inch tailpiece.
K-9000—1 1/4-inch P trap.

K-5357-A—Same as K-5355-A except with K-8573 supply fitting for right side only.
Size 24x13"
Height of back..... 8"

MEADOWBROOK *Vitreous China Glass Filler*

MEADOWBROOK

- K-5358-A—Glass filler with fittings illustrated.
K-5358—Glass filler with fittings, less trap.

Fittings

- K-8840—Self-closing drinking water glass filler (2).
K-9120—Strainer with 1 1/4-inch tailpiece.
K-9000—1 1/4-inch P trap.

Size 24x13"
Height of back..... 8"



The Meadowbrook with self-closing glass filler is especially designed for use in restaurants, hospitals and public eating places.

Vitreous China Sacrarium

SACRARIUM

- K-5360-A—Sacrarium complete with cover.

Fittings

- K-8564—Cover with hinge and lock.
K-8566—Strainer with drain pipe to wall.
Wall screws (4).

Wall to front of bowl..... 14"
Width of bowl over-all..... 14"



SACRARIUM K-5360-A

GLENBROOK—Vitreous China *Semi-Recessed Drinking Fountain*

GLENBROOK

K-5365-A—Drinking fountain with fittings illustrated.

FITTINGS

K-8558—Supply fitting with non-squirting bubbler head, self-closing control valve adjustable for continuous flow, automatic volume regulator, screw driver regulating stop with $\frac{3}{8}$ -inch I.P. connection, strainer, cast brass trap with cleanout plug.

Wall screws (3).

Height over-all	26 $\frac{1}{4}$ "
Width over-all	14 $\frac{3}{4}$ "
Recess depth	4 $\frac{1}{2}$ "
Projection from wall	6 $\frac{3}{4}$ "



GLENBROOK K-5365-A

VANBROOK and VANGUARD *for Gymnasiums*



VANBROOK K-5368-A

K-5368-A—Vitreous china recess drinking fountain with fittings illustrated.

Fittings

K-8559—Supply fitting with non-squirting bubbler head, self-closing control valve adjustable for continuous flow, automatic volume regulator, screw driver regulating stop with $\frac{3}{8}$ -inch I.P. connection, strainer, cast brass trap with cleanout extension to wall.

Wall screws (3).

NOTE: Glenbrook and Vanbrook drinking fountains available with K-8205 self-closing push-button ice water faucet.

	Vanbrook	Vanguard
Height over-all	30"	30"
Width over-all	16 $\frac{1}{2}$ "	16 $\frac{1}{2}$ "
Over-all front to back	11"	11"
Inside depth, front face to back	10"	10"



The Vanbrook and Vanguard especially recommended for installation in gymnasiums.




VANGUARD K-5370-A

K-5370-A—Vitreous china recess cuspidor with fittings illustrated.

Fittings

K-8560—Supply fitting with self-closing valve with screw driver regulating stop, $\frac{3}{8}$ -inch I.P. connection, supply pipe to spreader, C.P. brass spreader, strainer, cast brass trap with cleanout extension to wall.

Wall screws (3).



K-8205

Self-closing push button ice water faucet.



CARISBROOK K-5374-A

CARISBROOK

Vitreous China Pedestal Drinking Fountain

CARISBROOK

K-5374-A—Drinking fountain with fittings illustrated.

Fittings

K-8550—Supply fitting with non-squirting bubbler head, self-closing control valve adjustable for continuous flow, automatic volume regulator, screw driver regulating stop, $\frac{3}{8}$ -inch I.P. supply to floor, strainer and connections for $1\frac{1}{4}$ -inch I.P. outlet.

Floor screws with washers (2).

(Drain pipe to floor not furnished)

Diameter of bowl.....	13 $\frac{1}{4}$ "
Height	30"

SUNNYBROOK

Vitreous China Drinking Fountain on Galvanized Iron Stand

SUNNYBROOK

K-5378-A—Drinking fountain with fittings illustrated.

Fittings

K-8554—Supply fitting with non-squirting, vandal-proof bubbler head, self-closing control valve adjustable for continuous flow, automatic volume regulator.

K-8581—Strainer, combined support and drain.

(Supply pipe from floor not furnished)

Size bowl	11x7 $\frac{1}{2}$ "	11x7 $\frac{1}{2}$ "
Height (floor from top of rim).....	30"	36"

SUNNYBROOK—Freeze-Proof Drinking Fountain



SUNNYBROOK K-5379-A

SUNNYBROOK

K-5379-A—Freeze-proof drinking fountain with fittings illustrated.

Fittings

K-8530—Fitting with non-squirting, vandal-proof bubbler head and concealed automatic volume regulator, strainer, combined support and drain, galvanized supply from valve to bubbler.

K-8531—Brass self-draining pedal action supply valve with two vermin-proof ball checks and brass air vent pipe with screened top, enclosed with vandal-proof cover, galvanized supporting plate—for 18-inch bury.

VALVE MUST BE SET BELOW FROST LINE.
Specify if 36, 48 or 60-inch bury is required.

NOTE: Drainage should be provided below frost line as illustrated, using a length of drain tile filled with gravel. Lock for vandal-proof cover is not furnished.

Size bowl	11x7 $\frac{1}{2}$ "	11x7 $\frac{1}{2}$ "
Height (floor to top of rim).....	30"	36"



SUNNYBROOK K-5378-A

1. Safe drinking water assured—absolute protection against back flow of ground water.
2. Complies with U. S. Government and local health requirements.
3. Easily installed—no pit required.
4. Year-round service—removal unnecessary during winter months.
5. Water drains automatically from fountain to below freezing level when pedal valve closes.
6. Treated leather shut-off ball—guaranteed for five years—easily replaced without digging up valve.

EDGEBROOK

Enameled Cast Iron Wall Hanging Drinking Fountain

EDGEBROOK

K-5390-A—Drinking fountain with fittings illustrated.

K-5390—Drinking fountain with fittings, less trap.

Fittings

K-8554—Supply fitting with non-squirting, vandal-proof bubbler head, self-closing control valve adjustable for continuous flow, automatic volume regulator.

K-8595—Strainer.

K-8596—Painted wall bracket.

K-9000—1¼-inch P trap.

Size, bowl 12x8"
Wall to front..... 12"



EDGEBROOK K-5390-A

CRANBROOK

Enameled Cast Iron Drinking Fountain on Galvanized Iron Stand

CRANBROOK

K-5395-A—Drinking fountain with fittings illustrated.

Fittings

K-8554—Supply fitting with non-squirting, vandal-proof bubbler head, self-closing control valve adjustable for continuous flow, automatic volume regulator.

K-8581—Strainer and combined support and drain.

NOTE: Supply pipe from floor not furnished.

Size, bowl 12x8" 12x8"
Floor to top of rim..... 30" 36"



CRANBROOK K-5395-A

MONTELLO

Enameled Cast Iron Drinking Fountain

MONTELLO

K-5400-A—Drinking fountain with fittings illustrated.

K-5400—Drinking fountain with fittings, less trap.

Fittings

*K-8578—Supply fitting with self-closing valves and loose key stop, non-squirting bubbler heads with volume regulators.

K-9120—Strainer.

K-9000—1¼-inch P trap.

*Fitting specified is for 54-inch fountain For 30-inch fountain specify K-8576; for 42-inch size, K-8577.


Sizes, length	30"	42"	54"
Width of fountain.....	13¼"	13¼"	13¼"
Depth inside at outlet.....	2½"	2½"	2½"
Number of bubblers.....	2	3	4
Center to center of bubblers.....	12"	12"	12"



MONTELLO K-5400-A



CAREFUL *Kitchen* PLANNING ADDS COMFORT, LIGHT, CONVENIENCE




K-5500-A Wilshire ledge sink—72 x 25-inch.

Here is a kitchen that is distinctive in appearance and design, and which fully realizes the main objective of good kitchen planning — to provide an attractive, convenient and pleasant place in which to work. It has the proved practicality of the U-shaped type, and includes an unusually bright and cozy breakfast area. The wide window, sections of which can be opened separately, provides plenty of daylight not only in the breakfast corner but throughout the kitchen, especially in the spacious area of the Wilshire sink with its two compartments, double drainboards, handy ledge and swing spout. The cool green of the floor, wall stripes and furniture, and the maroon accent in counter-top and shelves, are in effective contrast with the lustrous, pure white enamel of the sink.



A WELL PLANNED *Kitchen* MEANS EASIER WORKING, PLEASANTER LIVING

In this variation of the practical corridor-type kitchen, the breakfast area is outside the line of traffic and the working area, yet conveniently located. The Wellwin double compartment sink, with its handy ledge and efficient fittings is centered below the large window which provides a pleasant, unobstructed view and ample light where it is most appreciated. Additional light is admitted through the glass block walls behind the shelves. The black-and-white tile pattern of the linoleum floor, the grey walls and the lustrous white enamel of the sink and cabinets combine with the yellow tones in the window-trim and the wallpaper enclosing the breakfast nook to form a clean-cut, harmonious design. A washroom, when located as shown in the floor plan, has many obvious advantages.



K-5590-A Wellwin ledge sink—42 x 25-inch.

WILSHIRE—*Acid-Resisting* Enameled Cast Iron Double Drainboard, Double Compartment Ledge Sink



WILSHIRE K-5500-A

K-5500-A—Ledge sink with fittings illustrated.

K-5500—Ledge sink with K-8605 supply fitting with lever-control sprayer, two K-9101 Duostrainers, less traps.

Traps

K-9000—1½-inch P traps (2).

K-5501-A—Ledge sink same as K-5500-A except with K-8601 supply fitting; K-5501, less traps.

Sizes	60x25"	72x25"
Length of sink compartments.....	14"	16¼"
Width of sink compartments.....	18"	18"
Depth	8"	8"
Length of drainboards.....	14¾"	18½"
Back	4"	4"
Width of ledge.....	3¾"	3¾"
Floor to top of rim.....	36"	36"



WILSHIRE K-5505-A—60" Size

The **K-5505-A—60"** size has the K-5819 cabinet. Other specifications are the same as those given for the K-5505-A—72" size.

K-5506-A—60" ledge sink and cabinet same as K-5505-A except with K-8601 supply fitting.



WILSHIRE K-5505-A—72" Size

K-5505-A—Ledge sink with fittings and cabinet.

Specifications

K-5500—Ledge sink with K-8605 supply fitting with lever-control sprayer, two K-9101 Duostrainers.

K-9000—1½-inch P traps (2).

K-5820—Cabinet with baked enamel finish.

K-5506-A—72" ledge sink and cabinet same as K-5505-A except with K-8601 supply fittings; K-5506, less traps.

Wilshire sinks are available with K-8607 supply fitting with third valve for drinking water.

Wilshire sinks not furnished less supply fittings.

CLEARFIELD—*Acid-Resisting* Enameled Cast Iron Double Drainboard, Double Compartment Flat Rim Ledge Sink

for
Building-in



CLEARFIELD K-5520-A

K-5520-A—Ledge sink with fittings illustrated.

K-5520—Ledge sink with K-8605 supply fitting with lever-control sprayer, two K-9101 Duostrainers, less traps.

Traps

K-9000—1½-inch P traps (2).

K-5521-A—Ledge sink same as K-5520-A except with K-8601 supply fitting; K-5521, less traps.

Size	60x21"
Length of sink compartments.....	14"
Width of sink compartments.....	15¾"
Depth	8"
Length of drainboards.....	14¾"
Width of ledge.....	3⅛"
Floor to top of rim.....	36"


Clearfield sinks are available with K-8607 supply fitting with third valve for drinking water.

Clearfield sinks not furnished less supply fittings.




Suggested installation of Clearfield double compartment flat rim ledge sink with counter top and cabinets.


Suggestion for Installing Built-in Sinks



After locating and cutting opening for the sink, attach corner clips which temporarily hold sink in position while installing frame and fastening permanent lugs.



Lower sink into opening, resting it on corner clips. Level sink with cabinet top by using adjusting bolt in corner clips. Set the frame in place around sink. Put caulking compound under both flanges.



Hook lugs onto frame from under side of cabinet top. Place one lug below joint in frame, the others 6" to 8" apart coming as close to corners as possible. Tighten lugs.

CAMBERLEY—*Acid-Resisting* Enameled Cast Iron Double Drainboard Single Compartment Ledge Sink



CAMBERLEY K-5550-A

K-5550-A—Ledge sink with fittings illustrated.


K-5550—Ledge sink with K-8605 supply fitting with lever-control sprayer, K-9101 Duostrainer, less trap.

Trap


K-9000—1½-inch P trap.

K-5551-A—Ledge sink same as K-5550-A except with K-8601 supply fitting; K-5551, less trap.

Sizes	54x25"	60x25"
Length of sink compartment.....	20"	20"
Width of sink compartment.....	18"	18"
Depth	8"	8"
Length of drainboards.....	17"	20"
Back	4"	4"
Width of ledge.....	3¾"	3¾"
Floor to top of rim.....	36"	36"



1. Handy ledge for soap, water glass, cleanser and other objects, extends the full length of sink.
2. Chromium plated fitting mixes water to desired temperature. Spout swings out of way when not in use.
3. Basin has Kohler Duostrainer and with stopper becomes a water-retaining vessel when desired.



K-8601—Ledge sink supply fitting.



CAMBERLEY K-5555-A

K-5555-A—Ledge sink with fittings and cabinet.

Specifications

K-5550—Ledge sink with K-8605 supply fitting with lever-control sprayer, K-9101 Duostrainer.

K-9000—1½-inch P trap.

K-5825—Cabinet with baked enamel finish.

K-5556-A—Ledge sink and cabinet same as K-5555-A except with K-8601 supply fitting; K-5556, less trap.

Camberley sinks are available with K-8607 supply fitting with third valve for drinking water.

Camberley sinks not furnished less supply fittings.

WINFIELD—*Acid-Resisting* Enameled Cast Iron Double Drainboard Single Compartment Flat Rim Ledge Sink

for
Building-in



WINFIELD K-5560-A



Suggested installation of Winfield single compartment flat rim ledge sink with counter top and cabinets.

K-5560-A—Ledge sink with fittings illustrated.

K-5560—Ledge sink with K-8605 supply fitting with lever-control sprayer, K-9101 Duostrainer, less trap.

Trap

K-9000—1½-inch P trap.

K-5561-A—Ledge sink same as K-5560-A except with K-8601 supply fitting; K-5561, less trap.

Size	54x21"
Length of sink compartment.....	18½"
Width of sink compartment.....	15⅝"
Depth	8"
Length of drainboards.....	17¾"
Width of ledge.....	3⅝"
Floor to top of rim.....	36"

Winfield sinks are available with K-8607 supply fitting with third valve for drinking water.

Winfield sinks not furnished less supply fittings.

The enameled drainboards provide durable, self-draining, working areas for the sink.



CYMBRIA—*Acid-Resisting* Enameled Cast Iron Ledge Sink

for

Metal or
Wood Cabinet
Installation



CYMBRIA K-5570-A

K-5570-A—Ledge sink at right with fittings illustrated.

K-5570—Ledge sink with K-8605 supply fitting with lever-control sprayer, K-9101 Duostrainer, less trap.

Trap

K-9000—1½-inch P trap.

K-5569-A—Ledge sink same as K-5570-A except with sink at left; K-5569, less trap.

K-5572-A—Ledge sink same as K-5570-A except with K-8601 supply fitting; K-5572, less trap.

K-5571-A—Ledge sink same as K-5569-A except with K-8601 supply fitting; K-5571, less trap.

Size	42x25"
Length of sink compartment.....	18¾"
Width of sink compartment.....	18"
Depth	8"
Length of drainboard.....	21"
Back	4"
Width of ledge.....	3¾"
Floor to top of rim.....	36"



CYMBRIA K-5576-A

K-5576-A—Ledge sink with fittings and cabinet.

Specifications

K-5570—Ledge sink with K-8605 supply fitting with lever-control sprayer, K-9101 Duostrainer.


K-9000—1½-inch P trap.

K-5830—Cabinet with baked enamel finish.

K-5575-A—Ledge sink and cabinet same as K-5576-A except with K-5569-A sink and K-5829 cabinet; K-5575, less trap.

K-5578-A—Ledge sink and cabinet same as K-5576-A except with K-8601 supply fitting; K-5578, less trap.

K-5577-A—Ledge sink and cabinet same as K-5575-A except with K-8601 supply fitting; K-5577, less trap.



K-8601—Ledge sink supply fitting.

Cymbria sinks are available with K-8607 supply fitting with third valve for drinking water.

Cymbria sinks not furnished less supply fittings.

CHATFIELD—*Acid-Resisting* Enameled Cast Iron Flat Rim Ledge Sink

for
Building-in



CHATFIELD K-5580-A

K-5580-A—Ledge sink at right with fittings illustrated.

K-5580—Ledge sink with K-8605 supply fitting with lever-control sprayer, K-9101 Duostrainer, less trap.

Trap

K-9000—1½-inch P trap.

K-5579-A—Ledge sink same as K-5580-A except with sink at left; K-5579, less trap.

K-5582-A—Ledge sink same as K-5580-A except with K-8601 supply fitting; K-5582, less trap.


K-5581-A—Ledge sink same as K-5579-A except with K-8601 supply fitting; K-5581, less trap.

Size	42x21"
Length of sink compartment.....	20"
Width of sink compartment.....	15¾"
Depth	8"
Length of drainboard.....	20¾"
Width of ledge.....	3½"
Floor to top of rim.....	36"



Suggested installation of Chatfield single compartment flat rim ledge sink with counter top and cabinets.

All Kohler enameled cast iron sinks are resistant to the action of fruit and vegetable acids. The hard, lustrous surface is not a thin surface coating but is acid-resisting clear through.



Chatfield sinks are available with K-8607 supply fitting with third valve for drinking water.

Chatfield sinks not furnished less supply fittings.

KOHLER OF KOHLER

WELLWIN—*Acid-Resisting* Enameled Cast Iron Double Compartment Ledge Sink

for

Metal or Wood
Cabinet Installation



WELLWIN K-5590-A

K-5590-A—Ledge sink with fittings illustrated.


K-5590—Ledge sink with K-8605 supply fitting with lever-control sprayer, two K-9101 Duostrainers, less traps.

Traps

K-9000—1½-inch P traps (2).

K-5591-A—Ledge sink same as K-5590-A except with K-8601 supply fitting; K-5591, less traps.

Size	42x25"
Length of sink compartments.....	17½"
Width of sink compartments.....	18"
Depth	8"
Back	4"
Width of ledge.....	3¾"
Floor to top of rim.....	36"



Kohler ledge sinks are equipped with lever-control sprayer for rinsing dishes, cleaning vegetables.



WELLWIN K-5595-A

K-5595-A—Ledge sink with fittings and cabinet.

Specifications

K-5590—Ledge sink with K-8605 supply fitting with lever-control sprayer, two K-9101 Duostrainers.

K-9000—1½-inch P traps (2).

K-5835—Cabinet with baked enamel finish.


K-5596-A—Ledge sink and cabinet same as K-5595-A except with K-8601 supply fitting; K-5596, less traps.

Wellwin sinks are available with K-8607 supply fitting with third valve for drinking water.

Wellwin sinks not furnished less supply fittings.

DELAFIELD—*Acid-Resisting* Enameled Cast Iron Double Compartment Flat Rim Ledge Sink

for
Building-in



DELAFIELD K-5610-A

K-5610-A—Ledge sink with fittings illustrated.
K-5610—Ledge sink with K-8605 supply fitting with lever-control sprayer, two K-9101 Duostrainers, less traps.

Traps

K-9000—1½-inch P traps (2).
K-5611-A—Ledge sink same as K-5610-A except with K-8601 supply fitting; K-5611, less traps.

Sizes	32x21"	42x21"
Length of sink compartments.....	13½"	18½"
Width of sink compartments.....	15½"	15½"
Depth	8"	8"
Width of ledge.....	3⅛"	3⅛"
Floor to top of rim.....	36"	36"

Delafield sinks are available with K-8607 supply fitting with third valve for drinking water.

Delafield sinks not furnished less supply fittings.



Delafield double compartment flat rim ledge sink with counter top and cabinets.

MAYFIELD—*Acid-Resisting* Enameled Cast Iron Flat Rim Ledge Sink for Building-in

MAYFIELD

K-5620-A—Ledge sink with fittings illustrated.
K-5620—Ledge sink with K-8605 supply fitting with lever-control sprayer, K-9101 Duostrainer, less trap.

Trap

K-9000—1½-inch P trap.
K-5621-A—Ledge sink same as K-5620-A except with K-8601 supply fitting; K-5621, less trap.

Sizes	24x21"	30x21"
Length of sink compartment.....	21½"	27½"
Width of sink compartment.....	15½"	15½"
Depth	8"	8"
Width of ledge.....	3⅛"	3⅛"
Floor to top of rim.....	36"	36"

Mayfield sinks are available with K-8607 supply fitting with third valve for drinking water.

Mayfield sinks not furnished less supply fittings.



MAYFIELD K-5620-A

DOUBLEDAY—*Acid-Resisting* Enameled Cast Iron Double Drainboard Kitchen Sink



DOUBLEDAY K-5700-A

K-5700-A—Sink, with fittings illustrated.

K-5700—Sink, less fittings.

Fittings

K-8655—Mixing faucet.

K-9101—Duostrainer.

K-9000—1½-inch P trap.

Sizes	54x22"	60x22"
Length of sink compartment.....	20"	22"
Width of sink compartment.....	17¾"	17¾"
Depth	8"	8"
Length of drainboard.....	17"	19"
Back	6½"	6½"
Floor to top of rim.....	36"	36"

All Kohler sinks are made of durable, rigid cast iron. The glass-hard enameled surfaces are acid-resisting.



DOUBLEDAY K-5705-A

K-5705-A—Sink with fittings and cabinet.

Specifications

K-5700—Sink, less fittings.

K-8655—Mixing faucet.

K-9101—Duostrainer.

K-9000—1½-inch P trap.

K-5870—Cabinet with baked enamel finish.

HOLIDAY—*Acid-Resisting* Enameled Cast Iron Kitchen Sink

for

*Installation
With or Without
Cabinet*



HOLIDAY K-5720-A

K-5720-A—Sink at right with fittings illustrated.

K-5720—Sink, less fittings.

Fittings

K-8655—Mixing faucet.

K-9101—Duostrainer.

K-9000—1½-inch P trap.

K-5719-A—Same as K-5720-A except with sink at left; K-5719, less trap.

Size	42x20"
Length of sink compartment.....	18¾"
Width of sink compartment.....	15¾"
Depth	8"
Length of drainboard.....	21"
Back	6½"
Floor to top of rim.....	36"

Duostrainers for Kohler Sinks



1. Large, deep cup with stopper makes sink water retaining for the washing of dishes and vegetables.
2. Cup collects solid matter for easy disposal.
3. Drains quickly with self-cleansing action.

HOLIDAY K-5726-A

K-5726-A—Sink with fittings and cabinet.

Specifications

K-5720—Sink at right, less fittings.

K-8655—Mixing faucet.


K-9101—Duostrainer.

K-9000—1½-inch P trap.

K-5874—Cabinet with baked enamel finish.

K-5725-A—Same as K-5726-A except with K-5719-A sink at left with fittings illustrated and K-5873 cabinet.

SHASTA—*Acid-Resisting* Enameled Cast Iron Double Drainboard,
Single Compartment
Kitchen Sink



SHASTA K-6140-A

K-6140-A—Sink with fittings illustrated.

K-6140—Sink, less fittings.

Fittings

K-8655—Mixing faucet.

K-9101—Duostrainer.

K-9000—1½-inch P trap.

Size	54x22"
Length of sink compartment.....	20"
Width of sink compartment.....	17¾"
Depth	8"
Length of drainboard.....	17"
Back	6½"

RAINIER—*Acid-Resisting* Enameled Cast Iron Kitchen Sink

RAINIER

K-6150-A—Sink at right with fittings illustrated.

K-6150—Sink, less fittings.

Fittings

K-8655—Mixing faucet.

K-9101—Duostrainer.

K-9000—1½-inch P trap.

K-6149-A—Same as K-6150-A except with sink at left;
K-6149 less fittings.

Size	42x20"
Length of sink compartment.....	18¾"
Width of sink compartment.....	15¾"
Depth	8"
Length of drainboard.....	21¼"
Back	6½"



RAINIER K-6150-A

ALAMEDA—*Acid-Resisting* Enameled Cast Iron Flat Rim Sink

for
Building-in

ALAMEDA

K-6310-A—Sink with fittings illustrated.

K-6310—Sink, less fittings.

Fittings

K-8655—Mixing faucet.

K-9101—Duostrainer.

K-9000—1½-inch P trap.

Sizes	24x20"	30x20"
Back	6½"	6½"
Depth	8"	8"



ALAMEDA K-6310-A

SUTTON—*Acid-Resisting* Enameled Cast Iron Roll Rim Sink



SUTTON K-6325-A

SUTTON

K-6325-A—Sink with fittings illustrated.

K-6325—Sink, less fittings.

Fittings

K-8655—Mixing faucet.

K-9101—Duostrainer.

K-9000—1½-inch P trap.

Sizes	24x18"	30x20"
Back	8"	8"
Depth	6"	6"

ASHLEY—*Acid-Resisting* Enameled Cast Iron Double Compartment Flat Rim Sink



ASHLEY K-6500-A

ASHLEY

K-6500-A—Sink with K-9101 Duostrainers.

K-6500—Sink, less strainers.

Strainers

K-9101—Duostrainers (2).

Sizes	32x20"	42x20"
Depth	8"	8"

ADDISON—*Acid-Resisting* Enameled Cast Iron Flat Rim Sink

ADDISON

K-6550-A—Sink with strainer. Center outlet.

K-6550—Sink, less strainer.

Strainer

K-9101—Duostrainer.

Sizes	12x12"	30x18"
	24x16"	30x20"
	24x20"	
Depth	6"	6"



ADDISON K-6550-A

ANSDELL—*Acid-Resisting* Enameled Cast Iron Tray-Sink

ANSDELL

K-6591-A—Tray-sink with strainer.

K-6591—Tray-sink, less strainer.

Strainer

K-9101—Duostrainer.



ANSDELL K-6591-A

Size	24x20"
Depth, inside	9½"
Top of sink to bottom of outlet boss.....	10⅞"
Center of outlet to end.....	6"
Center of outlet to side.....	10"

SEA CLIFF—*Acid-Resisting* Enameled Cast Iron Ledge Sink and Tray with *Movable Cover*

SEA CLIFF

K-6609-A—Ledge sink and tray with enameled leg, movable cover and fittings illustrated. (Sink at left)

Specifications

K-6609—Ledge sink and tray with K-8601 supply fitting, less enameled leg, movable cover and strainers.

K-6705—Enameled movable cover.

K-6731—Leg for under tray compartment.

K-9101—Duostrainer for sink compartment.

K-9121—Strainer with stopper for tray compartment.

K-6610-A—Ledge sink and tray with enameled leg, movable cover and fittings illustrated. (Sink at right)

K-6610—Ledge sink and tray with K-8601 fitting, less enameled leg, movable cover and strainers.



SEA CLIFF K-6609-A



SEA CLIFF K-6616-A

K-6616-A—Ledge sink and tray with fittings and cabinet. (Sink at right)

Specifications

K-6610—Ledge sink and tray with K-8601 fitting.

K-6705—Enameled movable cover.

K-9101—Duostrainer for sink compartment.

K-9121—Strainer with stopper for tray compartment.

K-5867—Cabinet with baked enamel finish.

K-6615-A—Same as K-6616-A except with K-6609 sink and tray. (Sink at left)



Both Sea Cliff and Camborne is furnished with the movable cover which fits either sink or tray compartment. Cover slides easily—no lifting is necessary.

Sizes	36x25"	42x25"	50x25"
Length of sink compartment.....	14½"	17½"	21½"
Width of sink compartment.....	17"	17"	17"
Length of tray compartment.....	14½"	17½"	21½"
Width of tray compartment.....	17"	17"	17"
Depth of sink.....	8"	8"	8"
Depth of tray.....	13"	13"	13"
Back	4"	4"	4"
Width of ledge.....	3⅝"	3⅝"	3⅝"
Floor to top of rim.....	36"	36"	36"

Sea Cliff sink and trays not furnished less supply fittings.

CAMBORNE—*Acid-Resisting* Enameled Cast Iron Ledge Sink and Tray with *Movable* Cover



CAMBORNE K-6619-A

CAMBORNE

K-6619-A—Ledge sink and tray with two enameled legs, movable cover and fittings illustrated. (Sink at left)

Specifications

K-6619—Ledge sink and tray with K-8601 supply fitting, less enameled legs, movable cover and strainers.

K-6705—Enameled movable cover.

K-6712—Legs for under corner of sink and tray compartments (2).

K-9101—Duostrainer for sink compartment.

K-9121—Strainer with stopper for tray compartment.

K-6620-A—Ledge sink and tray with two enameled legs, movable cover and fittings illustrated. (Sink at right)

K-6620—Ledge sink and tray with K-8601 fitting less enameled legs, movable cover and strainers.

Camborne sinks not furnished less supply fittings.

Sizes	42x25"	50x25"
Length of sink compartment	17½"	21½"
Width of sink compartment	17"	17"
Length of tray compartment	17½"	21½"
Width of tray compartment	17"	17"
Depth of sink	8"	8"
Depth of tray	14"	14"
Back	4"	4"
Width of ledge	3¾"	3¾"
Floor to top of rim	36"	36"

ALLOWAY—*Acid-Resisting* Enameled Cast Iron Flat Rim Sink and Tray for *Building-in*

ALLOWAY

K-6635-A—Sink and tray with strainers.

K-6635—Sink and tray, less strainers.

Fittings

K-9101—Duostrainer for sink compartment.

K-9121—Strainer with stopper for tray compartment.

Size	42x20"
Length of sink compartment	18½"
Width of sink compartment	17½"
Length of tray compartment	18½"
Width of tray compartment	17½"
Depth of sink	8"
Depth of tray	13"

NOTE: Alloway sink and tray is reversible, as outlets are in center of compartments, permitting sink or tray to be installed at right or left as desired.



ALLOWAY K-6635-A

TWIN FALLS *Acid-Resisting* Enameled Cast Iron One-Piece

Double Compartment
Shelf Laundry Tray
on Angle Iron Support



Two large, deep, enameled basins with round corners for easy cleaning.
Spout swings to either basin.
Ledge at back.
Free standing—suitable for first floor laundry.



TWIN FALLS K-6750-A

K-6750-A—Double compartment shelf laundry tray on painted angle support with K-8948 swing spout faucet with bracket and K-9065 close-coupled continuous drain with strainers and stoppers.

Length over rim.....	48"
Width over rim.....	25"
Length inside, each tray.....	21½"
Front to back, inside.....	19¾"
Depth inside	13"
Width of ledge.....	3½"
Floor to top of rim.....	34"



ELSWICK K-6760-A

ELSWICK—*Acid-Resisting* Enameled Cast Iron Laundry Tray on Angle Iron Support

ELSWICK

K-6760-A—Laundry tray with fittings illustrated.

K-6760—Laundry tray on painted angle support, less fittings.

Fittings

K-8948—Swing spout faucet with bracket.

K-9121—Strainer with stopper.

Length over rim.....	24"
Width over rim.....	20"
Length inside	21¼"
Front to back, inside.....	17¼"
Depth, inside	13¼"
Floor to top of rim.....	34"

Acid-Resisting Enameled Cast Iron Laundry Trays with Back



PATTEN K-6800-A

K-6800-A—Laundry tray with fittings illustrated.

K-6800—Laundry tray with K-6731 adjustable legs, less fittings.

Fittings

K-8657—Mixing faucet with spout threaded for hose connection.

K-9121—Strainers with stoppers (2).

Length over rim.....	52¾"
Width over rim.....	26⅞"
Length inside, each tray.....	23"
Front to back, inside.....	21¼"
Depth inside	14¼"
Back	8"

Floor to top of rim adjustable from 33" to 37".



STANWIX K-6815-A

K-6815-A—Laundry tray with fittings illustrated.

K-6815—Laundry tray with K-6731 adjustable leg, less fittings.

Fittings

K-8657—Mixing faucet with spout threaded for hose connection.

K-9121—Strainer with stopper.

Length over rim.....	27½"
Width over rim.....	26¾"
Length inside	22¾"
Front to back, inside.....	22½"
Depth inside	14¼"
Back	8"

Floor to top of rim adjustable from 34" to 36".

EMERY—Acid-Resisting Laundry Tray on Adjustable Standard



EMERY K-6866-A

EMERY

K-6866-A—Laundry tray with fittings illustrated.

K-6866—Laundry tray with adjustable standard less fittings.

Fittings

K-8970—Swing spout faucet.

K-9121—Strainer with stopper.

K-6867-A—Single laundry tray on wall supports with fittings; K-6867 less fittings.

Length over rim.....	24"
Width over rim.....	20"
Length inside	21¼"
Front to back, inside.....	17¼"
Depth inside	13¼"

Floor to top of rim adjustable from 29" to 33".



KOHLER

Fittings

Chromium plated brass fittings are the working parts which control the flow of water, and open and close drains. Their function is so important that the need for well designed, well engineered fittings for all fixtures cannot be over-emphasized.

To assure better value to users, fittings are designed specifically for Kohler fixtures and in many instances built-in at the factory.

All Kohler fittings are made from carefully selected raw materials. Bodies are sturdy, full-size and cast with large waterways. Castings are smooth, insuring a better plating finish. Threads are deep and cleanly cut for long service. For quick opening and closing, all Kohler fittings have double action threads. Valve seats are renewable for easy and economical maintenance. The lustrous surfaces are chromium plated over a coat of nickel.


For many years Kohler Co. has been a large producer of brass fittings. Kohler manufacturing calls for close tolerances and rigid controls, and for inspections after each major operation. Completed products are tested under water pressure for performance.

Kohler fittings have beauty of form and proportion. In style, character and quality they match Kohler fixtures.

All Kohler brass fittings are die-marked for ease in identification. Users of Kohler fixtures are urged, for more satisfactory service, to insist upon Kohler fittings and accept no substitute.

KOHLER
MADE IN
U. S. A.


FITTINGS—Combination Shower and Bath



TRITON K-7025

K-7025—Shower and bath fitting, 1/2-inch Niedecken compact mixer, over rim diverter spout, ball joint shower head with volume regulator, pop-up drain.

K-7027—Same as K-7025, less drain.



DALTON K-7030


K-7030—Shower and bath fitting, 1/2-inch valves with Remov units, over rim diverter spout, ball joint shower head with volume regulator, pop-up drain.

K-7032—Same as K-7030, less drain.




Diverter on both Triton and Dalton fittings are automatic in operation. When the valves are turned on, water flows through spout into tub. In order to divert water to shower head, lift the knob on spout and water will flow to shower head. When water is turned off, diverter knob drops to its original position, so that when water is next turned on, it will flow through spout once more, eliminating the possibility of unexpected wettings from shower.

The diverter has no "in the wall" parts. It is extremely simple without springs, washers, packings or levers. Will operate satisfactorily on any water pressure that satisfactorily operates a shower head.



All Kohler built-in bath and shower valves furnished with Remov units. Wear is confined to the unit instead of valve-body. Unit can readily be replaced when a leak or excessive wear develops. Much more economical than purchasing a new fitting.


FITTINGS—Combination Shower and Bath



DALNEY K-7040

K-7040—Diverter shower and bath fitting, ½-inch valves with Remov units, over rim spout, ball joint shower head with volume regulator, pop-up drain.

K-7042—Same as K-7040, less drain.



HARTWOOD K-7045

K-7045—Shower and bath fitting, ½-inch valves with Remov units, over rim spout, adjustable escutcheons for variations in roughing-in, ball joint shower head with volume regulator, pop-up drain.

K-7047—Same as K-7045, less drain.

Shower Fittings with Bath Sprays

NORTHAMPTON

K-7055—Shower stall fitting, ¾-inch Niedecken mixer, control valve with Remov unit, check valves, ball joint shower head, three body sprays. All sprays are adjustable.

(Receptor not included)

K-7056—Same as K-7055 except with foot tester.

K-7057—Same as K-7055 except with six body sprays.

K-7058—Same as K-7057 except with foot tester.

NOTE: Above shower stall fittings cannot be used with metal shower stall.
For satisfactory operation, ample volume and pressure must be provided.



NORTHAMPTON K-7055

KOHLER OF KOHLER

BATH FITTINGS—With Anti-Siphon Air Gap



PAXTON K-7075

K-7075—Bath fitting, ½-inch Niedecken compact mixer, over rim spout, pop-up drain.

K-7076—Same as K-7075, less drain.



ASHVILLE K-7080


K-7080—Bath fitting, ½-inch valves with Remov units, over rim spout, pop-up drain.



DIXMONT K-7090

K-7090—Bath fitting, ½-inch valves with Remov units, over rim spout, connected drain and overflow.

Bath Supply Fittings




DENTON K-7100

DENTON

K-7100—Bath supply fitting, ½-inch valves with Remov units, over rim spout.


HADLEY

K-7105—Bath supply fitting with integral screw driver stops, ½-inch valves with Remov units, over rim spout.



HADLEY K-7105


Bath Valves



K-7120

K-7120—½-inch built-in straight valve with Remov unit and union coupling.


(Specify if right or left valve is desired)



K-7122

K-7122—½-inch built-in bypass valve with Remov unit and union coupling.

(Specify if right or left valve is desired)



K-7125

K-7125—½-inch built-in straight valve, Remov unit, union coupling, slotted stem for screw driver.

CLEARPASS—Pop-up Drain for Baths



CLEARPASS K-7150

CLEARPASS

K-7150—Concealed pop-up drain.

Sizes—1½", 2"

K-7151—Same as K-7150 except with slip joint outlet on drain tee.

Size—1½"

K-7152—Same as K-7150 except with outlet of drain tee tapped I.P.S.

Size—1½"

CLEARPASS


K-7153—Concealed pop-up drain with tailpiece below strainer.

Size—1½"



CLEARPASS K-7153

ALDER—Connected Drains and Overflows for Baths



ALDER K-7160

ALDER

K-7160—Concealed connected drain and overflow, bead chain and stopper.

Size—1½"

K-7161—Same as K-7160 except with slip joint outlet on drain tee.

Size—1½"

K-7162—Same as K-7160 except with outlet of drain tee tapped I.P.S.

Size—1½"


ALDER

K-7163—Concealed connected drain and overflow with tailpiece below strainer, bead chain and stopper.

Size—1½"




ALDER K-7163



The Clearpass and Alder drains can have outlets directly under drain plug, to avoid cutting away the joist under floor.

Drain tees on all Kohler drains can be reversed for horizontal outlet when necessary, to avoid joist obstruction.



BUILT-IN SHOWER FITTINGS

—for Dwellings




WENDRON K-7205

WENDRON

K-7205—Built-in shower, ½-inch compact Niedecken mixer, renewable seats, ball joint shower head with volume regulator.


TIPTON

K-7210—Built-in shower, ½-inch valves with Remov units, ball joint shower head with volume regulator.



TIPTON K-7210

EXPOSED SHOWER FITTINGS—for Schools and Clubs



SEDLEY K-7215

SEDLEY

K-7215—Exposed shower, ½-inch Niedecken mixer, ball joint shower head with volume regulator.

K-7216—Same as K-7215 except with loose key stop.

K-7217—Same as K-7215 except with 36-inch supplies to ceiling.

K-7218—Same as K-7215 except with supplies to floor.

WATERFORD

K-7220—Exposed shower, ½-inch valves, renewable seats, ball joint shower head with volume regulator.


K-7221—Same as K-7220 except with 36-inch supplies to ceiling.

K-7222—Same as K-7220 except with supplies to floor.



WATERFORD K-7220

EXPOSED SHOWER FITTINGS—for Industry



DALMUIR K-7250

DALMUIR

K-7250—Industrial exposed shower, ½-inch rough plated Niedecken mixer, renewable seats, galvanized riser, rigid shower head with volume regulator.

NOTE: If Niedecken rough plated mixer only is desired, specify K-7365.

DALRY

K-7255—Industrial exposed shower, ½-inch valves, renewable seats, rough plated body, galvanized riser, rigid shower head, reversible for ceiling or floor supplies.



DALRY K-7255

NIEDECKEN MIXER—*Built-in Type for Dwellings, Apartments, Hotels, Clubs & Hospitals*

KOHLER NIEDECKEN MIXERS ARE RECOMMENDED FOR THE FOLLOWING REASONS:

1. Turn of single handle delivers cold, tempered or hot water instantly.
2. Mixer can be set to maintain water at temperatures which are safe for bathing.
3. Quick "tuning in" assures economy in the use of water.
4. Kohler mixers have proved their worth over many years of usage. Sturdily constructed and thoroughly tested under high water pressure.
5. Necessary repairs easily made from face of wall.

NOTE: Check valves should be installed in supply lines, if a Positive shut-off is placed in the discharge line from mixer.



SHOWER HEADS—*for Dwellings, Schools, Club Buildings, Gymnasiums & Hospitals*



K-7325

K-7325—Shower head with volume regulator and adjustable ball joint. Head 2-inches in diameter.

Sturdy Construction—Carefully Tested
Regulator Controls the Flow of Water
to the Desired Volume

Tension on Shower Head Ball Swivel
Joint Holds Head in Place at Desired
Angle

K-7325 shower head is recommended as
very economical in the use of water.

K-7335 4-inch shower head is recom-
mended for those who desire a greater
volume of water for showering.

Repairs Easily Made by Removing
Shower Face




K-7335

K-7335—Shower head with
volume regulator and ad-
justable ball joint. Head
4-inches in diameter.


SHOWER HEAD—*for Industry*

K-7340—Rough plated industrial non-
clogging, rigid shower head.

NOTE: Also for showers installed in home base-
ments.



K-7340




NIEDECKEN K-7300

K-7300—Niedecken compact built-in mixer, top out-
let, renewable seats, metal dial and handle.
Size 1/2-inch.


K-7301—Same as K-7300 except with bottom outlet.

NOTE: It is important, when planning a shower installation, to
have supply pipes of sufficient size to care not only for
shower but other fixtures which may be in use at the same
time.



CENTRA K-8005

K-8005—Lavatory fitting, with renewable seats, pop-up drain and 1¼-inch tailpiece; offset tailpieces on valves.



CENTRA K-8006


K-8006—Lavatory fitting with renewable seats, drain with chain and stopper, 1¼-inch tailpiece; offset tailpieces on valves.

CENTRA *Combination Lavatory Fittings*



The Centra takes up little space on the lavatory slab.

BANCROFT *Combination Lavatory Fitting*



BANCROFT K-8010

K-8010—Lavatory fitting with renewable seats, pop-up drain and 1¼-inch tailpiece.

K-8011—Same as above except with drain, chain and stopper.

LAVATORY FAUCETS—*Anti-Siphon Compression and Self-Closing*



ARNETT K-8178

K-8178—Compression faucet, four arm handle, Remov unit; spout 1 3/8-inches above base.



ARGYLE K-8183

K-8183—Compression faucet, lever handle, renewable seat; spout 1 3/8-inches above base.

K-8182—Same as K-8183 except with four-arm handle.



SENTRY K-8186



K-8186—Self-closing ball-bearing faucet, four arm handle, Remov unit; spout 1 3/8-inches above base.

Lavatory Faucet With Bubbler—*A Two-Purpose Fitting for Filling Stations and Public Washrooms*

STATION

K-8194—Combination compression lavatory faucet with self-closing control valve for bubbler; spout 1 1/2-inches above base; flow regulator for bubbler.

1. The lower handle controls flow of water from spout.
2. Upper self-closing handle controls flow of water from the bubbler.




STATION K-8194

Ice Water Fitting

NEW YORKER

K-8200—Push button self-closing ice water faucet. Remov unit, swing spout, flow regulator. Wall to center of spout outlet, 7 3/4-inches.



NEW YORKER K-8200

LAVATORY SUPPLIES

With and Without Stops



K-8258

K-8258


K-8258— $\frac{3}{8}$ -inch I.P.S. angle supply with stop and annealed vertical tube, for shelf back lavatories.

K-8259

K-8259— $\frac{3}{8}$ -inch I.P.S. angle supply with annealed vertical tube, less stop, for shelf back lavatories.



K-8259



K-8264

K-8264

K-8264— $\frac{3}{8}$ -inch I.P.S. angle supply with stop.

K-8268—Same as K-8264 with loose key stop.

K-8295— $\frac{3}{8}$ -inch I.P.S. angle supply, less stop.

K-8315

K-8315— $\frac{3}{8}$ -inch I.P.S. floor supply with stop, for shelf back lavatory.



K-8315

Closet Tank Supplies

With and Without Stops



K-8334

K-8334— $\frac{3}{8}$ -inch angle supply with stop for Placid, Integra, Channel, Bolton, Wellworth and Trylon closets.

K-8336— $\frac{3}{8}$ -inch angle supply with stop for Juvenile, Primary, Brooklands and Trent closets.



K-8342

K-8342— $\frac{3}{8}$ -inch floor supply with stop for Placid, Integra, Channel, Bolton, Wellworth and Trylon closets.

K-8344— $\frac{3}{8}$ -inch floor supply with stop for Primary, Brooklands and Trent closets; also K-4510-A Winslow tank.

K-8345— $\frac{3}{8}$ -inch floor supply with stop for Juvenile and Downing closets; also for K-4502-A Winslow tank.




K-8350

K-8350— $\frac{3}{8}$ -inch floor supply without stop for Brooklands, Trent and Primary closets; also K-4510-A Winslow tank.

K-8351— $\frac{3}{8}$ -inch floor supply without stop for Brooklands, Trent and Primary closets; also K-4510-A Winslow tank.


K-8352— $\frac{3}{8}$ -inch floor supply without stop for Juvenile and Downing closets; also K-4502-A Winslow tank.

Angle and Straight Stops




K-8400

K-8400—Angle stop with four arm handle.




K-8402

K-8402—Angle stop with loose key.



K-8404

K-8404—Straight stop with four arm handle.



K-8406

K-8406—Straight stop with loose key.


NOTE: If desired with exposed stuffing-box, add suffix "S" to above numbers.
Sizes— $\frac{3}{8}$ " and $\frac{1}{2}$ " I.P.

SYNCHRO—Lavatory Pop-Up Drain

1. Chromium plated cast brass strainer and body—with smooth interior surface.
2. Enclosed ball action mechanism—positive action.
3. Removable stopper—metal to metal seal.
4. Rapid draining.
5. Large overflow opening in strainer body avoids trapping of water.
6. Connecting rod adjustable.

SYNCHRO

K-8415—Lavatory pop-up drain with 1¼-inch tailpiece.




SYNCHRO K-8415

Cast Brass Lavatory Drains




K-8424

K-8424—Lavatory drain with metal stopper, 1¼-inch tailpiece.



K-8426

K-8426—Lavatory drain, chain and stopper, 1¼-inch tailpiece.



K-8428

K-8428—Lavatory drain, open strainer, 1¼-inch tailpiece.



K-8460

K-8460—Lavatory chain stay bolt for 1½-inch drilling.

Chain Stay Bolt and Faucet Hole Cover

K-8462


K-8462—Faucet hole cover for lavatories and sinks.



K-8462

EDGEWATER

Counter Top Sink Fittings




EDGEWATER K-8601

EDGEWATER

K-8601—Sink fitting with 8-inch swing spout, renewable seats.

K-8603—Same as K-8601, except with third water valve for drinking water.




EDGEWATER K-8605

EDGEWATER

K-8605—Sink fitting with lever-control sprayer, 8-inch swing spout, renewable seats. Hose concealed when not in use.

EDGEWATER

K-8607—Sink fitting with lever-control sprayer, 8-inch swing spout, renewable seats and third valve for drinking water. Hose concealed when not in use.



EDGEWATER K-8607

NOTE: Shanks of above fittings are of sufficient length to permit mounting on counter tops 1-inch thick.

CLEARWATER

Sink Mixing Faucet

CLEARWATER

K-8655—Sink mixing faucet, 5-inch swing spout, renewable seats, inside threaded couplings.

K-8656—Same as K-8655 except less soap dish.


K-8657—Sink mixing faucet with soap dish and spout threaded for hose connection.

K-8658—Same as K-8657 except less soap dish.

K-8659—Same as K-8655 except with 9-inch spout.

K-8660—Same as K-8656 except with 9-inch spout.

Above faucets available with outside threaded coupling if specified.



CLEARWATER K-8655

Single Sink Faucets

HEWITT


K-8775—Sink faucet, renewable seat, lever handle, adjustable flange, 1/2-inch I.P.S. outside threads.

K-8776—Same as K-8775 except threaded for hose connection.


LANARK

K-8786—Sink faucet, renewable seat, lever handle, solid flange, 1/2-inch I.P.S. inside threads.

K-8788—Same as K-8786 except threaded for hose connection.



HEWITT K-8775



LANARK K-8786

Pantry Faucets—With Gooseneck Spouts

BLAGDON


K-8810—Double pantry faucet, gooseneck spout, lever handles, renewable seats.



BLAGDON K-8810


BARDNEY

K-8815—Pantry faucet, gooseneck spout, lever handle, renewable seat. (Specify if for hot or cold water.)



BARDNEY K-8815

Industrial Wash Sink Faucets



CALDER K-8885


CALDER

K-8885—Wash sink mixing faucet with rough plated body and spray, lever handles, renewable seats, 1/2-inch I.P.S. outside threaded couplings.

K-8886—Same as K-8885 except less spray.


CANNOCK

K-8890—Wash sink mixing faucet with rough plated body, spout and spray, lever handles, renewable seats, adjustable flanges, 1/2-inch I.P.S. outside threaded couplings.



CANNOCK K-8890

Service Sink Faucets



KINLOCK K-8910

K-8910—Service sink faucet, rough plated body, threaded spout, wall brace, renewable seats, 1/2-inch I.P.S. inside threaded couplings. Wall to center of spout 8 1/2-inches.

K-8909—Same as K-8910 except with loose key stops in shanks. Wall to center of spout 10".

NOTE: Service sink faucets available with 1/2-inch I.P.S. outside threaded couplings.




KNOXFORD K-8912

K-8912—Service sink faucet, rough plated body, threaded spout, renewable seats, 1/2-inch I.P.S. inside threaded couplings. Wall to center of spout 5".


K-8913—Same as K-8912 except with loose key stops in shanks. Wall to center of spout 6 1/2".

Laundry Tray Faucets



FARNLEY K-8948

K-8948—Laundry tray faucet, rough plated, 7-inch swing spout threaded for hose connection, renewable seats, 1/2-inch I.P.S. unions, bracket for attaching to enameled iron flat rim tray.



FORDWICK K-8970

K-8970—Laundry tray faucet, rough plated, 7-inch swing spout threaded for hose connection, renewable seats, 1/2-inch I.P.S. unions.


Cast Brass Angle Lawn Faucet

Extra heavy and substantially made. Will stand hard usage. Flat exterior surface for wrench. 45° angle makes it easy to attach hose to faucet, and saves wear and tear of hose.

K-8980

K-8980—Lawn faucet, angle pattern, solid flange, lock shield nut brass handles, inside threaded connections.

Sizes
1/2" 3/4"



K-8980


Cast Brass "P" Traps



K-9000

K-9000—Cast brass adjustable P trap, cleanout plug, tubing outlet.

Sizes
1 1/4 x 1 1/4" 1 1/4 x 1 1/2" 1 1/2 x 1 1/2"




K-9004

K-9004—Cast brass adjustable P trap, cleanout plug, outlet threaded for I.P.

K-9005—Same as K-9004 except with 6-inch C.P. brass I.P.S. nipple and flange.

K-9006—Same as K-9004 except with 6-inch tube cover and flange.

Sizes
1 1/4 x 1 1/4" 1 1/4 x 1 1/2" 1 1/2 x 1 1/2"



K-9010


K-9010—Cast brass one piece P trap, cleanout plug, outlet threaded inside for I.P.

K-9011—Same as K-9010 except with 6-inch C.P. brass I.P.S. nipple and flange.

K-9012—Same as K-9010 except with 6-inch tube cover and flange.

Sizes
1 1/4 x 1 1/4" 1 1/4 x 1 1/2" 1 1/2 x 1 1/2"


Above trap approved by Board of Standards and Appeals for use in New York City under Cal. No. 55-47-SM.



K-9060


K-9060—Continuous drain, 1 1/2-inch slip joint inlets and tailpiece. Specify centers. Inlets 16, 21 and 24-inch centers.

Continuous Drains




K-9062

K-9062—Continuous drain with three 1 1/2-inch slip joint inlets and tailpiece. Inlets 28-inch centers.



DUOSTRAINER K-9101

K-9101—Duostrainer for sinks with outlets from 3½ to 4 inches, 1½x4-inch tailpiece.



Removable Cup Strainer Lifted

DUOSTRAINER

For Kitchen Sinks


1. Holds water in sink for washing dishes—vegetables. No pans to handle and wash.
-
2. Collects solid matter for easy disposal.
-
3. Drains rapidly with a self-cleansing action.

Strainers



ALTERN K-9107

K-9107—Strainer for sinks with outlets from 3½ to 4 inches, 1½x4-inch tailpiece.



K-9121

K-9121—Strainer for laundry trays with 2-inch outlet, 1½x4-inch tailpiece, stopper.

K-9120—Same as above except with perforated grate.



K-9160

K-9160—Beehive strainer for enameled iron urinals, 1½-inch tailpiece.

Strainers for Stall Urinals



K-9172

K-9172—Strainer with china grate for vitreous china urinal stall. For caulking 2-inch iron pipe or soldering 2-inch lead pipe.

K-9173—Same as K-9172 except with brass beehive grate.

K-9174—Strainer with china grate for vitreous china urinal stall. Tapped inside for 3-inch I.P. connection.

K-9175—Same as K-9174 except with brass beehive grate.


NOTE: Also available with 2-inch I.P. inside threaded connection.



K-9174


URINAL FLUSH PIPES

For Brandon, Branham, Hillan, Bardon and Darfield Urinals




K-9201

K-9201— $\frac{3}{4}$ -inch O.D. single exposed urinal flush pipe with 1-inch offset.




K-9202

K-9202— $\frac{3}{4}$ -inch O.D. two-part exposed urinal flush pipe with 1-inch offset and $\frac{3}{4}$ -inch O.D. connections to urinals.



K-9203

K-9203—One-inch O.D. three-part exposed urinal flush pipe with 1-inch offset and $\frac{3}{4}$ -inch connections to urinals.




K-9204

K-9204— $1\frac{1}{4}$ -inch O.D. four-part exposed urinal flush pipe with 1-inch offset and $\frac{3}{4}$ -inch O.D. connections to urinals.


URINAL FLUSH PIPES

For Dexter and Brampford Urinals




K-9210

K-9210— $1\frac{1}{4}$ -inch O.D. single exposed urinal flush pipe with 1-inch offset for Dexter urinals.



K-9211


K-9211— $1\frac{1}{2}$ -inch O.D. two-part exposed urinal flush pipe with 1-inch offset and $1\frac{1}{4}$ -inch connections to urinals. For Dexter urinals only.



K-9212

K-9212— $1\frac{1}{4}$ -inch O.D. single exposed urinal flush pipe for Brampford urinals.

NOTE: Two part, three part and four part flush pipes are for setting urinals on 24-inch centers.




K-9252

K-9252—Float valve with china seat, vacuum breaker, float rod and refill tube, 2-inch shank. For Placid, Channel, Integra, Bolton, Wellworth, Trylon, Brooklands and Trent closets; also K-4510-A tank.

K-9251—Same as above except for K-4502-A tank.

K-9250—Float valve same as above except for K-4500-A tank.



K-9355


Flush Valve

K-9355—Flush valve with rubber ball and lift wires.


NOTE: When ordering, specify closet in which flush valve is to be used.

FLOAT VALVE

Fast Filling, Water Saving



An important feature is the china seat (A) which is not affected by water. Seat and seat washer are easy to get at when necessary. B—volume control.



Vacuum breaker (A) is of the non-mechanical, atmospheric type.


B—Screw to adjust float rod for proper water level.

C—Adjustment for volume control.

Float Valve

K-9255—Float valve with china seat, float rod and refill tube, 2-inch shank.

K-9256—Same as above except for K-4502 tank.



K-9255


Trip Lever

K-9400—Single acting trip lever with horizontal metal handle.



K-9400

Lavatory Towel Bars and Legs



K-9565

K-9565—Towel bars for attaching to vitreous china or enameled cast iron lavatories.

When ordering towel bars, specify proper suffix for various lavatories (see table below).

Chesapeake..	{ 20x18"—K-9565-A	Hampton.....	{ 19x17"—K-9565-A
	{ 24x20"—K-9565-B		{ 22x19"—K-9565-B
	{ 30x22"—K-9565-C		
Gramercy....	{ 19x17"—K-9565-A	Hudson.....	{ 20x18"—K-9565-A
	{ 22x18"—K-9565-A		{ 22x19"—K-9565-B
	{ 24x20"—K-9565-B	Jamestown...	{ 20x18"—K-9565-A
	{ 27x22"—K-9565-C		{ 24x20"—K-9565-B
Greenwich....	{ 20x18"—K-9565-A	Strand.....	{ 27x22"—K-9565-C
	{ 24x20"—K-9565-B		{ 20x14"—K-9565-A
		Westchester..	{ 26x15½"—K-9565-A
			{ 20x18"—K-9565-A
			{ 24x20"—K-9565-B



K-9575

K-9575—Hexagonal leg for vitreous china lavatories.

K-9580—Same as K-9575 except for enameled cast iron lavatories.

K-9581—Hexagonal leg for enameled cast iron lavatories.



K-9581

Bathroom Accessories



K-9600

Soap Dish

K-9602

Tumbler Holder

K-9604


Tooth Brush Holder

K-9606

Robe Hook

K-9608

Paper Holder




K-9610

Glass Shelf
Over-all length 18", 24"

K-9612

Towel Bar or Wall Grip Rail
Center to Center of Brackets
9", 18", 24", 30"

Curtain Rods and Curtain Hook and Chain



CURTAIN RODS

K-9700

K-9710

Rods Complete with Flanges

K-9700—(1) For corner installation.


Sizes—60x30, 66x30".

K-9710—(2) For recess installation.

Sizes—48", 54", 60", 66".

Hook and Chain

K-9720—Curtain hook and chain.



K-9720

KOHLER OF KOHLER

KOHLER

Radiant Heating Equipment

THE development of modern, radiant heating systems marks the closest approach to the ideal of positive, silent, draftless, economical heating comfort yet devised. Boilers, largest units in such systems, are manufactured at Kohler in sizes to meet requirements from the small home to apartment houses, stores or office buildings.

Kohler boilers include the latest discoveries of scientific thermal research and are manufactured of durable, time-tested cast iron. They withstand the disintegrating action of rust, electrolysis and corrosion. This durability means long life and low cost.

Kohler boilers are designed for efficient combustion of all types of fuels and embody the most modern innovations in boiler engineering. They are available for hand firing, oil firing and stoker firing.

Kohler Radiant Heating Equipment, like Kohler Plumbing Fixtures, Electric Plants and Precision Parts, is made in the factories at Kohler, Wisconsin. Uniform conditions, centralized supervision and responsibility, and the experience of 75 years assure the same high quality characteristic of all Kohler products.

All Kohler boilers are tested and rated according to the Testing and Rating Codes adopted by the Institute of Boilers and Radiator manufacturers, and bear the I=B=R emblem.

Complete information on how to select a boiler, and specifications and ratings of Kohler Boilers is to be found in the Kohler of Kohler Radiant Heating Equipment Catalog.





BOILERS WITH THE IMPORTANT WATER-SURROUNDED BASE FOR ECONOMICAL OIL HEATING

KOHLER "22" BOILERS


The Kohler "22" boiler incorporates the fuel-saving "wet base" principle in its completely water-surrounded combustion chamber. Many other important features are built into this modern boiler: vertical flues with multiple fins to obtain maximum heat absorption; built-in water heater to provide all-year domestic hot water; large upper nipples to promote internal circulation; large firebox with an abundance of surface directly exposed to the burner flame, in insulation of aluminum foil that is unaffected by moisture and reflects 95% of the heat back into the boiler. The Kohler "22" is encased in a heavy gauge steel jacket finished in baked-on enamel in a neat, attractive green. An extended jacket to house oil burner is available if desired.



KOHLER "22" OIL BOILER



BUILT-IN WATER HEATER—Year-round hot water is provided by a domestic hot water heater built into back section.



PRECAST COMBUSTION CHAMBER—A precast refractory combustion chamber designed for various sizes of "22" Oil Boilers available on order.



KOHLER "G" BOILER

BOILERS FOR HAND FIRING AND

KOHLER "G" BOILERS

Kohler "G" all-purpose boilers are designed for the efficient combustion of all types of fuels. They embody modern innovations in cast iron boiler engineering: large nipples to provide effective internal circulation between sections; scientific heat-trapping flue design; large and effective heating surfaces; and efficient overall heat retaining insulation. The large fireboxes have ample capacity to permit long firing periods.

The heavy gauge steel jackets, finished in hard, durable enamel, are handsome and easy to clean. Recessed gauges, concealed damper control contribute to the modern appearance.


Built-in water heaters to provide domestic hot water are available.

"GM" BOILER FOR STOKER FIRING

The "GM" boiler for stoker firing is equipped with a high open-side base. The stoker can be placed at either side or in the front.

"GP" BOILER FOR OIL BURNING

The Kohler "GP" boiler is easily convertible for oil firing. The large base door allows ample space for all types of automatic combustion equipment.



FIRING, STOKER OIL BURNING


KOHLER "D" BOILERS

Kohler "D" boilers are designed for somewhat larger heating installations, and have the same modern economy and efficiency features as the "G" boilers. They have large upper nipples which promote rapid internal circulation between the sections; large direct and indirect heat-absorbing surfaces; firebox with capacity to permit long firing periods; efficient, heat-retaining insulation, and heavy gauge steel jacket finished in baked-on enamel. As on all Kohler boilers for hand firing, the choke damper is controlled from the front of the boiler.

A built-in water heater to supply domestic hot water is available.



KOHLER "D" BOILER



"DM" BOILER FOR STOKER FIRING

The "DM" boilers are equipped with high open-side base for installation of a stoker at either side or in front. A smoke collar is furnished in place of the four-way smoke-hood on DP and DM boilers.

"DP" BOILER FOR OIL BURNING

Kohler "DP" boilers are readily converted for burning oil. They have a large base door for insertion of oil firing equipment.

KOHLER ELECTRIC PLANTS

for Regular and Stand-by Service



For farms, Kohler plants furnish light in the home and barn, operate the oil burner, water pump, freezer, milking machine and labor-saving household appliances.

Rural homes, no matter how isolated, can enjoy the convenience which electric light and power bring. Electric current from a Kohler Electric Plant will furnish not only abundant, safe lighting for the home, barns and yard, but will in addition operate the water pump, milking machine, cream separator, and feed grinder as well as the radio, washing machine, flat iron, vacuum sweeper, and toaster.

Farms already electrified are using Kohler Electric Plants as stand-by units to insure that oil burners, home freezers, milkers, milk coolers, water system and other important apparatus will operate should there be an interruption of electric service.

Kohler Plants are used in many other fields. Thousands are on construction jobs where they light working areas and operate power tools. For installation on excavators, dredges, draglines and mixers, they are available with an all-weather metal housing. Building, plumbing and electrical contractors use Kohler Plants as a portable source of power to operate power saws, planers, sanders, drills, pipe cutters, threaders, and other machines.



When storms cause current failures, a Kohler stand-by plant keeps the oil burner or stoker running; operates the water pump for fire protection; safeguards food in the freezer; provides necessary light.

Hospitals install Kohler Plants for stand-by service, to be sure of current when sleet, snow, wind or electrical storms disrupt the regular supply. Connected to a transfer switch, they take over the surgical room and other vital circuits automatically.

Chicken hatcheries and owners of greenhouses are using Kohler Electric Plants to give protection during interruption of regular supply which might otherwise cause extensive loss.

Drilling rigs in the oil fields of this and other countries are lighted by Kohler Electric Plants. For this use they are furnished with all-weather housings and mounted on skids for portability.

Boats of many kinds, yachts, tugs, barges and other craft, have Kohler Plants for regular or stand-by service. Their compact design permits installation in small spaces.


Farms
Country Houses
Cottages
Camps
Resorts
Rural Stores
Garages
Filling Stations

Construction
Projects
Oil Fields
Mines
Trailers
Busses
Sound Trucks
Fire Trucks

Railroads
Yachts
Barges
Tugs
Hospitals
Stores
Theatres
Schools


Office
Buildings
Hatcheries
Greenhouses
Factories
Airports
Police Radio
Radio Telephone

Utilities
Sewage Plants
Municipalities
Railroad
Signal Systems
City & Country
Homes with Freezer,
Automatic Heating




THE 3KW MODEL

Model 3A21, 3 KW, 115 volt AC. Fully Automatic. A plant of modern design developed to meet the needs of users who want to take advantage of the many electrical appliances and motor-powered equipment now available in addition to having efficient and adequate lighting.




These pages show a few models of the Kohler line of Electric Plants. A special catalog illustrates and lists the wide range of models and sizes ranging from 750 watts to 10 KW in AC or DC—Also 32 and 110 volt battery-charging.

THE 750 WATT




Model 750A21, 750 watts, 115 volt AC, Fully Automatic. A small, low-cost plant, with a one-cylinder air-cooled engine. Capable of operating thirty 25 watt lights, or a radio, water system, fan, clothes washer, vacuum cleaner.

MODELS AND SIZES



Model 1A21, 1500 watts, 115 volt AC, Fully Automatic. Generating standard alternating current to operate standard appliances and electrical equipment. Its 1500 watts capacity meets the average requirements for regular or stand-by light and power.



Model 10A31, 10 KVA, 115 volt AC. 60 cycle, 3 phase, Fully Automatic. Available in 230 volt, 3 phase; 115-220 volt, single phase; 115 and 230 volt DC; and in remote control and hand cranked models—5 KW DC and AC models also available.

AMONG THE MANY USERS OF KOHLER PLANTS

AVIATION—Pan American Airways, United Air Lines, Lockheed Aircraft Corp., Pacific Alaska Airways, Eastern Air Lines.

INDUSTRY AND BUSINESS—Contractors for Boulder Dam, Oakland Bridge, Pennsylvania Turnpike, United States Steamship, Standard Oil Co., American Fisheries, Inter-

national Portland Cement Co., Ringling Bros. Barnum & Bailey Circus, Ford Motor Co., Bell Telephone System.


RAILROADS—New York Central; Milwaukee Road; Union Pacific; Chicago & Northwestern; Pennsylvania; and Chesapeake & Ohio.

FIRE DEPARTMENTS—New York, Chicago, Baltimore, Boston, Trenton, San Francisco, Pasadena, San Diego, Portland, Seattle.


STAND-BY FOR POLICE RADIO—States of New York, Pennsylvania, Massachusetts, Illinois, Virginia. Cities of New York, Los Angeles, Milwaukee, Portland, Tacoma, Richmond and St. Louis.

FOR VARIED NEEDS

Kohler Electric Plants are available with sturdy, metal weather-proof housings on skids. Housings are recommended when plants are used for flood-lighting construction projects, oil fields and night fires or when installed on excavators, pavers, cranes and drag lines. Skids facilitate handling and protect the plant when it is transported over rough ground.




Model EH, 1500 watts, 115 volt DC. Hand cranked. Available in 1500 watts AC and 2000 watts DC.



Model 5M61H-4, 5 KVA, 115/230 volt AC. Hand cranked. Available in 10 KVA and in 5 and 10 KW, 115 or 230 volt.

Model E-36-A, 1500 watts, 32 volt DC. Designed to charge 32 volt storage battery. Has a battery-charging switchboard and an automatic control which starts the plant whenever the battery needs recharging. It stops when battery is charged. Ideal where small lighting loads are generally used or where electrical service is desired without operating plant—for railroads, yachts, resorts, farms. Available in 2000 watts, 3 KW, 5 KW and 10 KW sizes.



INDEX

Enameled Iron and Vitreous China Plumbing Fixtures


BATHROOM MATCHED SETS	17-21	LAVATORIES, VITREOUS CHINA	37-47
BATHROOMS IN COLOR	12-16	Barber and Beauty Salons	45
BATHS	22-32	Batteries	46
Built-in	22-31	Dental	39
Free Standing	32	Marine	45
Sitz and Foot	33	Institution	47
BIDET	77	LAVATORY CHAIR CARRIERS	42
CLEANSER	35	LAUNDRY TRAYS	115-116
CLOSET ACCESSORIES	76	PROTEK POWDER	34
CLOSET CHAIR SUPPORTS	70	SACRARIUM, VITREOUS CHINA	94
CLOSET TANKS	76	SERVICE SINKS, ENAM. IRON	91
CLOSETS, VITREOUS CHINA	60-74	SERVICE SINKS, VIT. CHINA	90
Closet Bowls	75	Rim Guards	90-91
Juvenile and Primary	68	Trap Standards	91
Marine	66	SHOWER RECEPTOR	32
Pressure Tank	74	SINK & TRAY COMBINATIONS	113-114
CLOSET SEATS	78-80	TIGHT WALL BATH HANGER	34
DRINKING FOUNTAINS, ENAM. IRON	97	URINAL CHAIR CARRIER	86
DRINKING FOUNTAINS, VIT. CHINA	92-96	URINAL SEAM COVERS	82
GLASS FILLER, VITREOUS CHINA	94	URINAL TANKS	77
KITCHEN SINKS	98-112	URINALS, ENAM. IRON	89
KITCHEN SINKS WITH CABINETS	98-109	URINALS, VIT. CHINA	81-89
KITCHENS IN COLOR	98-99	WASHROOM MATCHED SETS	21
LAVATORIES, ENAMELED IRON	48-54	WASHROOMS IN COLOR	20
Batteries	55	WASH SINKS	56-57
Institution	49		

Brass Fittings

BATH DRAINS	121	LAVATORY FAUCETS	125
BATH SUPPLY FITTINGS	120	LAVATORY FAUCET WITH BUBBLER	125
BATHROOM ACCESSORIES	135	FLOAT VALVES	134
CLOSET TANK SUPPLIES	126	ICE WATER FITTING	125
COMBINATION SHOWER & BATH		LAVATORY DRAINS	127
FITTINGS	118-119	LAVATORY SUPPLY FITTINGS	124-126
CONTINUOUS DRAINS	131	LAVATORY SUPPLY PIPES & STOPS	126
CURTAIN RODS, HOOK & CHAIN	135	LAVATORY TOWEL BARS & LEGS	135
FAUCETS	128-131	NIEDECKEN MIXER	123
Kitchen	128-129	P TRAPS	131
Laundry Tray	130	SHOWER FITTINGS	122-123
Lawn	131	SINK SUPPLY FITTINGS	128-129
Pantry	129	STRAINERS, SINK AND URINAL	132
Service Sink	130	TANK SUPPLIES AND STOPS	126
Wash Sink	130	URINAL FLUSH PIPES	133

Heating Equipment and Electric Plants

BOILERS	136-139	ELECTRIC PLANTS	141-143
-------------------	---------	---------------------------	---------







K O H L E R

Plumbing Fixtures

PRICE LIST K48-2

APRIL 25, 1949



KOHLER OF KOHLER

KOHLER CO. KOHLER, WISCONSIN, U. S. A.

K O H L E R

Präsident des Vereins

PRINCE OF WALES

1894

(K 10)

K O H L E R

Präsident des Vereins

K O H L E R

Plumbing Fixtures

PRICE LIST K48-2

APRIL 25, 1949

INDEX

Matched Sets.....	Pages 1-3
Baths.....	Pages 4-5
Lavatories —	
Vitreous China.....	Pages 6-9
Enameled Cast Iron	Page 10-12
Wash Sinks	Page 13
Closets.....	Pages 14-17
Tanks.....	Pages 18-19
Seats.....	Pages 19-20
Urinals.....	Pages 21-22
Service Sinks.....	Page 23
Drinking Fountains.....	Page 24
Kitchen Sinks	Pages 25-29
Sink and Trays.....	Page 30
Laundry Trays.....	Page 31
Brass.....	Pages 32-45

K O H L E R

Plumbing Fixtures

NOTICE

PRICES herein published apply to Kohler Plumbing Fixtures illustrated in Catalog K48, supersede previous quotations and are subject to change without notice. The prices shown do not include freight or cartage.

A minimum charge of thirty cents (\$0.30) list will be made on each invoice.

The possession of this price list by any person is not to be construed as an offer to sell to him nor to any one else the goods listed herein at the prices stated.

TAX NOTICE. Any manufacturer's or sales tax applicable thereto will be added to the prices and terms herein contained, at our option.

WARRANTY. Kohler plumbing fixtures are warranted to be free of manufacturing defects. Within the periods indicated below replacement fixtures will be furnished where the Company's inspection discloses such defects:

Enameled Cast Iron	}	Within one year after installation.
Vitreous China		
Brass fittings	}	Within six months after installation.
Seats		

No claims will be allowed for installation or damages.

CLAIMS. All goods are carefully manufactured, inspected, checked and packed by experienced men. Every precaution is taken against breakage or other damage in transit. As all goods are shipped at buyer's risk, our responsibility ceases upon delivery of the material in good order to the carrier. Claims against the carriers are to be filed by the buyer.

SPECIAL FIXTURES. Cancellations or changes in specifications will not be accepted after production is started on orders for colored fixtures, specially drilled items, and all Fixtures having unusual features requiring extra supervision in our factories. This also applies to Fixtures, Fittings and any parts thereof produced for us by other manufacturers.

CONTINGENCIES. We are not responsible for any delays in delivery which are beyond our control, such as fires, strikes, delays in transportation, or other contingencies.

SHIPPING WEIGHTS are approximate and apply to Fixtures, Seats and Fittings as catalogued. Weights are not guaranteed, but are shown only for customer's convenience.

KOHLER CO.

April 25, 1949

K O H L E R

Plumbing Fixtures

Matched Sets

CATALOG K48		DESCRIPTION	PRICES	App. Ship. Wt.
Page	Set Number			
			White	
MATCHED SETS				
12	*Spruce Green	K-526-F 5-ft. Cosmopolitan Bath..... †K-1740-C 24x20" Chesapeake Lavatory..... K-3600-EB Placid Closet..... Curtain Rod, Grip Rail.....	\$204.60	675
13	*Peach Blow	K-525-F 5-ft. Cosmopolitan Bath..... †K-1600-A 24x20" Gramercy Lavatory..... †K-3600-EB Placid Closet..... Curtain Rod, Grip Rail, Soap Dish.....	210.55	685
14	*Cerulean Blue	K-526-A 5-ft. Cosmopolitan Bath..... K-1785-C 27x22" Jamestown Lavatory..... K-3655-EB Channel Closet..... Curtain Rod, Grip Rail, Soap Dish.....	204.25	665
15	*Tuscan	K-526-H 5-ft. Cosmopolitan Bath..... K-1775-C 24x20" Jamestown Lavatory..... K-3665-EB Bolton Closet..... Curtain Rod.....	182.50	650
16	White	K-525-A 5-ft. Cosmopolitan Bath..... K-1600-A 24x20" Gramercy Lavatory..... K-3665-EB Bolton Closet..... Curtain Rod, Grip Rail, Soap Dish.....	192.90	660
17	55	K-526-E 5-ft. Cosmopolitan Bath..... K-1780-F 24x20" Jamestown Lavatory..... K-3665-PB Bolton Closet..... Curtain Rod, Grip Rail.....	184.20	670
*For prices on these sets in color, see prices applying to individual items. Prices applying to these sets include only items listed above. (Shower curtains, medicine cabinets, mirrors and other accessories are not in- cluded.) Items marked † are substitution for fixtures not in production.				

K O H L E R

Plumbing Fixtures

Matched Sets

CATALOG K48		DESCRIPTION	PRICES	App. Ship. Wt.
Page	Set Number			
			White	
		MATCHED SETS		
17	62	K-526-A 5-ft. Cosmopolitan Bath..... K-1740-C 20x18" Chesapeake Lavatory..... K-3665-PB Bolton Closet..... Curtain Rod, Grip Rail.....	\$177.30	625
17	70	K-526-H 5-ft. Cosmopolitan Bath..... K-2780-C 24x20" Westchester Lavatory..... K-3705-PB Wellworth Closet..... Curtain Rod, Grip Rail.....	179.95	695
18	72	K-525-F 5-ft. Cosmopolitan Bath..... K-2790-C 24x20" Westchester Lavatory..... K-3705-PB Wellworth Closet..... Curtain Rod, Grip Rail.....	168.55	650
18	77	K-525-F 5-ft. Cosmopolitan Bath..... K-1605-A 19x17" Gramercy Lavatory..... K-3665-PB Bolton Closet..... Curtain Rod, Grip Rail.....	164.10	630
18	84	K-525-A 5-ft. Cosmopolitan Bath..... K-1955-C 20x18" Greenwich Lavatory..... K-3705-PB Wellworth Closet..... Curtain Rod, Grip Rail.....	154.90	615
19	89	K-526-P 5-ft. Cosmopolitan Bath..... K-2720-A 19x17" Hampton Lavatory..... K-3705-PB Wellworth Closet.....	138.95	610
		For prices on these sets in color, see prices applying to individual items. Prices applying to these sets include only items listed above. (Shower curtains, medicine cabinets, mirrors and other accessories are not in- cluded.)		

K O H L E R

Plumbing Fixtures

Matched Sets

CATALOG K48		DESCRIPTION	PRICES	App. Ship. Wt.
Page	Set Number			
			White	
MATCHED SETS				
19	92	K-926-I 5-ft. Potomac Bath..... K-2745-A 18x15" Delton Lavatory..... K-3715-PB Trylon Closet.....	\$118.85	525
19	96	K-1000-T 5-ft. Liberty Bath..... K-2830-P 20x18" Hudson Lavatory..... K-3715-PB Trylon Closet.....	113.15	475
20	*Spruce Green	K-1640-A 26x15 1/2" Strand Lavatory..... K-3600-EB Placid Closet	115.90	255
21	122	K-1645-A 20x14" Strand Lavatory..... K-3665-PB Bolton Closet..... K-9608 Paper Holder.....	78.70	210
21	125	K-2740-A 24x14" Taunton Lavatory..... K-3705-PB Wellworth Closet..... K-9608 Paper Holder.....	69.00	230
21	136	K-2740-A 20x14" Taunton Lavatory..... K-3715-PB Trylon Closet..... K-9608 Paper Holder.....	65.75	210
*For prices on these sets in color, see prices applying to individual items. Prices applying to these sets include only items listed above. (Shower curtains, medicine cabinets, mirrors and other accessories are not in- cluded.)				

April 25, 1949

K O H L E R

Plumbing Fixtures

Baths

CATALOG K48		DESCRIPTION	Size	PRICES			App. Ship. Wt.
Page	Plate Number			White Reg.	White A.R.	Color A.R.	
<div>TIMES SQUARE BATHS</div> <div>WITH FITTINGS</div>							
22	K-205-F K-206-F	} TIMES SQUARE—With K-7026 Fitting, Curtain Rod and Hook.....	4-ft.	\$134.40	<u>\$156.35</u>	520
23	K-205-A K-206-A		} TIMES SQUARE—With K-7031 Fitting, Curtain Rod and Hook.....	4-ft.	134.75	<u>156.70</u>
		If less Curtain Rod and Hook, Deduct.....			3.95	<u>4.20</u>
<div>BUILT-IN BATHS</div> <div>LESS FITTINGS</div>							
24 to 26	K-525 K-526	} COSMOPOLITAN—Recess Bench Bath...	4½-ft.	\$ 56.25	63.30	<u>75.00</u>	350
			5- ft.	61.35	69.00	<u>81.80</u>	396
			5½-ft.	68.00	76.50	<u>90.65</u>	455
27 to 29	K-551 K-554	} COSMOPOLITAN—Corner.....	5- ft.	68.10	76.60	<u>90.80</u>	426
			5½-ft.	76.70	86.30	<u>102.25</u>	460
27	K-552-R K-552-H K-553-R K-553-H	} COSMOPOLITAN—Corner.....	5- ft.	68.10	76.60	<u>90.80</u>	426
			5½-ft.	76.70	86.30	<u>102.25</u>	460
Not Ill.	K-555 K-556	} COSMOPOLITAN—Recess Straight Front Bath.....	5- ft.	61.35	375

K O H L E R

Plumbing Fixtures

Baths

CATALOG K48		DESCRIPTION	Size	PRICES		App. Ship. Wt.
Page	Plate Number			White Reg.	White A.R.	
BUILT-IN BATHS						
LESS FITTINGS						
30	K-925	} POTOMAC—Recess Bath.....	4 ½-ft.	270
31	K-926		5- ft.	\$ 48.50	\$ 54.55	330
BATHS ON FEET						
WITH FITTINGS						
32	K-1000-T	LIBERTY—On Feet, with K-7115 Double Bath Faucet, Supply Pipes and Connected Drain and Overflow.....	4 ½-ft.	49.00	245
			5- ft.	53.50	275
32	K-1060-T	NAROSPACE—On Feet, with K-7118 Double Bath Faucet, Supply Pipes and Connected Drain and Overflow.....	4 ½-ft.	265
			5- ft.	56.85	270
SHOWER RECEPTORS						
WITH STRAINER						
32	K-1070	CATARACT, (Old Plate No. K-1140).....	36x36"	49.65	176
			40x40"	56.50	211
SITZ AND FOOT THERAPY BATHS						
33	K-1105-A	SITZ THERAPY BATH—With Fittings.....		245.15	350
33	K-1106-A	SITZ THERAPY BATH—With Fittings.....		225.75	350
33	K-1106-B	SITZ THERAPY BATH—With Fittings.....		139.30	340
32	K-1115-A	FOOT THERAPY BATH—With Fittings.....		116.15	235
MISCELLANEOUS						
PRICES						
34	K-1170	TIGHT WALL—Bath Bracket (Old Plate Number K-965)..... Each			\$.25	
34	K-1180	PROTEK POWDER—Per Bag..... (Old Plate No. K-970) Per Case, 12, 1 ½ lb. bags....			.35 4.20	1 ½ 20
35	K-1200	KOHLER CLEANSER—Per Case, 24 cans.....			3.00	22
BATH DRILLINGS						
Special Drillings other than Cataloged, add per hole ..						
1.50						

April 25, 1949

K O H L E R

Plumbing Fixtures

Lavatories—Vitreous China

CATALOG K48		Old Plate Number	DESCRIPTION	Size	PRICES		Appr. Ship. Wt.
Page	Plate Number				White	Color	
			SHELF LAVATORIES				
			WITH K-8115 FITTING, LESS TOWEL BARS, SUPPLIES AND TRAPS				
37	K-1600	K-1860-B	GRAMERCY—With K-9575 Legs.....	19x17"	\$ 31.30	\$ 42.70	72
				22x18"	41.50	59.00	66
				24x20"	43.15	61.65	58
				27x22"	
37	K-1605	K-1865-B	GRAMERCY—With Hangers.....	19x17"	26.00	37.05	68
				22x18"	36.20	53.35	62
				24x20"	37.85	56.00	81
38	K-1640	K-1870-B	STRAND—With K-9575 Legs.....	20x14"	31.60	43.20	64
				26x15 1/2"	39.30	55.50	74
38	K-1645	K-1875-B	STRAND—With Hangers.....	20x14"	26.30	37.55	60
				26x15 1/2"	34.00	49.85	70
39	K-1680	K-2180	ROCKPORT—Corner.....	17x17"	29.55	42.75	60
			SHELF DENTAL LAVATORIES				
39	K-1700	RINSE—With K-8131 Fitting.....	14x14"	28.45	41.70	40
39	K-1720	K-2200-B	WALCOT—With K-8132 Fitting.....	12x12"	19.45	27.40	31
			If K-1600 to K-1720 Shelf Lavatories are specified with:—				
			Coupling Nuts and Tailpieces, add per Lavatory.....		.34	.36	
			Coupling Nuts only, add per Lavatory.		.12	.13	
			LEDGE LAVATORIES				
			LESS FITTINGS AND TOWEL BARS				
40	K-1740	K-1910	CHESAPEAKE—With K-9575 Legs....	20x18"	25.00	37.15	52
				24x20"	30.25	45.55	65
				30x22"	
40	K-1745	K-1915	CHESAPEAKE.....	18x15"	10.50	16.80	36
				20x18"	19.70	31.50	48

K O H L E R

Plumbing Fixtures

Lavatories—Vitreous China

CATALOG K48		DESCRIPTION	Size	PRICES		Appr. Ship. Wt.
Page	Plate Number			White	Color	
SLAB LAVATORIES						
LESS FITTINGS AND TOWEL BARS						
41	K-1770 K-1775	JAMESTOWN—With K-9575 Legs.....	20x18"	\$20.00	\$ 28.10	51
			24x20"	26.15	37.90	70
			27x22"	35.25	52.50	94
41	K-1780 K-1785	JAMESTOWN—With K-1825 Pedestal.....	24x20"	30.45	47.60	95
			27x22"	39.55	62.20	135
42	K-1790 K-1792	JAMESTOWN—With K-1828 China Leg.....	20x18"	19.50	62
			24x20"	25.65	81
			27x22"	34.75	111
42	K-1795 K-1797	JAMESTOWN—With K-1806 Support for 1" Wall..	20x18"	27.60	98
			24x20"	33.75	117
42	K-1795 K-1797	JAMESTOWN—With K-1812 Chair Carrier for 1" Wall.....	20x18"	33.00	121
			24x20"	39.15	141
			27x22"	48.25	159
LAVATORY SUPPORTS						
				PRICES		
42	K-1806	Wall Support, Exposed Brackets with Enamel Paint Finish.....		\$ 14.95	52
42	K-1807	Wall Support, Concealed Hangers.....		10.50	45
42	K-1812	Chair Carrier, Exposed Brackets with Enamel Paint Finish.....		20.35	75
42	K-1813	Chair Carrier, Concealed Hangers.....		15.90	70
		Bolts and spacers for Wall Supports and Chair Carriers are regularly furnished for walls up to one inch thick. For installation in walls exceeding one inch in thickness, add per inch.....		.35	
	K-1816	Brackets with Enamel Paint Finish..... Per Pair		8.50	20
	K-1817	Brackets with Enamel Paint Finish..... Per Pair		8.50	20
41	K-1825	Pedestal for Jamestown Lavatories.....		9.60	35
42	K-1828	China Leg for Jamestown and Greenwich Lavatories..		4.80	15
41	K-2072	Chromium Plated Wall Brackets..... Per Pair		2.05	2
				White		
LAVATORIES FOR TILING-IN						
LESS FITTINGS						
43	K-1880	ARROWHEAD—(Old Number K-2177).....	20x18"	\$ 12.20	\$ 19.55	43
43	K-1882	ARROWHEAD—(Old Number K-2175).....	20x18"	12.20	19.55	43

April 25, 1949

K O H L E R

Plumbing Fixtures

Lavatories—Vitreous China

CATALOG K48		DESCRIPTION	Size	PRICES		App. Ship. Wt.
Page	Plate Number			White	Color	
		LAVATORIES WITH BACK				
		LESS FITTINGS AND TOWEL BARS				
44	K-1940 K-1945	} GREENWICH—With K-1828 China Leg.	20x18"	\$ 20.20	\$ <u>32.30</u>	71
			24x20"	28.45	<u>45.55</u>	88
44	K-1950 K-1955	} GREENWICH—With Hangers.	20x18"	15.40	<u>24.65</u>	56
			24x20"	23.65	<u>37.85</u>	73
45	K-1970	CHATHAM—With full splash rim.	20x18"	56
		BARBER LAVATORIES				
		WITH K-8245 FITTING				
45	K-2245	} JAMESTOWN—With K-1828 China Leg.	20x18"	37.60	80
			24x20"	43.75	89
45	K-2265	} GREENWICH—With Hangers.	20x18"	33.50	64
			24x20"	41.75	81
		LAVATORY BATTERIES				
		LESS FITTINGS				
46	K-2320 K-2321	} JAMESTOWN—One Double Section.	20x18"	47.60	210
			24x20"	59.75	248
		For each additional Double Section, add.	20x18"	42.20	174
			24x20"	53.20	212
46	K-2342 K-2343	} JAMESTOWN—One Single Section.	20x18"	25.80	121
			24x20"	31.90	140
		For each additional Single Section, add.	20x18"	22.05	90
			24x20"	27.60	109
		SPECIAL LAVATORY DRILLINGS				
		For Drillings in Slabs or Backs other than shown in Catalog:—				
		Holes 1-Inch Diameter or larger, Per Hole.		1.35		
		Holes less than 1-Inch Diameter, Per Hole.60		

K O H L E R

Plumbing Fixtures

Lavatories—Vitreous China

CATALOG K48		DESCRIPTION	Size	PRICES	App. Ship. Wt.
Page	Plate Number				
				White	
		LAVATORIES FOR DETENTION INSTITUTIONS			
		SHELF LAVATORIES			
47	K-2365-A	MILAN—With Hot and Cold Supply Fitting.....	20x14"	\$ <u>37.75</u>	65
47	K-2366-A	MILAN—With Cold Water Supply Fitting.....	20x14"	<u>34.50</u>	65
		WITH INTEGRAL SLOW DRAINING OUTLET			
47	K-2375-A	CHARDON—With Hot and Cold Supply Fitting.....	14x13"	<u>26.15</u>	39
47	K-2376-A	CHARDON—With Cold Water Supply Fitting.....	14x13"	<u>22.90</u>	39
47	K-2377-A	COULTER—With Hot and Cold Supply Fitting.....	14x14"	50
47	K-2378-A	COULTER—With Cold Water Supply Fitting.....	14x14"	50
47	K-2379-A	COULTER—With Hot and Cold Supply Fitting.....	14x14"	50
47	K-2380-A	COULTER—With Cold Water Supply Fitting.....	14x14"	50
		Fittings regularly furnished for wall not exceeding one inch in thickness. For Supply Fittings for installation in walls exceed- ing one inch in thickness, add:—		Two Valve	One Valve
		2-Inch.....	\$	<u>.45</u>	<u>.30</u>
		4-Inch.....		<u>.65</u>	<u>.45</u>
		6-Inch.....		<u>.90</u>	<u>.70</u>
		8-Inch.....		<u>1.30</u>	<u>1.10</u>
		OUTLET CONNECTION NOT EXTENDED			

April 25, 1949

K O H L E R

Plumbing Fixtures

Lavatories—Enameled Cast Iron

CATALOG K48		DESCRIPTION	Size	PRICES			App. Ship. Wt.
Page	Plate Number			White Reg.	White A.R.	Color A.R.	
		SHELF LAVATORIES					
		LESS TOWEL BARS, SUPPLIES AND TRAP					
48	K-2710	HAMPTON—With K-8100 Fitting, K-9580 Legs.....	{ 19x17" 22x19"	\$ 26.80 30.25	\$ 28.50 32.35	\$ <u>32.20</u> <u>36.80</u>	74 90
48	K-2715-A	HAMPTON—With K-8100 Fitting, Supplies, Trap and K-5812 Metal Cabinet.	{ 19x17" 22x19"
48	K-2720-A	HAMPTON—With K-8100 Fitting, Supplies and Trap.....	{ 19x17" 22x19"	27.85 31.30	29.55 33.40	<u>33.35</u> <u>37.95</u>	75 90
48	K-2720	HAMPTON—With K-8100 Fitting, Less Supplies and Trap.....	{ 19x17" 22x19"	21.50 24.95	23.20 27.05	<u>26.55</u> <u>31.15</u>	70 85
Not Ill.	K-2721	HAMPTON—With K-8133 Fitting with Chain and Stopper, Less Supplies and Trap.	19x17"	20.95	22.65	<u>25.95</u>	70
49	K-2740	TAUNTON—With K-8100 Fitting, Less Supplies and Trap.....	{ 16x14" 20x14" 24x14"	21.35 23.50 25.00	23.00 25.45 27.15	<u>26.35</u> <u>29.25</u> <u>31.20</u>	70 78 95
49	K-2742-A	TAUNTON—With K-8158 Self- closing Fitting for Hot and Cold Water....	16x14"	33.85	35.50	70
49	K-2743-A	TAUNTON—With K-8159 Self- closing Fitting for Cold Water Only.....	16x14"	30.70	32.85	70

23.5
28.75

K O H L E R

Plumbing Fixtures

Lavatories—Enameled Cast Iron

CATALOG K48		Old Plate Number	DESCRIPTION	Size	PRICES			App. Ship. Wt.
Page	Plate Number				White Reg.	White A.R.	Color A.R.	
SHELF LAVATORIES								
LESS SUPPLIES AND TRAP								
50	K-2745	K-2730-B	DELTON—With K-8133 Fitting Less Supplies and Trap.....	18x15"	\$ 17.85	\$ 19.15	\$ <u>21.85</u>	55
50	K-2750	TRAVELER—With K-8133 Fitting Less Supplies and Trap..	13x13"	17.20	18.45	<u>20.95</u>	45
51	K-2760	K-2920-B	MARSTON—With K-8100 Fitting Less Supplies and Trap..	16x16"	23.75	25.70	<u>27.55</u>	78
51	K-2770	MARFIELD—With K-8133 Fitting Less Supplies and Trap..	11x11"	18.75	20.15	<u>23.00</u>	47
If K-2710 to K-2770 Shelf Lava- tories are specified with:—								
Coupling Nuts and Tailpieces, add per Lavatory.....					.34
Coupling Nuts only, add per Lavatory.....					.12
If K-2710 to K-2770 Lavatories are specified with Self-closing Fitting, add					3.50	3.50	<u>3.75</u>	
SLAB LAVATORIES								
LESS FITTINGS AND TOWEL BARS								
52	K-2780 K-2782	WESTCHESTER—With Pedestal.....	20x18"
				24x20"	33.25	37.40	<u>44.35</u>	132
52	K-2785-C	WESTCHESTER—With K-5804 Metal Cabinet.....	24x20"
53	K-2790 K-2792	WESTCHESTER—With K-9580 Legs and Wall Brackets.....	20x18"
				24x20"	25.00	27.25	<u>31.50</u>	90
Not Ill.	K-2790 K-2792	WESTCHESTER—With K-9581 Legs and Wall Brackets.....	20x18"
				24x20"	23.40	25.65	<u>29.80</u>	90
53	K-2795 K-2797	WESTCHESTER—With K-3161 Wall Brackets.....	20x18"	90
				24x20"	19.95	22.20	<u>26.10</u>	88

April 25, 1949

K O H L E R

Plumbing Fixtures

Enameled Cast Iron—Lavatories

CATALOG K48		Old Plate Number	DESCRIPTION	Size	PRICES			App. Ship. Wt.
Page	Plate Number				White Reg.	White A.R.	Color A.R.	
			BACK LAVATORIES					
			LESS FITTINGS					
54	K-2825 K-2830	K-2805 K-2815	HUDSON.....	20x18" 22x19"	\$ 14.05 16.50	\$ 15.80 18.55	\$ 18.75 22.00	64 88
Not Ill.	K-2875	K-2875	BRETTON—For Centra Fitting	19x17"	12.40	13.95	58
54	K-2880	BRETTON.....	19x17"	12.40	13.95	58
			LAVATORY BATTERIES					
			LESS FITTINGS					
55	K-3120 K-3121	WESTCHESTER—One Double Section	20x18" 24x20" 57.65 62.15 160
			For each additional Double Section, add.....	20x18" 24x20" 51.55 56.05 150
55	K-3130 K-3131	WESTCHESTER—One Single Section.....	20x18" 24x20" 30.75 33.00 80
			For each additional Single Section add.....	20x18" 24x20" 26.75 29.00 75
			SPECIAL LAVATORY DRILLINGS					
			Drilling Enameled Cast Iron Lavatory Slabs or Backs other than cataloged, add per hole....				\$ 1.35	

K O H L E R

Plumbing Fixtures

Wash Sinks

CATALOG K48		DESCRIPTION	Size	PRICES	App. Ship. Wt.
Page	Plate Number				
				White A.R.	
		WASH SINKS			
56	K-3210	BROCKWAY—Less Fittings and Soap Dishes.....	4-ft.	\$ 67.05	172
			5-ft.	79.00	195
			6-ft.	89.10	235
			8-ft.	164.85	490
		For Painted Pedestals, add.....	{ Short Pedestals..... Long Pedestals.....	12.65	
56	K-3220	BELDEN—With Painted Pedestals and Supply Pipe Supports, Less Fittings.....	4-ft.	80.35	400
			5-ft.	105.70	576
			6-ft.	117.40	515
			8-ft.	158.65	643
		K-3220 Wash Sinks are regularly furnished with Pedestals adjustable from 25" to 31". For Pedestals adjustable from 31" to 36", add.....		
		For White Regular Enameled Pedestals, add.....		11.50	
57	K-3250-A	FLAMBEAU—Octagonal Wash Sink with K-8865 Bottom Supply Fitting, Bottom Vent and K-9144 Strainer, and Trap ..	48"	224.45	450
57	K-3251-A	FLAMBEAU—Octagonal Wash Sink with K-8865 Bottom Supply Fitting, Top Vent and K-9144 Strainer, and Trap	48"	224.45	450
57	K-3252-A	FLAMBEAU—Octagonal Wash Sink with K-8860 Top Supply Fitting, Top Vent and K-9144 Strainer, and Trap	48"	224.45	450
57	K-3253-A	FLAMBEAU—Octagonal Wash Sink with K-8860 Top Supply Fitting, Bottom Vent and K-9144 Strainer, and Trap	48"	224.45	450
		For K-8868 4-unit Powdered Soap Dispensers with Brackets for attaching to Vent Pipe, (Vent Pipe not included) add.....		41.85	
		WASH SINK DRILLINGS			
		Drilling Wash Sinks, other than regular, add per Sink.....		1.30	

April 25, 1949

K O H L E R

Plumbing Fixtures

Closets

CATALOG K48		DESCRIPTION	PRICES		App. Ship. Wt.
Page	Plate Number		White	Color	
CLOSET COMBINATIONS					
ONE-PIECE CLOSETS					
61	K-3600-EB	PLACID—Elongated, with K-8334 supply with stop and K-4702 Sheet Covered Seat.....	\$ 65.85	\$ <u>97.70</u>	175
61	K-3610-PB	INTEGRA—Round Front, with K-8334 Supply with Stop and K-4706 Sheet Covered Seat.....	168
CLOSE COUPLED CLOSETS					
62	K-3655-EB	CHANNEL—Elongated, with K-8334 Supply with stop and K-4702 Sheet Covered Seat.....	53.35	<u>76.50</u>	160
62	K-3655-PB	CHANNEL—Round Front, with K-8334 Supply with Stop and K-4706 Sheet Covered Seat.....	49.15	<u>70.60</u>	152
62	K-3665-EB	BOLTON—Elongated, with K-8334 Supply with Stop and K-4702 Sheet Covered Seat.....	47.85	<u>67.70</u>	146
62	K-3665-PB	BOLTON—Round Front, with K-8334 Supply with Stop and K-4706 Sheet Covered Seat.....	43.45	<u>61.45</u>	139
63	K-3705-PB	WELLWORTH—Round Front, with K-8334 Supply with Stop and.....	K-4726-T seat 35.05 K-4706-P seat 38.45 Less seat 29.75 <u>53.90</u> <u>43.90</u>	125 125 116
63	K-3715-PB	TRYLON—Round Front, with K-8334 Supply with Stop and.....	K-4726-T seat 33.30 Less seat 28.00	125 116
SEPARATE BOWL AND TANK CLOSETS					
64	K-3721-EB	BROOKLANDS—Elongated, with K-8336 Supply with Stop and.....	K-4702 Seat 41.30 Less seat 31.00	124 115
64	K-3721-PB	BROOKLANDS—Round front with K-8336 Supply with Stop and.....	K-4726-T Triko seat..... 33.35 Less seat 28.05	118 109
64	K-3750-PB K-3751-PB	TRENT—Round Front, with K-8336 Supply with Stop and.....	K-4726-T Triko seat..... 31.40 Less seat 26.10	112 103
68	K-3860-EB	JUVENILE—Elongated, with K-8336 Supply with Stop and.....	K-4702 Seat 51.30 Less seat 40.30	133 124
68	K-3860-PB	JUVENILE—Round Front, with K-8336 Supply with Stop and.....	K-4706 Seat 46.45 Less seat 37.15	131 122
68	K-3865-EB	PRIMARY—Elongated, with K-8336 Supply with Stop and.....	K-4808 Seat 44.00 Less seat 37.35	116 110
If Closets are specified:					
With Straight Supply with Stop.....			No extra charge		
With Straight Supply less Stop, deduct.....			1.10	1.20	
Less Supply Pipe and less Stop, deduct.....			2.05	<u>2.20</u>	
If K-3705-PB thru K-3865-EB Closets are specified with Anti-siphon Float Valve, add.....			.85	<u>.90</u>	
See Pages 19 and 20 for Seat Prices.					
FOR FLUSH VALVE COMBINATION PRICES:—					
See Prices of Separate Bowls—Pages 15 to 17 and add Manufacturers' Current Prices of Flush Valves.					

K O H L E R

Plumbing Fixtures

Closets

CATALOG K-48		DESCRIPTION	PRICES		App. Ship. Wt.
Page	Plate Number				
CLOSET CHAIR SUPPORTS					
70	K-4040	For Siphon Jet Bowls.....	\$ 13.20	39
	K-4040-L	For Siphon Jet Bowls.....	16.25	39
	K-4041	For Siphon Jet Bowls.....	11.65	29
	K-4041-L	For Siphon Jet Bowls.....	14.75	29
70	K-4090	For Blowout Bowls.....	13.20	31
	K-4090-L	For Blowout Bowls.....	16.25	31
	K-4091	For Blowout Bowls.....	11.65	21
	K-4091-L	For Blowout Bowls.....	14.75	21
Bolts and Connections regularly furnished for walls up to 4-inches thick.					
For installation in walls exceeding 4-inches in thickness, add per inch or fraction thereof.....			.35		
CLOSET BOWLS			PRICES		
(BOLT CAPS, SCREWS, BOLTS AND WASHERS NOT INCLUDED)			White	Color	
SIPHON JET					
65	K-4260-ET	ROCKWELL—1 ½" Top Spud, 12" R. I.....	\$ 21.85	\$ 34.95	61
65	K-4260-PT	ROCKWELL—1 ½" Top Spud, 12" R. I.....	18.85	30.15	59
65	K-4265-ET	ROTHWELL—1 ½" Top Spud, Integral Seat.....	24.85	60
65	K-4265-PT	ROTHWELL—1 ½" Top Spud, Integral Seat.....	21.85	60
66	K-4270-ET	WELLAND—1 ½" Top Spud 10" R. I.....	21.50	34.40	58
66	K-4270-PT	WELLAND—1 ½" Top Spud, 10" R. I.....	18.65	29.85	56
67	K-4280-ET	PENRYN—1 ½" Top Spud, 10" R. I.....	18.50	29.60	60
67	K-4280-PT	PENRYN—1 ½" Top Spud, 10" R. I.....	15.55	24.90	57
67	K-4280-ER	PENRYN—1 ½" Rear Spud.....	21.40	64
65	K-4291-ET	DOWNING—2" or 1 ½" Top Spud, 12" R. I.....	18.50	29.60	62
65	K-4291-PT	DOWNING—2" or 1 ½" Top Spud, 12" R. I.....	15.55	24.90	59
66	K-4292-PTM	HYANNIS—1 ½" Top Spud with non-return valve.....	25.95	60
65	K-4296-ET	DARVEL—1 ½" Top Spud, Integral Seat.....	21.40	63
65	K-4296-PT	DARVEL—1 ½" Top Spud, Integral Seat.....	18.50	60
68	K-4310-ET	JUVENILE—2" or 1 ½" Top Spud, 11" R. I.....	20.40	30.60	53
68	K-4310-PT	JUVENILE—2" or 1 ½" Top Spud, 11" R. I.....	17.25	25.90	55
68	K-4315-ET	PRIMARY—2" or 1 ½" Top Spud.....	20.00	30.00	45
Prices of Closet Bowls do not include China Bolt Caps or Closet Screws and Bolts.					

April 25, 1949

K O H L E R

Plumbing Fixtures

Closets

CATALOG K48		DESCRIPTION	PRICES	App. Ship. Wt.
Page	Plate Number			
			White	
		CLOSET BOWLS (BOLT CAPS, SCREWS, BOLTS AND WASHERS NOT INCLUDED)		
		FLOOR OUTLET BLOWOUT		
69	K-4320-ET	SWIFT—1 1/2" Top Spud.....	\$ 17.95	52
69	K-4325-ET	SWIFT—1 1/2" Top Spud, Integral Seat.....	20.90	52
		REVERSE TRAP		
69	K-4341-ER	BROOKLANDS—2" Rear Spud, 12" R. I.....	14.80	50
69	K-4341-PR	BROOKLANDS—2" Rear Spud, 12" R. I.....	11.85	44
		WASHDOWN		
69	K-4360-PR	TRENT—2" Rear Spud, 14" R. I.....	9.70	38
69	K-4361-PR	TRENT—2" Rear Spud, 12" R. I.....	9.70	38
75	K-4362-PR	TRENT—2" Rear Spud, 10" R. I. (Replaces K-4352-PR).....	12.35	43
75	K-4363-PR	TRENT—2" Rear Spud, 17" R. I. (Replaces K-4353-PR).....	12.35	38
75	K-4364-PR	TRENT—2" Rear Spud, 14" R. I. (without Jet).....	9.70	38
75	K-4365-PR	THURLOW—2" Rear Spud, Integral Seat.....	11.70	36
		HYDROMATIC SEAT-ACTION PRESSURE TANK EQUIPMENT WITH COMPOSITION SEAT (CLOSET BOWLS NOT INCLUDED)	Chrom. Plated Trim	
74	K-4370	For K-4110-EH Penryn.....	\$ 48.00	50
	K-4371	For K-4110-PH Penryn.....	48.00	50
74	K-4374	For K-4130-EH Brooklands.....	50.00	50
	K-4375	For K-4130-PH Brooklands.....	50.00	50
74	K-4376	For K-4135-PH Trent.....	49.00	50
74	K-4378-C	For K-4120-EHC Kingston(With Concealed Tank).....	51.00	50

K O H L E R

Plumbing Fixtures

Closets

CATALOG K48		DESCRIPTION	PRICES	App. Ship. Wt.
Page	Plate Number			
		HYDROMATIC SEAT-ACTION PRESSURE TANK EQUIPMENT (Continued)	Chrom. Plated Trim	
		ADDITIONAL CHARGES AND DEDUCTIONS:		
		Approved Siphon Preventer, add.....	\$ 7.00	
		Chromium Plated Flush Pipe, add	5.00	
		Enameled Tank and Flush Pipe, add.....	5.00	
		Individual Tank Brackets, add..... Each	2.50	
		Concealed Tank (Except K-4378-C), add.....	1.50	
		Less Tank, deduct.....	3.00	
		Less Flush Pipe, deduct.....	1.00	
		With Rough Bronze Trim, deduct.....	5.00	
		Hydromatic Seat Action Equipment is F. O. B. Chicago, Ill.		
		WALL HANGING CLOSET BOWLS	White Only	
		SIPHON JET		
70	K-4420-ET	KINGSTON—1 1/4" Top Spud.....	\$ 26.55	68
70	K-4420-ER	KINGSTON—1 1/4" Rear Spud.....	26.55	68
70	K-4425-ER	KINGSTON—1 1/4" Rear Spud, Integral Seat.....	29.60	68
		BLOWOUT		
71	K-4450-ET	STRATTON—1 1/4" Top Spud.....	24.70	57
71	K-4455-ET	STRATTON—1 1/4" Top Spud, Integral Seat.....	27.85	63
71	K-4460-ER	SIFTON—1 1/4" Rear Spud	24.70	48
71	K-4475-ER	SUFFIELD—1 1/4" Rear Spud, Integral Seat.....	27.85	50
		See Page 15 for Closet Chair Supports.		
		ANGLE BACK AND BASE CLOSETS		
		SIPHON JET		
72	K-4476-ET	ANGLESEY—Wall Outlet Top Spud.....	29.05	82
72	K-4476-ER	ANGLESEY—Wall Outlet, Rear Spud.....	28.70	78
73	K-4477-ET	ANGLEBORO—Floor Outlet, Top Spud.....	30.90	78
73	K-4477-ER	ANGLEBORO—Floor Outlet, Rear Spud.....	30.55	78
	K-4478-ET	ANGLESEY—Wall Outlet, Integral Seat, Top Spud.....	32.20	78
72	K-4478-ER	ANGLESEY—Wall Outlet, Integral Seat, Rear Spud.....	31.85	78
	K-4479-ET	ANGLEBORO—Floor Outlet, Integral Seat, Top Spud.....	34.20	82
73	K-4479-ER	ANGLEBORO—Floor Outlet, Integral Seat, Rear Spud.....	33.85	82
		BLOWOUT		
73	K-4480-ER	ANGLO—Wall Outlet, Integral Seat, Rear Spud.....	29.05	64

April 25, 1949

K O H L E R

Plumbing Fixtures

Tanks

CATALOG K48		DESCRIPTION	PRICES	App. Ship. Wt.
Page	Plate Number			
			White	
		LOW TANKS		
		WITH K-9255 FLOAT VALVE, LESS SUPPLY		
		VITREOUS CHINA		
76	K-4510-A	WINSLOW	\$ 13.95	65
76	K-4502-A	WINSLOW—20-Inch.....	16.35	78
		If Winslow Tanks are specified with Supply Pipes, add—		
		For K-8336 Angle Supply with Stop.....	2.05	
		For K-8344 Straight Supply with Stop.....	2.05	
		For K-8351 Straight Supply less Stop.....	.95	
		If With Anti-Siphon Float Valve, add85	
		TANK COVERS		
		VITREOUS CHINA		
	K-4535	For K-4510 new Winslow Tank	3.30	15
	K-4540	For Placid, Integra and new Channel Tanks.....	4.05	18
	K-4541	For New Bolton, Wellworth and Tylon Tanks.....	3.30	15
	K-4542	For old style Channel and Bolton Tanks.....	4.05	15
	K-4543	For K-3700 Wellworth Tank.....	3.30	15
	K-4544	For K-4500 Winslow 18-Inch Tank.....		13
	K-4545	For K-4502 Winslow 20-Inch Tank.....	4.05	16
		ENAMELED CAST IRON		
	K-4558	For K-4530-A Perivale Tank.....	3.30	15
		CLOSET ACCESSORIES		
New	K-4561	Tank Cover Locks.....Per Tank	1.65	
	K-4563	Vitreous China Bolt Cap.....	.06	
76	K-4564	Floor Flange with Graphited Asbestos Gasket,Bolts, Nuts and Washers	1.35	
76	K-4566	Floor Bolts with Nuts and Washers.....Per Pair	.10	
76	K-4567	Floor Screws with Nuts and Washers.....Per Pair	.06	
	K-4568	Drain Plug for Siphon Jet and Reverse Trap Bowls.....	1.65	

K O H L E R

Plumbing Fixtures

Tanks

CATALOG K48		DESCRIPTION	PRICES		App. Ship. Wt.
Page	Plate Number		Size	White	
		HIGH TANKS			
		"BROMPTON" VITREOUS CHINA			
77	K-4570-A	With Automatic Fittings.....	3-gal.	\$ 24.70	47
77	K-4572-A	With Automatic Fittings.....	6-gal.	28.05	69
		"PLAISTOW" ENAMELED IRON			
77	K-4583-A	With Automatic Fittings.....	3-gal.	
77	K-4586-A	With Automatic Fittings.....	6-gal.	
		VITREOUS CHINA BIDET	White	Color	
	K-4600-A	VALENCIA—Complete.....	\$ 31.70	\$ 41.45	68
77	K-4605-A	ORIZABA—Complete.....	42.80	52.55	68
		"HYGIENIC" SHEET COVERED SEATS	White	Plain Colors "P"	
		FOR ELONGATED BOWLS			
78	K-4700	ARDWICK—With Cover.....	\$ 11.10	\$ 12.55	9
78	K-4701	ARDWICK—Less Cover.....	9.45	6
78	K-4702	ASHBORNE—With Cover.....	10.30	11.75	10
		FOR ROUND FRONT BOWLS			
78	K-4704	BALCOMBE—With Cover.....	9.50	10.85	9
78	K-4705	BALCOMBE—Less Cover.....	8.05	6
78	K-4706	BRAMLEY—With Cover.....	8.70	10.00	9
68	K-4708	PRIMARY—Less Cover—(For Primary Bowl).....	8.05	6
		"REGENT" SEATS	Golden Oak	TRIKO	
		WITH CHROMIUM PLATED HINGES	"O"	Plain White "T"	
		FOR ROUND FRONT BOWLS			
79	K-4724	BARRHILL—With Cover	\$ 4.68	\$ 5.93	9
79	K-4725	BARRHILL—Less Cover.....	3.81	4.63	6
79	K-4726	BRAMHALL—With Cover	4.65	5.30	9

April 25, 1949

K O H L E R

Plumbing Fixtures

Seats

CATALOG K48		DESCRIPTION	PRICES				App. Ship. Wt.
Page	Plate Number		Black	Plain White	Plain Color	Pearl- escent	
		OLSON-ITE MOLDED SEATS					
		SEATS WITH COVER			"P"	White & Color "J"	
80	K-4800	MILSTEAD—Open Front, for Elongated Bowl.....	\$ 10.00	\$ 10.00	\$ 10.65	\$ 12.00	8
80	K-4802	MILBROOK—Closed Front, for Elongated Bowl.....	10.00	10.00	10.65	12.00	8
80	K-4804	WINLOCK—Open Front, for Round Front Bowl.....	6.00	8.55	9.20	10.65	7
80	K-4806	WHITFIELD—Closed Front, for Round Front Bowl.....	6.00	8.55	9.20	10.65	7
		OPEN FRONT SEATS, LESS COVER					
	K-4808	PRIMARY—For K-4315-ET Bowl.....		6.65			6
	K-4809	PRIMARY—For K-4315-ET Bowl.....	5.35				6
80	K-4811	MELTON—For Elongated Bowl.....	5.35				6
80	K-4813	MELTON—For Elongated Bowl.....		6.65			6
80	K-4815	WESTON—For Round Front Bowl.....	5.00				6
80	K-4817	WESTON—For Round Front Bowl.....		6.35			6
		If Molded Seats Less Cover are Specified with Check Hinges, add.....	.35	.35			
		SELF-RAISING SEATS					
		OPEN FRONT, LESS COVER					
	K-4831	For Elongated Bowl.....	11.35				8
	K-4833	For Elongated Bowl.....		13.00			8
	K-4835	For Round Front Bowl.....	11.00				8
	K-4837	For Round Front Bowl.....		12.65			8
		SELF-SUSTAINING SEATS					
		OPEN FRONT, LESS COVER					
	K-4841	For Elongated Bowl.....	11.35				8
	K-4843	For Elongated Bowl.....		13.00			8
	K-4845	For Round Front Bowl.....	11.00				8
	K-4847	For Round Front Bowl.....		12.65			8

K O H L E R

Plumbing Fixtures

Urinals

CATALOG K48		DESCRIPTION	PRICES	App. Ship. Wt.
Page	Plate Number			
			White	
VITREOUS CHINA URINAL STALLS				
82 to	K-4925-T	BRANHAM—Straight Front, Top Inlet.....	\$ <u>52.10</u>	123
84	K-4925-R	BRANHAM—Straight Front, Rear Inlet.....		
82	K-4926-T	BRANDON—Wing on Left, Top Inlet.....	<u>54.55</u>	127
	K-4926-R	BRANDON—Wing on Left, Rear Inlet.....		
82	K-4927-T	BRANDON—Wing on Right, Top Inlet.....	<u>54.55</u>	127
	K-4927-R	BRANDON—Wing on Right, Rear Inlet.....		
82	K-4930	EXTENDED WING SEAM COVERS..... (Replaces K-4932)	{ For Urinals Set 21" C-C <u>14.45</u> For Urinals Set 24" C-C <u>20.25</u>	43 59
82	K-4931	STRAIGHT FRONT SEAM COVERS..... (Replaces K-4933)	{ For Urinals Set 21" C-C <u>13.05</u> For Urinals Set 24" C-C <u>18.75</u>	40 51
85	K-4945-T	HILLAN—Extended Wing, Top Inlet.....	<u>57.00</u>	123
85	K-4945-R	HILLAN—Extended Wing, Rear Inlet.....		
ADDITIONAL CHARGES				
		Grinding Backs of Stalls, each.....	<u>2.00</u>	
		Grinding Sides of Straight Front Stalls, Per Side.....	<u>2.00</u>	
		(We do not grind Sides of Extended Wing Stalls)		
		If Urinal Stalls are furnished with Hooded Vent, add	<u>5.75</u>	

April 25, 1949

K O H L E R

Plumbing Fixtures

Urinals

CATALOG K48		DESCRIPTION	Size	PRICES	App. Ship. Wt.
Page	Plate Number				
				White	
		VITREOUS CHINA WALL AND PEDESTAL URINALS			
86	K-4967-T	STANWELL—Blowout, Top Inlet.....		\$ 52.80	89
86	K-4967-R	STANWELL—Blowout, Rear Inlet.....			
86	K-4982-T	BARDON—Washout, Top Inlet.....		45.10	86
86	K-4982-R	BARDON—Washout, Rear Inlet.....			
86	K-4987	Chair Carrier with Concealed Hangers, for Stanwell and Bardon Urinals for walls up to 1" thick.....		19.90	70
		For walls exceeding 1" thick, add per inch.....		.40	
86	K-4995-T	BRAMPFORD—Pedestal, Siphon Jet, Top Inlet.....		36.00	69
86	K-4995-R	BRAMPFORD—Pedestal, Siphon Jet, Rear Inlet.....			
		(Bolt Caps and Floor Screws not included)			
87	K-5005-T	DERRY—Blowout, Top Inlet, 2" I.P.S. Outlet Connection...		34.50	57
87	K-5005-R	DERRY—Blowout, Rear Inlet, 2" I.P.S. Outlet Connection...			
		(Derry Urinals available with 3" I.P.S. Outlet Connection at same price.)			
88	K-5015-T	DEXTER—Wall Hanging, Siphon Jet, Top Inlet.....		23.25	42
88	K-5015-R	DEXTER—Wall Hanging Siphon Jet, Rear Inlet.....			
89	K-5020-T	DARFIELD—Flat Back Washout, Top Inlet.....		13.55	34
				White A. R.	
		ENAMELED CAST IRON URINALS			
89	K-5050-A	JARVES—Complete, Less Trap.....	36"	\$ 75.55	161
			48"	93.60	212
			72"	124.05	257
		*Price includes K-4570-A Vitreous China Tank.			
89	K-5052	JARVES—With Strainer only.....	36"	40.10	100
			48"	56.90	158
			72"	85.00	205

K O H L E R

Plumbing Fixtures

Service Sinks

CATALOG K48		DESCRIPTION	Size	PRICES	App. Ship. Wt.
Page	Plate Number				
		SERVICE SINKS		White	
		LESS TRAP STANDARD, STRAINER AND FITTINGS			
		VITREOUS CHINA			
90	K-5115	SUDBURY—With Back.....	20x18" {	\$ 37.05	98
			22x20" }	43.30	119
90	K-5121	SECOR—Without Back.....	22x18"	34.45	90
90	K-5160	TYRELL—Siphon Jet with Flushing Rim..... (Bolt Caps and Floor Screws not included.)	20x20"	56.60	108
				White A. R.	
		ENAMELED CAST IRON			
91	K-5200	BANNON—With Back.....	22x18" {	\$ 32.75	109
			24x20" }	37.40	123
		TRAP STANDARDS			
		WITH STRAINER, COLLAR AND CLEANOUT PLUG			
		FOR VITREOUS CHINA AND ENAMELED CAST IRON SERVICE SINKS			
91	K-5235	Enameled Inside.....		16.95	44
91	K-5237	Enameled Inside.....		16.95	43
91	K-5239	Enameled Inside.....	2 or 3"	16.15	29
		ENAMELED CAST IRON SERVICE SUMP			
91	K-5245	BALFRON—Less Strainer.....	16x16x10" {	13.50	45
			20x16x10" }	16.75	55
		SPECIAL SERVICE SINK DRILLINGS			
		Drilling Service Sinks other than cataloged, add per hole.....		1.40	

April 25, 1949

K O H L E R

Plumbing Fixtures

Drinking Fountains

CATALOG K48		Old Plate Number	DESCRIPTION	Size	PRICES		Appr. Ship. Wt.
Page	Plate Number				White	Color	
			DRINKING FOUNTAINS COMPLETE WITH FITTINGS VITREOUS CHINA				
93	K-5335-A	DAYBROOK—Wall Hanging.....	14x14"	\$ <u>41.75</u>	40
93	K-5340-A	ROCKBROOK—Wall Hanging.....	12x12"	<u>40.85</u>	41
93	K-5345	DEERBROOK—Wall Hanging, Less Trap.....	12x12"	<u>33.45</u>	28
93	K-5350	CLEARBROOK—Wall Hanging, Less Trap.....	11x7 1/2"	<u>25.05</u>	21
94	K-5355	MEADOWBROOK—Wall Hanging, Less Trap.....	24x13"	<u>72.00</u>	45
94	K-5357	MEADOWBROOK—Wall Hanging, Less Trap.....	24x13"	<u>57.10</u>	45
94	K-5358	MEADOWBROOK GLASS FILLER, Less Trap.....	24x13"	<u>53.20</u>	45
94	K-5360-A	K-5375-A	SACRARIUM—Wall Hanging.....	14x14"	<u>81.35</u>	47
95	K-5365-A	K-5325-A	GLENBROOK—Semi-recess.....	26x14"	<u>61.75</u>	69
95	K-5368-A	K-5331-A	VANBROOK—Recess.....	30x16"	<u>81.50</u>	85
95	K-5370-A	K-5332-A	VANGUARD—Recess Cuspidor.....	30x16"	<u>80.70</u>	85
	K-5371-A	VANGUARD—Recess Cuspidor with K-8561 Fitting, (for K-5367-A Vanbrook-Vanguard combination.....	30x16"	<u>72.55</u>	85
96	K-5374-A	K-5300-A	CARISBROOK—Pedestal.....	30"	<u>66.50</u>	82
					White Only 30" High	White Only 36" High	
96	K-5378-A	K-5310-A	SUNNYBROOK—Pipe Standard.....	\$ <u>32.60</u>	\$ <u>33.10</u>	33
				18" bury	<u>69.35</u>	<u>69.85</u>	
				36" bury	<u>70.75</u>	<u>71.25</u>	
96	K-5379-A	K-5312-A	SUNNYBROOK—Freeze Proof.....	48" bury	<u>72.15</u>	<u>72.65</u>	
				60" bury	<u>73.55</u>	<u>74.05</u>	
			ENAMELED IRON	Size	White Reg.		
97	K-5390-A	EDGEBROOK—Wall Hanging, Less Trap.....	12x8"	\$ <u>23.80</u>	25
97	K-5395-A	CRANBROOK—Pipe Standard.....	30"	<u>31.35</u>	41
				36"	<u>31.85</u>	48
				30"	<u>55.60</u>	74
97	K-5400	MONTELLO—Less Trap.....	42"	<u>74.00</u>	110
				54"	<u>90.60</u>	137

K O H L E R

Plumbing Fixtures

Kitchen Sinks

CATALOG K48		Old Plate Number	DESCRIPTION	Size	PRICES		App. Ship. Wt.
Page	Plate Number				White A.R.	Color A.R.	
			LEDGE SINKS				
			WITH FITTINGS, LESS TRAP				
100	K-5500	WILSHIRE—With K-8605 Fitting, Two K-9101 Duostrainers.....	60x25" { 72x25" {	\$ 67.50 97.55	256 295
100	K-5501	WILSHIRE—With K-8601 Fitting, Two K-9101 Duostrainers.....	60x25" { 72x25" {	64.40 94.45	254 293
100	K-5505	WILSHIRE—With Fittings and Metal Cabinet, Less Traps.....	60x25" { 72x25" {	*125.20 *176.45	415 510
100	K-5506	WILSHIRE—With Fittings and Metal Cabinet, Less Traps.....	60x25" { 72x25" {	*122.10 *173.35	415 505
101	K-5520	K-6460	CLEARFIELD—With K-8605 Fitting, K-9101 Duostrainer.....	60x21"	66.75	198
101	K-5521	K-6461	CLEARFIELD—With K-8601 Fitting, K-9101 Duostrainer.....	60x21"	63.65	195
102	K-5550	CAMBERLEY—With K-8605 Fitting, K-9101 Duostrainer.....	54x25" { 60x25" {	60.25 62.70	212 250
102	K-5551	CAMBERLEY—With K-8601 Fitting, K-9101 Duostrainer.....	54x25" { 60x25" {	57.15 59.60	210 248
102	K-5555	CAMBERLEY—With Fittings and Metal Cabinet, Less Trap.....	54x25" { 60x25" {	*106.55 *114.65	367 410
102	K-5556	CAMBERLEY—With Fittings and Metal Cabinet, Less Trap.....	54x25" { 60x25" {	*103.45 *111.55	365 408
			For Supply Fitting with third Water Valve, add the following to the price of the Sink with K-8601 Two Water Fitting: For K-8603 Fitting..... For K-8607 Fitting.....		3.10 6.10	
			*Cabinets included in these combinations are priced F.O.B. Sheboygan, Wis.				

April 25, 1949

K O H L E R

Plumbing Fixtures

Kitchen Sinks

CATALOG K48		Old Plate Number	DESCRIPTION	Size	PRICES		App. Ship. Wt.
Page	Plate Number				White A.R.	Color A.R.	
			LEDGE SINKS WITH FITTINGS, LESS TRAP				
103	K-5560	K-6470	WINFIELD—With K-8605 Fitting, K-9101 Duostrainer.....	54x21"	\$ 53.90	184
103	K-5561	K-6471	WINFIELD—With K-8601 Fitting, K-9101 Duostrainer.....	54x21"	50.80	182
104	K-5569 K-5570	} CYMBRIA—With K-8605 Fitting, K-9101 Duostrainer.....	42x25"	48.45	177
104	K-5571 K-5572					
104	K-5575 K-5576	} CYMBRIA—With Fittings and Metal Cabinet, Less Trap.....	42x25"	*89.20	292
104	K-5577 K-5578					
105	K-5579 K-5580	K-6479 K-6480	} CHATFIELD—With K-8605 Fitting, K-9101 Duostrainer.....	42x21"	43.25	135
105	K-5581 K-5582	K-6481 K-6482					
106	K-5590	WELLWIN—With K-8605 Fitting, Two K-9101 Duostrainers.....	42x25"	56.75	200
106	K-5591	WELLWIN—With K-8601 Fitting, Two K-9101 Duostrainers.....	42x25"	53.65	198
106	K-5595	WELLWIN—With Fittings and Metal Cabinet, Less Traps	42x25"	*84.70	295
106	K-5596	WELLWIN—With Fittings and Metal Cabinet, Less Traps	42x25"	*81.60	293
			For Supply Fitting with third Water Valve, add the following to the price of the Sink with K-8601 Two Water Fitting: For K-8603 Fitting.....		3.10	
			For K-8607 Fitting.....		6.10	
			*Cabinets included in these combinations are priced F.O.B. Sheboygan, Wis.				

K O H L E R

Plumbing Fixtures

Kitchen Sinks

CATALOG K48		Old Plate Number	DESCRIPTION	Size	PRICES		App. Ship. Wt.
Page	Plate Number				White A.R.	Color A.R.	
			LEDGE SINKS				
			WITH FITTINGS, LESS TRAP				
107	K-5610	K-6490	DELAFIELD—With K-8605 Fitting, Two K-9101 Duostrainers.....	{ 32x21" 42x21"	\$ 46.25 54.40	106 130
107	K-5611	K-6491	DELAFIELD—With K-8601 Fitting, Two K-9101 Duostrainers.....	{ 32x21" 42x21"	43.15 51.30	104 127
107	K-5620	K-6510	MAYFIELD—With K-8605 Fitting, K-9101 Duostrainer.....	{ 24x21" 30x21"	31.10 34.45	74 88
107	K-5621	K-6511	MAYFIELD—With K-8601 Fitting, K-9101 Duostrainer.....	{ 24x21" 30x21"	28.00 31.35	74 94
			For Supply Fitting with third Water Valve, add the following to the price of the Sink with K-8601 Two Water Fitting: For K-8603 Fitting..... For K-8607 Fitting.....		3.10 6.10	
			SINKS				
108	K-5700	DOUBLEDAY—Less Fittings.....	{ 54x22" 60x22"	45.10 49.95
108	K-5705	DOUBLEDAY—With Fittings and Metal Cabinet, less trap.....	{ 54x22" 60x22"	*109.40 *112.50
109	K-5719 K-5720	K-6079 K-6080	HOLIDAY—Less Fittings.....	42x20"	29.90	128
109	K-5725 K-5726	HOLIDAY—With Fittings and Metal Cabinet, Less Trap.....	42x20"	*71.70	233
*Cabinets included in these combinations are priced F.O.B. Sheboygan, Wis.							

April 25, 1949

K O H L E R

Plumbing Fixtures

Metal Cabinets

CATALOG K48		DESCRIPTION	Size	PRICES		App. Ship. Wt.
Page	Plate Number			F.O.B. Sheboy- gan Wis. White	F.O.B. Canton Ohio White	
		METAL CABINETS				
52	K-5804	Cabinet for Westchester Lavatory.....	24x20"
48	K-5812	Cabinet for Hampton Lavatory.....	19x17"
			22x19"
100	K-5819	Cabinet with 4 Drawers, 3 Cupboards, for Wilshire Sink.....	60x25"	\$ 57.70	\$ 54.75	160
100	K-5820	Cabinet with 4 Drawers, 2 Cupboards, for Wilshire Sink.....	72x25"	78.90	74.90	215
102	K-5825	Cabinet with 4 Drawers, 3 Cupboards, for Camberley Sink.....	54x25"	46.30	155
			60x25"	51.95	160
104	K-5829 K-5830	Cabinet with 2 Drawers, 2 Cupboards, for Cymbria Sink.....	42x25"	40.75	38.60	115
106	K-5835	Cabinet with 2 Cupboards for Wellwin Sink.....	42x25"	27.95	26.20	95
107	K-5870	Cabinet for Doubleday Sink, 54" with 4 drawers, 60" with 2 drawers.....	54x22"	54.05	51.75	129
			60x22"	52.30	49.70	145
113	K-5867	Cabinet with 2 Cupboards, for Sea Cliff Sink and Tray.....	36x25"
			42x25"
			50x25"
109	K-5873 K-5874	Cabinet with 2 Drawers, 2 Cupboards, for Holiday Sink.....	42x20"	31.55	29.55	105

April 25, 1949

K O H L E R

Plumbing Fixtures

Kitchen Sinks

CATALOG K48		DESCRIPTION	Size	PRICES		App. Ship. Wt.
Page	Plate Number			White A.R.	Color A.R.	
SINKS						
110	K-6140	SHASTA—Less Fittings.....	54x22"
110	K-6149 K-6150	} RAINIER—Less Fittings.....	42x20"	\$ 35.95	183
111	K-6310		24x20" 30x20" 24.50	91 110
111	K-6325	SUTTON—Less Fittings.....	24x18" 30x20"	14.75 22.85	95 110
FLAT RIM SINKS						
112	K-6500	ASHLEY—Less Strainers.....	32x20" 42x20"	23.55 30.75	93 110
112	K-6550	ADDISON—Less Strainer.....	12x12" 24x16" 24x18" 24x20" 30x18" 30x20"	6.50 10.65 11.20 11.75 12.60 13.75	20 41 45 53 60 65
112	K-6591	ANSDELL—Less Strainer.....	24x20"	18.75	72
SPECIAL SINK DRILLINGS						
Drilling Sinks other than Cataloged, add per hole.....				\$ 1.40	
Drilling Screw holes in Rims of Flat Rim Sinks, add per hole.....			20	
					PRICES	

April 25, 1949

K O H L E R

Plumbing Fixtures

Kitchen Sinks

CATALOG K48		DESCRIPTION	Size	PRICES			App. Ship. Wt.
Page	Plate Number			White Reg.	White A.R.	Color A.R.	
SINK AND TRAYS							
113	K-6609 K-6610	{SEA CLIFF—With K-8601 Fitting, Less Leg, Movable Cover and Strainers.....	36x25"	188
			42x25"	\$ 46.10	\$ 50.95	205
			50x25"	253
113	K-6615-A K-6616-A	{SEA CLIFF—With Fittings and Metal Cabinet.....	36x25"
			42x25"
			50x25"
114	K-6619 K-6620	{CAMBORNE—With K-8601 Fitting, Less Legs, Movable Cover and Strainers....	42x25"	258
			50x25"	302
114	K-6635	ALLOWAY—Less Strainers.....	42x20"	28.25	31.75	139
113 114	{K-6705	Enameled Movable Cover for Sea Cliff and Camborne Sink and Trays.....	36x25"
			42x25"	6.00	6.00	10
			50x25"
LEGS							
FOR SINK AND TRAYS							
114	K-6712	For Apron Sink and Trays..... Each		\$ 2.75	\$ 3.50	12
113	K-6731	For under Tray Compartment..... Each		2.55	3.75	10

K O H L E R

Plumbing Fixtures

Laundry Trays

CATALOG K48		DESCRIPTION	Size	PRICES	App. Ship. Wt.
Page	Plate Number				
				White A.R.	
		LAUNDRY TRAYS			
115	K-6750-A	TWIN FALLS—Complete with Fittings.....	48x25"	\$ 57.00	240
				57.78 62.50	
115	K-6760	ELSWICK—Single Tray with Angle Iron Support, Less Fittings (Old Number K-6882).....	24x20"	24.00	97
116	K-6800	PATTEN—With Glazed Legs, Less Fittings.....	52x26"	99.50	352
		If with Regular Enameled Legs, add.....		2.40	
116	K-6815	STANWIX—With Glazed Leg, Less Fittings.....	27x26"	54.40	189
		If with Regular Enameled Leg, add.....		1.40	
116	K-6866	EMERY—Single Tray with Adjustable Standard, Less Fittings.....	24x20"	23.50	108
116	K-6867	EMERY—Single Tray on Wall Supports, Less Fittings.....	24x20"	19.15	94
		SPECIAL LAUNDRY TRAY DRILLINGS			
		Drilling Laundry Trays other than Cataloged, add per hole.....		.60	

April 25, 1949

K O H L E R

Plumbing Fixtures

Brass

CATALOG K48		Old Plate Number	DESCRIPTION	PRICES	App. Ship. Wt.
Page	Plate Number				
				Chro- mium	
			BATH AND SHOWER FITTINGS		
118	K-7025	K-7475	TRITON—Mixer, with Diverter Spout.....	\$ 19.35	15
118	K-7027	K-7476	Same as K-7025 except less Drain.....	13.10	8
118	K-7030	K-7500	DALTON—2 Valves with Diverter Spout.....	19.70	16
118	K-7032	K-7502	Same as K-7030 except less Drain.....	13.45	9
119	K-7040	K-7510	DALNEY—3 Valve Diverter.....	18.65	17
119	K-7042	K-7523	Same as K-7040 except less Drain.....	12.40	10
119	K-7045	K-7494	HARTWOOD—4 Valves—6" Centers.....	22.50	18
119	K-7047	K-7498	Same as K-7045 except less Drain.....	16.25	11
			SHOWER STALL FITTINGS		
119	K-7055	K-7672	NORTHAMPTON—with 3 Sprays.....	40.55	30
119	K-7056	K-7672-F	NORTHAMPTON—with 3 Sprays, & Foot Tester.....	46.85	35
119	K-7057	K-7668	NORTHAMPTON—with 6 Sprays.....	52.50	35
119	K-7058	K-7668-F	NORTHAMPTON—with 6 Sprays & Foot Tester.....	58.80	40

April 25, 1949

K O H L E R

Plumbing Fixtures

Brass

CATALOG K48		Old Plate Number	DESCRIPTION	PRICES	App. Ship. Wt.
Page	Plate Number				
			BATH FITTINGS	Chro- mium	
120	K-7075	K-7790	PAXTON—Mixer, Over-rim Spout, Pop-up Drain.....	\$ 14.30	12
120	K-7076	K-7795	Same as K-7075 except less Drain.....	8.05	5
120	K-7080	K-7780	ASHVILLE—2 Valves, Over-rim Spout, Pop-up Drain.....	14.70	13
120	K-7090	K-7785	DIXMONT—2 Valves, Over-rim Spout, C D & O.....	12.85	11
27	K-7091	DIXMONT—For rear wall installation.....	14.10	12
27	K-7095	K-7800	Exposed Bath Fitting with Pop-up Drain.....	19.95	13
120	K-7100	K-7788	DENTON—Over-rim Bath Filler.....	8.45	6
120	K-7105	K-7772	HADLEY—Over-rim Bath Filler with Integral Stops.....	11.70	9
			BATH VALVES		
120	K-7120	K-7920	Built-in Straight Valve.....	Each 3.05	2
120	K-7122	K-7925	Built-in by-pass Valve.....	Each 3.25	2
120	K-7125	K-7928	Built-in Straight Screw Driver Stop.....	Each 2.60	2
			FOOT AND SITZ BATH FITTINGS		
33	K-7130	Supply Fitting for K-1105 Bath.....	116.35	..
33	K-7135	Supply Fitting for K-1106 Bath.....	96.95	..
33	K-7140	Supply Fitting for K-1106 Bath.....	10.50	..
33	K-7145	Supply Fitting for K-1115 Bath.....	9.05	..
			BATH DRAINS		
121	K-7150	K-7950	CLEARPASS—Pop-up Drain.....	$\left\{ \begin{array}{l} 1\frac{1}{2}" \\ 2" \end{array} \right.$ 6.25 9.80	7 9
121	K-7151	K-7950-A	CLEARPASS—with Slip Joint Outlet.....	1 $\frac{1}{2}"$ 6.25	7
121	K-7152	K-7950-B	CLEARPASS—with Tee Tapped I. P.....	1 $\frac{1}{2}"$ 6.25	7
121	K-7153	K-7950-C	CLEARPASS—with Tailpiece below strainer.....	1 $\frac{1}{2}"$ 7.30	7
33	K-7156	For K-1105 Sitz Bath.....	1 $\frac{1}{2}"$ 7.95	..
33	K-7157	For K-1115 Foot Bath.....	1 $\frac{1}{2}"$ 6.40	..
121	K-7160	K-7954	ALDER—C D & O.....	1 $\frac{1}{2}"$ 4.40	5
121	K-7161	K-7954-A	ALDER—with Slip Joint Outlet.....	1 $\frac{1}{2}"$ 4.40	5
121	K-7162	K-7954-B	ALDER—C D & O with Tee Tapped I.P.....	1 $\frac{1}{2}"$ 4.40	5
121	K-7163	K-7954-C	ALDER—C D & O with Tailpiece below strainer.....	1 $\frac{1}{2}"$ 5.20	5

April 25, 1949

K O H L E R

Plumbing Fixtures

Brass

CATALOG K48		Old Plate Number	DESCRIPTION	PRICES	App. Ship. Wt.
Page	Plate Number				
				Chro- mium	
			BUILT-IN SHOWERS		
122	K-7205	K-7582	WENDRON—With Mixer.....	\$ 10.40	6
122	K-7210	K-7585	TIPTON—With 2 Valves.....	9.50	7
			EXPOSED SHOWERS		
122	K-7215	K-7595	SEDLEY—With Mixer.....	<u>30.35</u>	13
122	K-7216	Same as K-7215 except with L. K. Stops.....	<u>34.50</u>	14
122	K-7217	Same as K-7215 except with Supplies to Ceiling.....	<u>37.35</u>	15
122	K-7218	Same as K-7215 except with Supplies to Floor.....	<u>40.10</u>	15
122	K-7220	K-7605	WATERFORD—With 2 Valves.....	<u>17.25</u>	10
122	K-7221	Same as K-7220 except with Supplies to Ceiling.....	<u>24.20</u>	12
122	K-7222	Same as K-7220 except with Supplies to Floor.....	<u>26.95</u>	12
			INDUSTRIAL SHOWERS	Rough Plated	
122	K-7250	K-7612	DALMUIR—Exposed with Mixer.....	\$ 18.70	12
122	K-7255	K-7616	DALRY—Exposed 2 Valve.....	9.00	8
			MIXERS	Chro- mium	
123	K-7300	K-7705	½" Concealed Mixer—Top Outlet.....	\$ 6.90	3
123	K-7301	½" Concealed Mixer—Bottom Outlet.....	6.90	3
				Rough Plated	
122	K-7365	K-7704	½" Exposed Mixer.....	<u>\$ 15.75</u>	8

K O H L E R

Plumbing Fixtures

Brass

CATALOG K48		Old Plate Number	DESCRIPTION	PRICES	App. Shp. Wt.
Page	Plate Number				
				Chro- mium	
			SHOWER HEADS		
123	K-7325	K-7723	2" Ball-joint Head.....	\$ 2.70	1
123	K-7335	4" Ball-joint Head.....	3.25	2
123	K-7340	K-7729	Rigid Head (Rough Plated).....	.60	1
			COMBINATION LAVATORY FITTINGS		
124	K-8005	CENTRA—with Pop-up.....	9.25	6
124	K-8006	CENTRA—with P.O. Plug, Chain & Stopper.....	6.75	4
124	K-8010	BANCROFT—with Pop-up.....	11.75	8
124	K-8011	BANCROFT—with P.O. Plug, Chain & Stopper.....	9.40	7
			LAVATORY FAUCETS		
125	K-8178	ARNETT—with 4-arm Handle, Remov. Unit. Per Pair	5.30	3
125	K-8182	ARGYLE—with 4-arm Handle, Renewable Seat. ... Per Pair	4.15	3
125	K-8183	Same as K-8182 except with Lever Handle..... Per Pair	4.00	3
125	K-8186	SENTRY—Self-closing..... Per Pair	7.00	3
125	K-8194	STATION—Faucet & Bubbler..... Each	9.40	4
			ICE WATER FITTINGS		
125	K-8200	K-8835	NEW YORKER—Self-closing.....	<u>6.00</u>	2
95	K-8205	K-8837	Self-closing for use on Fountains.....	<u>4.60</u>	2

April 25, 1949

K O H L E R

Plumbing Fixtures

Brass

CATALOG K48		Old Plate Number	DESCRIPTION	PRICES	App. Ship. Wt.
Page	Plate Number				
				Chro- mium	
			SHAMPOO FITTING		
45	K-8245	K-8244	Shampoo Fitting.....	\$ 16.75	8
			LAVATORY SUPPLY PIPES		
126	K-8258	Angle Supply with Stop.....Per Pair	3.60	2
126	K-8259	Angle Supply less Stop.....Per Pair	2.30	2
39	K-8260	Angle Supply with Stop.....Per Pair	3.35	2
50	K-8261	Angle Supply with Stop.....Per Pair	3.35	2
126	K-8264	Angle Supply with Stop.....Per Pair	3.80	3
126	K-8268	Angle Supply with Stop—Loose Key.....Per Pair	4.50	3
126	K-8295	Angle Supply less Stop.....Per Pair	2.80	2
126	K-8315	Straight Supply with Stop.....Per Pair	5.10	5
45	K-8318	Straight Supply with Stop.....Per Pair	
			NOTE:—For Cast Brass Set Screw Flanges—Add..Per Pair	.25	
			CLOSET SUPPLY PIPES		
126	K-8334	K-9430	Angle Supply with Stop.....	2.05	1
126	K-8336	K-9440	Angle Supply with Stop.....	2.05	1
126	K-8342	K-9434	Straight Supply with Stop.....	2.05	1
126	K-8344	K-9444	Straight Supply with Stop.....	2.05	2
126	K-8345	K-9444	Straight Supply with Stop.....	2.05	2
126	K-8350	K-9435	Straight Supply less Stop.....	.95	1
126	K-8351	K-9445	Straight Supply less Stop.....	.95	1
126	K-8352	K-9445	Straight Supply less Stop.....	.95	1

April 25, 1949

K O H L E R

Plumbing Fixtures

Brass

CATALOG K48		DESCRIPTION	PRICES	Appr. Ship. Wt.
Page	Plate Number			
			Chro- mium	
		STOPS		
126	K-8400	Angle with 4-arm Handle { $\frac{3}{8}$ "	\$ 1.40	1
	 { $\frac{1}{2}$ "	1.60	1
126	K-8402	Angle with Loose Key { $\frac{3}{8}$ "	1.40	1
	 { $\frac{1}{2}$ "	1.60	1
126	K-8404	Straight with 4-arm Handle { $\frac{3}{8}$ "	1.40	1
	 { $\frac{1}{2}$ "	1.60	1
126	K-8406	Straight with Loose Key { $\frac{3}{8}$ "	1.40	1
	 { $\frac{1}{2}$ "	1.60	1
		NOTE:—For Stuffing Box on Stops.....Add	.25	
		LAVATORY DRAINS		
127	K-8415	SYNCHRO—Pop-up.....	4.05	3
127	K-8424	P.O. Plug with Metal Stopper.....	2.35	1
127	K-8426	P.O. Plug with Rubber Stopper.....	1.45	1
127	K-8428	P.O. Plug with Strainer Gate.....	1.45	1
		CHAIN STAY BOLT		
127	K-846030	1
		FAUCET HOLE COVER		
127	K-846222	1

April 25, 1949

K O H L E R

Plumbing Fixtures

Brass

CATALOG K-48		DESCRIPTION	PRICES	App. Ship. Wt.
Page	Plate Number			
		LEDGE OR COUNTER TOP SINK FITTINGS	Chro- mium	
128	K-8601	2 Water—less Spray	\$ 7.10	5
	K-8602	2 Water—less Spray—with "Spring-Flo" Aerator	7.85	5
128	K-8603	3 Water—less Spray	10.20	7
	K-8604	3 Water—less Spray—with "Spring-Flo" Aerator	10.95	7
128	K-8605	2 Water with Spray	10.20	7
	K-8606	2 Water with Spray and "Spring-Flo" Aerator	10.95	7
128	K-8607	3 Water with Spray	13.30	9
	K-8608	3 Water with Spray and "Spring-Flo" Aerator	14.05	9
		NOTE:—For Soap Dish on Above Faucets Add	.45	
		SINK MIXING FAUCETS (THRU BACK INSTALLATION)		
129	K-8655	With Soap Dish and 5" Spout	7.70	5
129	K-8656	Less Soap Dish with 5" Spout	7.25	4
129	K-8657	With Soap Dish and 5" Threaded Spout	8.00	5
129	K-8658	Less Soap Dish with 5" Threaded Spout	7.55	4
129	K-8659	With Soap Dish and 9" Spout	8.00	6
129	K-8660	Less Soap Dish with 9" Spout	7.55	5
	K-8665	With Soap Dish and 5" Spout with "Spring-Flo" Aerator	8.45	5
	K-8666	Less Soap Dish with 5" Spout with "Spring-Flo" Aerator	8.00	4
	K-8669	With Soap Dish and 9" Spout with "Spring-Flo" Aerator	8.75	6
	K-8670	Less Soap Dish with 9" Spout with "Spring-Flo" Aerator	8.30	5
		SINGLE SINK FAUCETS		
129	K-8775	With Adjustable Flange..... Each	2.30	1
129	K-8776	With Adjustable Flange and Threaded Spout..... Each	2.40	1
129	K-8786	With Solid Flange..... Each	1.95	1
129	K-8788	With Solid Flange and Threaded Spout..... Each	2.05	1

K O H L E R

Plumbing Fixtures

Brass

CATALOG K48		DESCRIPTION	PRICES	App. Ship. Wt.
Page	Plate Number			
			Chro- mium	
		PANTRY FAUCETS		
129	K-8810	For Hot and Cold Water.....	\$ 9.90	4
129	K-8815	Single Faucet.....	4.45	2
		GLASS FILLER		
94	K-8840	Self-closing Glass Filler.....	<u>5.35</u>	
		WASH SINK FITTINGS	Rough Plated	
130	K-8885	Faucet with Spray.....	\$ 6.95	3
130	K-8886	Faucet less Spray.....	5.85	4
130	K-8890	Faucet with Gooseneck and Spray.....	8.70	5
		SOAP DISHES FOR WASH SINKS		
56	K-8878	To Clamp on Supply Pipe.....	1.00	1
56	K-8880	For Mounting on Back.....	1.00	1
		SERVICE SINK FAUCETS		
130	K-8909	KINLOCK—Wall to Center of Spout 10".....	13.25	6
130	K-8910	KINLOCK—Wall to Center of Spout 8 ½".....	8.55	
130	K-8912	KNOXFORD—Wall to Center of Spout 5".....	6.05	4
130	K-8913	KNOXFORD—Wall to Center of Spout 6 ½".....	10.75	5
			Chro- mium	
90	K-8917	KNOXFORD—Wall to Center of Spout 12 ½".....	14.35	5
90	K-8918	KNOXFORD—Wall to Center of Spout 14".....	19.05	6

April 25, 1949

K O H L E R

Plumbing Fixtures

Brass

CATALOG K48		DESCRIPTION	PRICES		Appr. Ship. Wt.
Page	Plate Number		Rough Plated	Chromium	
		RIM GUARDS FOR SERVICE SINKS			
91	K-8930	Cast Brass.....	{ For 22x18" Sink	\$ 8.35 4
			{ For 24x20" Sink	8.75 4
90	K-8934	Monel Metal.....	\$ 6.60	1
90	K-8935	Monel Metal.....	6.60	1
		LAUNDRY TRAY FAUCETS	Rough Plated		
130	K-8948	FARNLEY—For Mounting on Rim.....	\$ 7.25	5
130	K-8970	FORDWICK—For Mounting on Wall.....	5.80	5
		LAWN FAUCET			
131	K-8980	{ ½" 1.35	1
			{ ¾" 1.35	1
		TRAPS			
131	K-9000	Adjustable Trap.....	{ 1¼x1¼"	\$ 2.75	3
			{ 1¼x1½"	2.90	3
			{ 1½x1½" 2.40	2.90	3
		NOTE:—For Cast Brass Set Screw Flange, add.....35	
131	K-9004	Adjustable Trap.....	{ 1¼x1¼"	3.05	2
			{ 1¼x1½"	3.60	3
			{ 1½x1½" 2.90	3.60	3
131	K-9005	Adjustable Trap.....	{ 1¼x1¼"	5.00	4
			{ 1¼x1½"	5.80	5
			{ 1½x1½"	5.80	5

K O H L E R

Plumbing Fixtures

Brass

CATALOG K48		DESCRIPTION	PRICES		Appr Ship. Wt.
Page	Plate Number		Rough Plated	Chro- mium	
		TRAPS (Cont.)			
131	K-9006	Adjustable Tap.....	1¼x1¼"	\$ 4.25	3
			1¼x1½"	4.95	4
			1½x1½"	4.95	4
131	K-9010	One Piece Trap.....	1¼x1¼"	2.50	2
			1¼x1½"	2.70	3
			1½x1½" \$ 2.05	2.70	3
131	K-9011	One Piece Trap.....	1¼x1¼"	4.45	5
			1¼x1½"	4.90	5
			1½x1½"	4.90	5
131	K-9012	One Piece Trap.....	1¼x1¼"	3.70	3
			1¼x1½"	4.05	4
			1½x1½"	4.05	4
57	K-9024	Adjustable Trap 2"	
45	K-9036	"S" Trap 1¼x1¼"	
CONTINUOUS DRAINS					
131	K-9060	2 Part Drain.....	16" Centers	5.00	4
			21" Centers	5.45	4
			24" Centers	5.70	5
131	K-9062	3 Part Drain..... 28" Centers	8.50	9
115	K-9065	2 Part Drain.....	3.70	4
	K-9067	Rough Brass N. Y. type Sink and Tray Drain with Trap, K-9107 C. P. Sink Strainer and K-9121 C. P. Tray Strainer.....	8.40	
	K-9068	Rough Brass N. Y. type Sink and Tray Drain with Trap, K-9101 C. P. Sink Strainer and K-9121 C. P. Tray Strainer.....	9.50	

April 25, 1949

K O H L E R

Plumbing Fixtures

Brass

CATALOG K48		Old Plate Number	DESCRIPTION	PRICES	Appr. Ship. Wt.
Page	Plate Number				
				Chro- mium	
			SINK STRAINERS		
132	K-9101	DUOSTRAINER.....	\$ 2.55	3
132	K-9107	ALTERN.....	1.60	2
132	K-9120	For Sinks with 2" Outlet.....	1.10	1
132	K-9121	For Laundry Trays.....	1.15	1
			NOTE:—For 6" Tailpiece, add.....	.10	
			For 9" Tailpiece, add.....	.20	
32	K-9140	Receptor Strainer.....	
57	K-9144	For Wash Sink.....	
			URINAL STRAINERS		
132	K-9160	BEEHIVE—For Enameled Iron Urinal.....	<u>2.30</u>	1
132	K-9172	K-9172-C	With China Grate for Stall.....	<u>3.45</u>	2
132	K-9173	K-9172-B	With Beehive Grate for Stall.....	<u>4.15</u>	2
132	K-9174	K-9174-C	With China Grate for Stall.....	{ 2" <u>4.00</u> 3" <u>4.80</u>	3 3
132	K-9175	K-9174-B	With Beehive Grate for Stall.....	{ 2" <u>4.70</u> 3" <u>5.50</u>	3 3

K O H L E R

Plumbing Fixtures

Brass

CATALOG K48		Old Plate Number	DESCRIPTION	PRICES	Appr. Ship. Wt.
Page	Plate Number				
				Chro- mium	
			EXPOSED URINAL FLUSH PIPES		
133	K-9201	K-9190-A	For 1 Urinal.....	\$ <u>3.30</u>	1
133	K-9202	K-9190-B	For 2 Urinals.....	<u>9.20</u>	4
133	K-9203	K-9190-C	For 3 Urinals.....	<u>10.95</u>	6
133	K-9204	K-9190-D	For 4 Urinals.....	<u>17.00</u>	9
133	K-9210	K-9194-A	For 1 Urinal.....	<u>5.65</u>	3
133	K-9211	K-9194-B	For 2 Urinals.....	<u>13.35</u>	8
133	K-9212	K-9196-A	For 1 Urinal.....	<u>7.75</u>	3
89	K-9213	Perforated Flush Pipe.....	36" <u>6.15</u>	3
				48" <u>7.35</u>	3
				72" <u>9.75</u>	5
89	K-9214	Perforated Flush Pipe and Washdown Pipe.....	36" <u>10.75</u>	4
				48" <u>12.00</u>	4
				72" <u>14.35</u>	5
			CONCEALED URINAL FLUSH PIPES	Not Plated	
	K-9221	K-9191-A	For 1 Urinal.....	\$ <u>1.85</u>	1
	K-9222	K-9191-B	For 2 Urinals.....	<u>5.75</u>	4
	K-9223	K-9191-C	For 3 Urinals.....	<u>7.55</u>	6
	K-9224	K-9191-D	For 4 Urinals.....	<u>10.55</u>	9

April 25, 1949

K O H L E R

Plumbing Fixtures

Brass

CATALOG K48		DESCRIPTION	PRICES	App. Ship. Wt.
Page	Plate Number			
			Not Plated	
		CLOSET TANK TRIM		
134	K-9250	Float Valve with Vacuum Breaker.....	\$ 2.80	3
134	K-9251	Float Valve with Vacuum Breaker.....	2.80	3
134	K-9252	Float Valve with Vacuum Breaker.....	2.80	3
134	K-9255	Regular Float Valve.....	1.95	2
134	K-9256	Regular Float Valve.....	1.95	2
134	K-9355	Flush Valve.....	1.20	2
			Chro- mium	
134	K-9400	Trip Lever.....	\$.75	1
		ACCESSORIES		
135	K-9565-A	Clamp-on Towel Bar..... Per Pair	4.40	2
135	K-9565-B	Clamp-on Towel Bar..... Per Pair	4.40	3
135	K-9565-C	Clamp-on Towel Bar..... Per Pair	4.40	3
135	K-9575	Leg for China Lavatory..... Per Pair	5.30	4
135	K-9580	Leg for Iron Lavatory..... Per Pair	5.30	4
135	K-9581	Leg for Iron Lavatory..... Per Pair	3.65	3
135	K-9600	Soap Dish.....	2.50	
135	K-9602	Tumbler Holder.....	1.85	2
135	K-9604	Tooth Brush Holder.....	1.70	2
135	K-9606	Robe Hook.....	1.50	2
135	K-9608	Paper Holder.....	2.60	3
135	K-9610	Shelf.....	18" 4.95 24" 5.30	7 8
135	K-9612	Towel Bar.....	9" 2.75 18" 2.95 24" 3.15 30" 3.55	3 3 4 4

K O H L E R

Plumbing Fixtures

Brass

CATALOG K48		DESCRIPTION	PRICES	Appr. Ship. Wt.
Page	Plate Number			
			Chromium	
CURTAIN RODS AND HOOK				
135	K-9700	For Corner Bath.....	60x30" \$7.40	6
			66x30" 7.65	6
135	K-9710	For Recess Bath.....	48" 3.10	4
			54" 3.35	4
			60" 3.60	4
			66" 3.85	4
135	K-9720	Curtain Hook and Chain.....	.85	1

April 25, 1949

S E E S

1900

No.	Description	Am.	Bk.
1	Jan 1 Balance	100.00	
2	Jan 10 To Cash	50.00	
3	Jan 20 By Cash		25.00
4	Jan 30 To Cash	75.00	
5	Feb 10 By Cash		40.00
6	Feb 20 To Cash	60.00	
7	Feb 30 By Cash		30.00
8	Mar 10 To Cash	80.00	
9	Mar 20 By Cash		50.00
10	Mar 30 To Cash	90.00	
11	Apr 10 By Cash		60.00
12	Apr 20 To Cash	100.00	
13	Apr 30 By Cash		70.00
14	May 10 To Cash	110.00	
15	May 20 By Cash		80.00
16	May 30 To Cash	120.00	
17	Jun 10 By Cash		90.00
18	Jun 20 To Cash	130.00	
19	Jun 30 By Cash		100.00
20	Jul 10 To Cash	140.00	
21	Jul 20 By Cash		110.00
22	Jul 30 To Cash	150.00	
23	Aug 10 By Cash		120.00
24	Aug 20 To Cash	160.00	
25	Aug 30 By Cash		130.00
26	Sep 10 To Cash	170.00	
27	Sep 20 By Cash		140.00
28	Sep 30 To Cash	180.00	
29	Oct 10 By Cash		150.00
30	Oct 20 To Cash	190.00	
31	Oct 30 By Cash		160.00
32	Nov 10 To Cash	200.00	
33	Nov 20 By Cash		170.00
34	Nov 30 To Cash	210.00	
35	Dec 10 By Cash		180.00
36	Dec 20 To Cash	220.00	
37	Dec 30 By Cash		190.00
38	Total	2300.00	1900.00





455-0
12
33.50